ELECTROCHIMICA *Acta*

THE JOURNAL OF THE INTERNATIONAL SOCIETY
OF ELECTROCHEMISTRY

AUTHOR INDEX
SUBJECT INDEX

VOLUME 47 (2003)

PERGAMON

ELSEVIER

Electrochimica Acta 47 (2002)

ELECTROCHIMICA Acta

www.elsevier.com/locate/electacta

Author index of volume 47 (2002)

A

Aagotnes, N.O., see Hemmingsen, T., 3949
Aballe, A., Bethencourt, M., Botana, F.J., Marcos, M. and Osuna, R.M.
Electrochemical noise applied to the study of the inhibition effect of $CeCl_3$ on the corrosion behaviour of Al–Mg alloy AA5083 in seawater, 1415
Abd El Halim, A.M., Fiechter, S. and Tributsch, H.
Control of interfacial barriers in n-type FeS_2 (pyrite) by electrodepositing metals (Co, Cu) forming isostructural disulfides, 2615
Abe, T., Kubota, J., Tanaka, T., Shoji, K., Tajiri, A. and Kaneko, M.
Voltammetric study of electrocatalysis for dioxygen reduction by trinuclear rutheniumammine complex confined in a polymer membrane, 3901
Abe, T., see Jeong, S.-K., 1975
Aberdam, D., see Soldo, Y., 3081
Abouatallah, R.M., Kirk, D.W. and Graydon, J.W.
Long-term electrolytic hydrogen permeation in nickel and the effect of vanadium species addition, 2483
Abouatallah, R.M., Kirk, D.W., Thorpe, S.J. and Graydon, J.W.
Reactivation of nickel cathodes by dissolved vanadium species during hydrogen evolution in alkaline media, 613
Abrantes, L.M., Cordas, C.M. and Vieil, E.
EQCM study of polypyrrole modified electrodes doped with Keggin-type heteropolyanion for cation detection, 1481
Abrantes, L.M., see Viana, A.S., 1587
Abreu, C.M., Cristóbal, M.J., Montemor, M.F., Nóvoa, X.R., Pena, G. and Pérez, M.C.
Galvanic coupling between carbon steel and austenitic stainless steel in alkaline media, 2271
Abreu, C.M., Cristóbal, M.J., Nóvoa, X.R., Pena, G. and Pérez, M.C.
Characterisation of the electrochemical behaviour of cerium implanted stainless steels, 2215
Adlkofer, K., see Purrucker, O., 791
Adzic, R.R., see DeVilbiss, J.E., 3057
Adžić, R.R., see Inoue, H., 3777
Albinsson, I., see Jayathilaka, P.A.R.D., 3257
Alcántara, R., Jaraba, M., Lavela, P. and Tirado, J.L.
Optimizing preparation conditions for 5 V electrode performance, and structural changes in $Li_{1-x}Ni_{0.5}Mn_{1.5}O_4$ spinel, 1829
Alcántara, R., Tillard-Charbonnel, M., Spina, L., Belin, C. and Tirado, J.L.
Electrochemical reactions of lithium with Li_2ZnGe and Li_2ZnSi, 1115
Alfarra, A., Frackowiak, E. and Béguin, F.
Mechanism of lithium electrosorption by activated carbons, 1545
Allcock, H.R., see Gao, L., 3863
Alloin, F., see Chaix, N., 1327
Alloin, F., see Saunier, J., 1321
Al-Maznai, H., see Conway, B.E., 705
Alonso, C., Castellote, M. and Andrade, C.
Chloride threshold dependence of pitting potential of reinforcements, 3469
Alonso-Vante, N., Malakhov, I.V., Nikitenko, S.G., Savinova, E.R. and Kochubey, D.I.
The structure analysis of the active centers of Ru-containing electrocatalysts for the oxygen reduction. An in situ EXAFS study, 3807
Altube, A., see Marzo, F.F., 2265
Alvarez, E.B., see Anaissi, F.J., 441
Alves, V.A. and Brett, C.M.A.
Characterisation of passive films formed on mild steels in bicarbonate solution by EIS, 2081
Amatucci, G., see Morcrette, M., 3137
Amine, K., see Lu, W., 1601
Ammann, E., Beuret, C., Indermühle, P.-F., Kötz, R., de Rooij, N.F. and Siegenthaler, H.
Local pH-controlled reactivity investigations by thin-layer scanning tunnelling microscopy, 327

doi:10.1016/S0013-4686(03)00421-3

Anaissi, F.J., Demets, G.J.-F., Alvarez, E.B., Politi, M.J. and Toma, H.E.
Long-term aging of vanadium(V) oxide xerogel precursor solutions: structural and electrochemical implications, 441
Anderson, A.B., Neshev, N.M., Sidik, R.A. and Shiller, P.
Mechanism for the electrooxidation of water to OH and O bonded to platinum: quantum chemical theory, 2999
Anderson, A.B.
O_2 reduction and CO oxidation at the Pt-electrolyte interface. The role of H_2O and OH adsorption bond strengths, 3759
Andersson, A.M., Herstedt, M., Bishop, A.G. and Edström, K.
The influence of lithium salt on the interfacial reactions controlling the thermal stability of graphite anodes, 1885
Andrade, C., see Alonso, C., 3469
Andrade, M.H.S., see Salgado, J.R.C., 1997
Andreaus, B., McEvoy, A.J. and Scherer, G.G.
Analysis of performance losses in polymer electrolyte fuel cells at high current densities by impedance spectroscopy, 2223
Anne, M., see Ibarra-Palos, A., 3171
Anson, F.C. and Lytle, F.
Michael Weaver, 2671
Antonio, M.R., see Totir, D.A., 3195
Antonucci, P.L., see Aricò, A.S., 3723
Antonucci, V., see Aricò, A.S., 3723
Anzai, J.-i., see Kashiwagi, Y., 1317
Aoki, K., see Nakamura, T., 2407
Arai, H., Tsuda, M., Saito, K., Hayashi, M. and Sakurai, Y.
Nickel dioxide polymorphs as lithium insertion electrodes, 2697
Arai, T., see Fang, B., 3971
Arakawa, R., see Rahman, M.A., 623
Aranda, P., see Jiménez-Morales, A., 2281
Arenz, M., see Schmidt, T.J., 3765
Arévalo, M.C., see Silva-Chong, J., 1441
Aricò, A.S., Antonucci, P.L., Modica, E., Baglio, V., Kim, H. and Antonucci, V.
Effect of Pt–Ru alloy composition on high-temperature methanol electro-oxidation, 3723
Armstrong, R.D.
Editorial, 853
Armstrong, R.
Editorial, 393
Armyanov, S., see Tachev, D., 359
Artuso, F., Bonino, F., Decker, F., Lourenco, A. and Masetti, E.
Study of lithium diffusion in RF sputtered Nickel–Vanadium mixed oxides thin films, 2231
Arvia, A.J., see Gómez, M.M., 405
Asami, K., see Habazaki, H., 3837
Ashassi-Sorkhabi, H. and Nabavi-Amri, S.A.
Polarization and impedance methods in corrosion inhibition study of carbon steel by amines in petroleum–water mixtures, 2239
Assiongbon, K.A., see Garland, J.E., 4113
Attia, A.A.
The use of the $Nb-Nb_2O_5$ as an oxide ion indicator electrode in fused salts, 1241
Auclair, B., see Dammak, L., 451
Aurbach, D., Gamolsky, K., Markovsky, B., Gofer, Y., Schmidt, M. and Heider, U.
On the use of vinylene carbonate (VC) as an additive to electrolyte solutions for Li-ion batteries, 1423
Aurbach, D., Markovsky, B., Rodkin, A., Cojocaru, M., Levi, E. and Kim, H.-J.
An analysis of rechargeable lithium-ion batteries after prolonged cycling, 1899
Aurbach, D., Markovsky, B., Rodkin, A., Levi, E., Cohen, Y.S., Kim, H.-J. and Schmidt, M.
On the capacity fading of $LiCoO_2$ intercalation electrodes: the effect of cycling, storage, temperature, and surface film forming additives, 4291
Aurbach, D.
Understanding Batteries: R.M. Dell, D.A.J. Rand, ISBN: 0 85404 605 4, Date of Publication: 19 July 2001. +224 pp.; £23.95, 3561
Ayranci, E., see Conway, B.E., 705
Azzem, M.A., see Ismail, K.M., 1867

B

Badawy, W.A., see El-Moneim, A.A., 2463
Badawy, W.A., see Ismail, K.M., 1867
Baert, D.H.J., see Vervaet, A.A.K., 3297
Baglio, V., see Aricò, A.S., 3723
Bai, A. and Hu, C.-C.
Effects of electroplating variables on the composition and morphology of nickel–cobalt deposits plated through means of cyclic voltammetry, 3447
Bajat, J.B., Mišković-Stanković, V.B., Maksimović, M.D., Dražić, D.M. and Zec, S.
Electrochemical deposition and characterization of Zn–Co alloys and corrosion protection by electrodeposited epoxy coating on Zn–Co alloy, 4101
Baker, W.M., see Mansour, A.N., 3151
Balasubramanian, M., see Haas, O., 3211

Balasubramanian, M., see Mansour, A.N., 3151
Baltruschat, H., see Langkau, T., 1595
Baltruschat, H., see Samjeské, G., 3681
Baltruschat, H., see Stadler, R., 4485
Banaś, J., see Lelek-Borkowska, U., 1121
Baolian, Y., see Huaxin, L., 1451
Barba, F., see Batanero, B., 1761
Barbucci, A., Bozzo, R., Cerisola, G. and Costamagna, P.
Characterisation of composite SOFC cathodes using electrochemical impedance spectroscopy. Analysis of Pt/YSZ and LSM/YSZ electrodes, 2183
Barbucci, A., see Costamagna, P., 1079
Barcia[1], O.E., see Díaz, S.L., 4091
Barcia, O.E., D'Elia, E., Frateur, I., Mattos, O.R., Pébère, N. and Tribollet, B.
Application of the impedance model of de Levie for the characterization of porous electrodes, 2109
Barcia, O.E., see Calderón, J.A., 4531
Barrado, E., Prieto, F., Garay, F.J., Medina, J. and Vega, M.
Characterization of nickel-bearing ferrites obtained as by-products of hydrochemical wastewater purification processes, 1959
Barros, S., see Gomes Correia, S.M., 2551
Barros, S., see Gomes Correia, S.M., 2421
Bartling, S., see Kim, H.-C., 799
Baruffaldi, C., Casellato, U., Cattarin, S., Musiani, M., Tribollet[1], B. and Vercelli, B.
Characterisation of the surface films formed on Nb during electrodissolution in aqueous alkali, 2989
Batanero, B., Horcajada, R., Mallmann, R., Quintanilla, M.G. and Barba, F.
Cathodic reduction of phenacyl thiocyanate, 1761
Bauer, G., see Kautek, W., 815
Bay, L., see Jacobsen, T., 2177
Bazzaoui, E.A., see Bazzaoui, M., 2953
Bazzaoui, M., Martins, L., Bazzaoui, E.A. and Martins, J.I.
New single-step electrosynthesis process of homogeneous and strongly adherent polypyrrole films on iron electrodes in aqueous medium, 2953
Bech-Nielsen, G., Jaskula, M., Chorkendorff, I. and Larsen, J.
The initial behaviour of freshly etched copper in moderately acid, aerated chloride solutions, 4279
Bedioui, F., see Caro, C.A., 1489
Beech, A., see Mortimer, R.J., 3383
Béguin, F., see Alfarra, A., 1545
Behm, M. and Irvine, J.T.S.
Influence of structure and composition upon performance of tin phosphate based negative electrodes for lithium batteries, 1727
Behm, R.J., see Jusys, Z., 3693
Belaïdi, A., see Safi, M., 2573
Bélières, J.-P., see Chaix, N., 1327
Belières, J.-P., see Saunier, J., 1321
Belin, C., see Alcántara, R., 1115
Benedetti, A.V., see De Campos, P.M., 1283
Benedetti, A.V., see Moreira, A.H., 2823
Benedetti, A.V., see Silva, G.C., 1875
Benzaïd, A., Huet, F., Jérôme, M., Wenger, F., Gabrielli, C. and Galland, J.
Electrochemical noise analysis of cathodically polarised AISI 4140 steel. I. Characterisation of hydrogen evolution on vertical unstressed electrodes, 4315
Benzaïd, A., Huet, F., Jérôme, M., Wenger, F., Gabrielli, C. and Galland, J.
Electrochemical noise analysis of cathodically polarised AISI 4140 steel. II. Identification of potential fluctuation sources for unstressed electrodes, 4325
Benzaïd, A., Huet, F., Jérôme, M., Wenger, F., Gabrielli, C. and Galland, J.
Electrochemical noise analysis of cathodically polarised AISI 4140 steel. III. Influence of hydrogen absorption for stressed electrodes, 4333
Berçot, P., see Lallemand, F., 4149
Berdnikov, V.M., see Kulakovskaya, S.I., 4245
Bernardes, A.M., see Rodrigues, M.A.S., 753
Berrettoni, M., see Giorgetti, M., 3163
Berrettoni, M., see Scavetta, E., 2451
Berríos, C., see Ureta-Zañartu, M.S., 2399
Bertagna, V., Erre, R., Rouelle, F., Chemla, M., Petitdidier, S. and Levy, D.
Electrochemical study for the characterisation of wet silicon oxide surfaces, 129
Bessière, J., see Perdicakis, M., 211
Bestetti, M., see Salvago, G., 1787
Bethencourt, M., see Aballe, A., 1415
Betova, I., Bojinov, M., Kinnunen, P., Laitinen, T., Pohjanne, P. and Saario, T.
Mechanism of transpassive dissolution of nickel-based alloys studied by impedance spectroscopy and rotating ring-disc voltammetry, 2093
Betova, I., Bojinov, M., Kinnunen, P., Pohjanne, P. and Saario, T.
Influence of the electrolyte composition and temperature on the transpassive dissolution of austenitic stainless steels in simulated bleaching solutions, 3335
Beuret, C., see Ammann, E., 327
Bianchi, A., see Fedrizzi, L., 2159
Bianco, P., see Lojou, É., 4069
Billaud, D., see Dailly, A., 4207

Billaud, D., see Dubois, M., 4459
Billaud, D., see Thomas, P., 3303
Bishop, A.G., see Andersson, A.M., 1885
Bisquert, J.
Analysis of the kinetics of ion intercalation: Ion trapping approach to solid-state relaxation processes, 2435
Bisquert, J. and Vikhrenko, V.S.
Analysis of the kinetics of ion intercalation. Two state model describing the coupling of solid state ion diffusion and ion binding processes, 3977
Bisquert, J., see Garcia-Belmonte, G., 4263
Blanc, C., see Qafsaoui, W., 4339
Blizanac, B., see Tripković, A.V., 3707
Bloeß, H., Staikov, G. and Schultze, J.W.
AFM induced formation of SiO_2 structures in the electrochemical nanocell, 335
Bloise, A.C., see Tambelli, C.C., 1677
Bobacka, J., see Sundfors, F., 2245
Bóbics, L., see Sziráki, L., 2189
Bocarsly, A.B., see Costamagna, P., 1023
Bock, C. and MacDougall, B.
The electrochemical oxidation of organics using tungsten oxide based electrodes, 3361
Bograchev, D.A. and Davydov, A.D.
Theoretical study of the effect of electrochemical cell inclination on the limiting diffusion current, 3277
Bogusz, W., see Dygas, J.R., 2303
Böhni, H., see Suter, T., 191
Bojinov, M., Fabricius, G., Kinnunen, P., Laitinen, T., Mäkelä, K., Saario, T., Sundholm, G. and Yliniemi, K.
Transpassive dissolution of Ni–Cr alloys in sulphate solutions—comparison between a model alloy and two industrial alloys, 1697
Bojinov, M., see Betova, I., 2093
Bojinov, M., see Betova, I., 3335
Bonino, F., see Artuso, F., 2231
Bonora, P.L., see Deflorian, F., 2025
Bonora, P.L., see Fedrizzi, L., 2159
Bonou, L., Eyraud, M., Denoyel, R. and Massiani, Y.
Influence of additives on Cu electrodeposition mechanisms in acid solution: direct current study supported by non-electrochemical measurements, 4139
Bontá, M., Chauviere, G., Périé, J., Núñez-Vergara, L.J. and Squella, J.A.
Nitro radical anions from megazol and related nitroimidazoles in aprotic media. A father–son type reaction triggered by an acidic proton, 4045
Boodts, J.F.C., see Da Silva, L.M., 395
Boodts, J.F.C., see De Campos, P.M., 1283
Børresen, B., Hagen, G. and Tunold[1], R.
Hydrogen evolution on $Ru_xTi_{1-x}O_2$ in 0.5 M H_2SO_4, 1819
Bortels, L., see de Kubber, D., 91
Bosser, G., see Claude-Montigny, B., 533
Botana, F.J., see Aballe, A., 1415
Bouyer, F., see Massot, L., 1949
Bozzini, B., see Fanigliulo, A., 4511
Bozzo, R., see Barbucci, A., 2183
Brändli, C., Jaramillo, T.F., Ivanovskaya, A. and McFarland, E.W.
Automated synthesis and characterization of diverse libraries of macroporous alumina, 553
Brankovic, S.R., see Inoue, H., 3777
Braun, A.M., see Schnabel, C., 719
Breslin, C.B., see Fenelon, A.M., 4467
Bressel, A., see Schultze, J.W., 3
Brett, C.M.A., see Alves, V.A., 2081
Breur, H.J.A., de Wit, J.H.W., van Turnhout, J. and Ferrari, G.M.
Electrochemical impedance study on the formation of biological iron phosphate layers, 2289
Brillas, E., Oliver, R., Estrany, F., Rodríguez, E. and Tejero, S.
Anodic polymerization of α-tetrathiophene in organic medium. Doping with perchlorate ion and properties of conducting polymer, 1623
Brown, H.R., see Cram, S.L., 1935
Bućko, M., see Róg, G., 4523
Budavári, V., Szűcs, Á., Somlai, C. and Novák, M.
Noncovalently bonded quinone on self-assembled molecular layers, 4351
Bukowska, J., see Jurkiewicz-Herbich, M., 2429
Buller, S., see Karden, E., 2347
Bulvestre, G., see Dammak, L., 451
Burrell, A.K., see Chen, J., 2715
Bursell, M., Pirjamali, M. and Kiros, Y.
$La_{0.6}Ca_{0.4}CoO_3$, $La_{0.1}Ca_{0.9}MnO_3$ and $LaNiO_3$ as bifunctional oxygen electrodes, 1651
Busalmen, J.P., Vázquez, M. and de Sánchez, S.R.
New evidences on the catalase mechanism of microbial corrosion, 1857
Bustos, P., see Ureta-Zañartu, M.S., 2399

C

Cabot, P.L., see Moreira, A.H., 2823
Cabrera-Sierra, R., see Sosa, E., 1197
Cabrera-Sierra, R., Sosa, E., Oropeza, M.T. and

González, I.
Electrochemical study on carbon steel corrosion process in alkaline sour media, 2149
Cachet, C., Cachet, H., Jousseaume, B., Toupance, T. and Vivier, V.
Electrochemistry of a new carbon-rich fluorine-doped tin oxide (CFTO) material as a powder electrode in chloride electrolytes, 1385
Cachet, C., Ganne, F., Joiret, S., Maurin, G., Petitjean, J., Vivier, V. and Wiart, R.
EIS investigation of zinc dissolution in aerated sulphate medium. Part II: zinc coatings, 3409
Cachet, C., Ganne, F., Maurin, G., Petitjean, J., Vivier, V. and Wiart, R.
EIS investigation of zinc dissolution in aerated sulfate medium. Part I: bulk zinc, 509
Cachet, H., see Cachet, C., 1385
Cachet, H., see El Moustafid, T., 1209
Cachet-Vivier, C., Vivier, V., Cha, C.S., Nedelec, J.-Y. and Yu, L.T.
Electrochemistry of powder material studied by means of the cavity microelectrode (CME), 181
Calderón, J.A., Mattos, O.R., Barcia, O.E., Córdoba de Torresi, S.I. and Pereira da Silva, J.E.
Electrodissolution of cobalt in carbonate/bicarbonate media, 4531
Campestrini, P., van Westing, E.P.M., Hovestad, A. and de Wit, J.H.W.
Investigation of the chromate conversion coating on Alclad 2024 aluminium alloy: effect of the pH of the chromate bath, 1097
Cannon, A.M., see Urquidi-Macdonald, M., 2495
Cao, F. and Prakash, J.
A comparative electrochemical study of $LiMn_2O_4$ spinel thin-film and porous laminate, 1607
Cao, X., Kim, J.H. and Oh, S.M.
The effects of oxidation on the surface properties of MCMB-6-28, 4085
Cardoso, V., see De Campos, P.M., 1283
Carlos, L.D., see Gomes Correia, S.M., 2551
Carlos, L.D., see Gomes Correia, S.M., 2421
Carlsson, J.-O., see Leopold, S., 4393
Caro, C.A., Bedioui, F. and Zagal[2], J.H.
Electrocatalytic oxidation of nitrite on a vitreous carbon electrode modified with cobalt phthalocyanine, 1489
Carraro, C., Magagnin, L. and Maboudian, R.
Selective metallization of silicon micromechanical devices, 2583
Carrette, L.P.L., see Dickinson, A.J., 3733
Casellato, U., see Baruffaldi, C., 2989
Castaneda, H., see Urquidi-Macdonald, M., 2495
Castellote, M., see Alonso, C., 3469
Castro, E.B., see Milocco, R.H., 2035
Catarino, M.A., see Godinho, M.I., 4307
Cattarin, S., see Baruffaldi, C., 2989
Cerisola, G., see Barbucci, A., 2183
Cerisola, G., see Costamagna, P., 1079
Cha, C.S., see Cachet-Vivier, C., 181
Chabre, Y., see Morcrette, M., 3137
Chaix, N., Alloin, F., Bélières, J.-P., Saunier, J. and Sanchez, J.-Y.
Electrochemical study of polymethacrylonitrile electrolytes: Comparative investigation of polynitriles electrochemical stability through model molecules. Part II, 1327
Chaix, N., see Saunier, J., 1321
Chamelot, P., Palau, P., Massot, L., Savall, A. and Taxil, P.
Electrodeposition processes of tantalum(V) species in molten fluorides containing oxide ions, 3423
Chamelot, P., see Massot, L., 1949
Chandra, S., see Gupta, V.K., 1579
Changqing, H., see Huaxin, L., 1451
Chaparro, A.M., Gutiérrez, M.T. and Herrero, J.
Quartz-crystal microbalance study of the growth of Zn(Se,O) thin-films in a chemical bath. A sequential electroless-chemical process, 977
Chassaing, E., see Rosso, M., 1267
Chauviere, G., see Bontá, M., 4045
Chazalviel, J.-N., see Rosso, M., 1267
Chazalviel, J.-N., see Safi, M., 2573
Chazalviel, J.-N., see Teyssot, A., 2565
Chemla, M., see Bertagna, V., 129
Chen, E., see Hu, C.-C., 2741
Chen, H., see Zhao, C., 1801
Chen, J., Burrell, A.K., Collis, G.E., Officer, D.L., Swiegers, G.F., Too, C.O. and Wallace, G.G.
Preparation, characterisation and biosensor application of conducting polymers based on ferrocene substituted thiophene and terthiophene, 2715
Chen, J., see Nakamura, T., 2407
Chen, J., Too, C.O., Wallace, G.G., Swiegers, G.F., Skelton, B.W. and White, A.H.
Redox-active conducting polymers incorporating ferrocenes. Preparation, characterization and bio-sensing properties of ferrocenylpropyl and -butyl polypyrroles, 4227
Chen, L.-J., Cheng, X., Lin, C.-J. and Huang, C.-M.
In-situ Raman spectroscopic studies on the oxide

species in molten Li/K_2CO_3, 1475
Chen, L.-J., Lin, C.-J. and Huang, C.-M.
In situ investigation on deformation and dissolution behavior of porous nickel during its oxidation/lithiation in Li/K_2CO_3 eutectic, 3515
Chen, L.-X., see Zhang, Y., 1739
Chen, W.-C., Wen, T.-C. and Gopalan, A.
The inductive behavior derived from hydrolysis of polyaniline, 4195
Chen, W.-C., Wen, T.-C., Hu, C.-C. and Gopalan, A.
Identification of inductive behavior for polyaniline via electrochemical impedance spectroscopy, 1305
Chen, Y.-Y., see Ríos, E., 559
Cheng, S.C., Gattrell, M., Guena, T. and MacDougall, B.
The electrochemical oxidation of alkaline copper cyanide solutions, 3245
Cheng, X., see Chen, L.-J., 1475
Cherkaoui, M., see Safi, M., 2573
Chevrot, C., see Tran-Van, F., 2927
Chialvo, A.C., see Fernández, J.L., 1145
Chialvo, A.C., see Fernández, J.L., 1137
Chialvo, A.C., see Fernández, J.L., 1129
Chiba, M., see Seo, M., 319
Chihara, O., see Tsuchiya, H., 4357
Cho, E.A., Kwon, H.S. and Macdonald, D.D.
Photoelectrochemical analysis on the passive film formed on Fe–20Cr in pH 8.5 buffer solution, 1661
Cho, E.A., see Kim, J.S., 415
Cho, M.H., see Park, K.S., 2937
Cho, T.-H., see Myung, S.-T., 2543
Choi, H., see Noh, T.-G., 2341
Chorkendorff, I., see Bech-Nielsen, G., 4279
Chu, D.B., see Zhou, X.F., 2769
Chu, P.P., see Jaipal Reddy, M., 1189
Chu, S.Z., see Kikuchi, T., 225
Chun, H.-S., see Lee, S.-I., 1055
Chung, C.-Y., Wen, T.-C. and Gopalan, A.
Identification of electrochromic sites in poly(diphenylamine) using a novel absorbance–potential–wavelength profile, 423
Chung, H.-T., see Myung, S.-T., 2543
Churikov, A.V., Volgin, M.A. and Pridatko, K.I.
On the determination of kinetic characteristics of lithium intercalation into carbon, 2857
Chusova, G.E., see Edigaryan, A.A., 2775
Claude-Montigny, B., Rioteau, E., Lemordant, D., Topart, P. and Bosser, G.
Theory of ionic conduction in organic solvents and gel electrolytes: application to the system $DG/LiCF_3SO_3$ and diacrylate/$DG/LiCF_3SO_3$, 533
Clayton, C.R., see Vasquez, M.J., 3105
Cohen, Y.S., see Aurbach, D., 4291
Cojocaru, M., see Aurbach, D., 1899
Collins, C.M., Leventis, N. and Sotiriou-Leventis, C.
Relative reactivity of vitamin A versus a mixture of β-carotene geometric isomers with electrochemically generated superoxide and hydroperoxyl radicals, 567
Collins, J.A., see Dickinson, A.J., 3733
Collis, G.E., see Chen, J., 2715
Comninellis, C., see Montilla, F., 3509
Compère, C., see Memet, J.B., 1043
Connor, P.A. and Irvine, J.T.S.
Combined X-ray study of lithium (tin) cobalt oxide matrix negative electrodes for Li-ion batteries, 2885
Conradi, A., see Kautek, W., 815
Contamin, O., see Sutter, E.M.M., 2533
Conway, B.E. and Tilak, B.V.
Interfacial processes involving electrocatalytic evolution and oxidation of H_2, and the role of chemisorbed H, 3571
Conway, B.E., Ayranci, E. and Al-Maznai, H.
Use of quasi-3-dimensional porous electrodes for adsorption and electrocatalytic removal of impurities from waste-waters, 705
Conway, B.E., see Zolfaghari, A., 1173
Cordas, C.M., see Abrantes, L.M., 1481
Córdoba de Torresi, S.I., see Calderón, J.A., 4531
Córdoba de Torresi, S.I., see Schemid, A.L., 2005
Corredor, J.I., see Elidrissi Moubtassim, M.L., 489
Costa, F.M., see Godinho, M.I., 4307
Costamagna, P., Panizza, M., Cerisola, G. and Barbucci, A.
Effect of composition on the performance of cermet electrodes. Experimental and theoretical approach, 1079
Costamagna, P., see Barbucci, A., 2183
Costamagna, P., Yang, C., Bocarsly, A.B. and Srinivasan, S.
Nafion® 115/zirconium phosphate composite membranes for operation of PEMFCs above 100 °C, 1023
Cram, S.L., Spinks, G.M., Wallace, G.G. and Brown, H.R.
Mechanism of electropolymerisation of methyl methacrylate and glycidyl acrylate on stainless steel, 1935
Crettenand, D., see Roessler, A., 1989
Cristóbal, M.J., see Abreu, C.M., 2271
Cristóbal, M.J., see Abreu, C.M., 2215

D

Daemen, L.L., see Lillard, R.S., 2473
Daenen, T.E.G., see de Kubber, D., 91

Daenen, T., see Peeters, P., 161
Dailly, A., Schneider, R., Billaud, D., Fort, Y. and Willmann, P.
New graphite–antimony composites as anodic materials for lithium-ion batteries. Preparation, characterisation and electrochemical performance, 4207
Dalla Costa, R.F., see Rodrigues, M.A.S., 753
Dammak, L., Lteif, R., Bulvestre, G., Pourcelly, G. and Auclair, B.
Determination of the diffusion coefficients of ions in cation-exchange membranes, supposed to be homogeneous, from the electrical membrane conductivity and the equilibrium quantity of absorbed electrolyte, 451
Dang, Z., see Fan, L., 3541
Darowicki, K., see Smulko, J., 1297
Da Silva, L.M., De Faria, L.A. and Boodts, J.F.C.
Determination of the morphology factor of oxide layers, 395
da Silva Pereira, M.I., see Godinho, M.I., 4307
Davepon, B., see König, U., 149
Davydov, A.D., see Bograchev, D.A., 3277
Dayalan, E., see Mills, R., 3909
Díaz, S.L., Mattos[1], O.R., Barcia[1], O.E. and Fabri Miranda, F.J.
ZnFe anomalous electrodeposition: stationaries and local pH measurements, 4091
de Andrade, A.R., see Forti, J.C., 913
De Battisti, A., see Ferro, S., 1641
Debiemme-Chouvy, C., see Quennoy, A., 1615
Debiemme-Chouvy, C., see Sutter, E.M.M., 2533
De Campos, P.M., Benedetti, A.V., De Faria, L.A., Cardoso, V. and Boodts, J.F.C.
Structural and surface properties of thermally prepared $Ti/Rh_xTi_{(1-x)}O_y$ electrodes: I—influence of preparation parameters, 1283
Decker, F., see Artuso, F., 2231
Deconinck, J., see de Kubber, D., 91
De Doncker, R.W., see Karden, E., 2347
De Faria, L.A., see Da Silva, L.M., 395
De Faria, L.A., see De Campos, P.M., 1283
Deflorian, F. and Bonora, P.L.
Editorial, 2025
Deflorian, F., see Fedrizzi, L., 2159
Degn, H.
Construction and properties of a continuously renewing platinum electrode, 3017
Deiss, E., Holzer, F. and Haas, O.
Modeling of an electrically rechargeable alkaline Zn–air battery, 3995
Deiss, E.
Spurious potential dependence of diffusion coefficients in Li^+ insertion electrodes measured with PITT, 4027
de Kubber, D., Bortels, L., Deconinck, J. and Daenen, T.E.G.
Optimisation of a cupplater reactor for gold deposition on wafers, 91
Del Gallo, P., see Guillodo, M., 2809
D'Elia, E., see Barcia, O.E., 2109
del Olmo, I., see Schnabel, C., 719
Demets, G.J.-F., see Anaissi, F.J., 441
Deng, Z., see Wang, X., 1537
Denoyel, R., see Bonou, L., 4139
De Paoli, M.-A., see Girotto, E.M., 1351
de Rooij, N.F., see Ammann, E., 327
de Sánchez, S.R., see Busalmen, J.P., 1857
Deslouis, C.
Electrochimie Physique et Analytique: Hubert H. Girault, Presses Polytechniques et Universitaires Romandes, 2001, ISBN 2-88074-429-6, 415 FF, 464 pages., 525
Deslouis, C., see Memet, J.B., 1043
de Smet, L.C.P.M., Zuilhof, H., Sudhölter, E.J.R., Wittstock, G., Duerdin, M.S., Lie, L.H., Houlton, A. and Horrocks, B.R.
Diffusion in porous silicon: effects on the reactivity of alkenes and electrochemistry of alkylated porous silicon, 2653
Dessemond, L., see Guillodo, M., 2809
Dessemond, L., see Vermoyal, J.J., 2679
de Tacconi, N.R. and Rajeshwar, K.
Semiconductor nanostructures in an alumina template matrix: micro- versus macro-scale photoelectrochemical behavior, 2603
DeVilbiss, J.E., Wang, J.X., Ocko, B.M., Tamura, K., Adzic, R.R., Vartanyants, I.A. and Robinson, I.K.
Time response of the thin layer electrochemical cell used for in situ X-ray diffraction, 3057
De Vogelaere, M., Sommer, V., Springborn, H. and Michelsen-Mohammadein, U.
High-speed plating for electronic applications, 109
de Wit, J.H.W., see Breur, H.J.A., 2289
de Wit, J.H.W., see Campestrini, P., 1097
de Zea Bermudez, V., see Gomes Correia, S.M., 2551
de Zea Bermudez, V., see Gomes Correia, S.M., 2421
Dhandapani, B., see Mills, R., 3909
Diab, N. and Schuhmann, W.
Electropolymerized manganese porphyrin/polypyrrole films as catalytic surfaces for the oxidation of nitric oxide, 265
Diaco, T., see Herlem, M., 2597
Diamantopoulou, A., see Pagitsas, M., 4163

Dibiani, R., see Hurwitz, H.D., 759
Dickinson, A.J., Carrette, L.P.L., Collins, J.A., Friedrich, K.A. and Stimming, U.
Preparation of a Pt–Ru/C catalyst from carbonyl complexes for fuel cell applications, 3733
Dierkes, P.W., see Neumann, S., 309
Diez, M.C., see Ureta-Zañartu, M.S., 2399
Dissanayake, M.A.K.L., see Ileperuma, O.A., 2801
Dissanayake, M.A.K.L., see Jayathilaka, P.A.R.D., 3257
Djenizian, T., Petite, B., Santinacci, L. and Schmuki, P.
Electron-beam induced carbon deposition used as a mask for cadmium sulfide deposition on Si(100), 891
Djenizian, T., Sproule, G.I., Moisa, S., Landheer, D., Wu, X., Santinacci, L., Schmuki, P. and Graham, M.J.
Composition and growth of thin anodic oxides formed on InP (100), 2733
Doe, H., see Rahman, M.A., 623
Doherty, A.P.
Electrochemical reduction of butyraldehyde in the presence of CO_2, 2963
Dokko, K., Fujita, Y., Mohamedi, M., Umeda, M., Uchida[1], I. and Selman[1], J.R.
Electrochemical impedance study of Li-ion insertion into mesocarbon microbead single particle electrode: Part II. Disordered carbon, 933
Dokko, K., see Umeda, M., 885
Domingues, L., Oliveira, C., Fernandes, J.C.S. and Ferreira, M.G.S.
EIS on plasma-polymerised coatings used as pre-treatment for aluminium alloys, 2253
Donepudi, V.S., see Lu, W., 1601
Donoso, J.P., see Tambelli, C.C., 1677
Dossenbach, O., see Roessler, A., 1989
Dražić, D.M., see Bajat, J.B., 4101
Drillet, J.-F., Ee, A., Friedemann, J., Kötz, R., Schnyder, B. and Schmidt, V.M.
Oxygen reduction at Pt and $Pt_{70}Ni_{30}$ in H_2SO_4/CH_3OH solution, 1983
D'Souza, F., see Kutner, W., 2371
Duan, X., see Wei, M., 2673
Dubois, M. and Billaud, D.
Electrochemical impedance spectroscopic study of the intercalation of lithium and sodium ions into polyparaphenylene in carbonate-based electrolytes, 4459
Dubreuil, D., see Manh, G.T., 2833
Dudek, M., see Róg, G., 4523
Duerdin, M.S., see de Smet, L.C.P.M., 2653
Duley, W.W., see Grishko, V.I., 643
Dunn, N.M., see Kertesz, V., 1035
Durand, R., see Soldo, Y., 3081
Dygas, J.R., Pietruczuk, K., Bogusz, W. and Krok, F.
Joint least-squares analysis of a set of impedance spectra, 2303

E

Ecken, H., see Heiduschka, P., 299
Ecken, H., see Yoshinobu, T., 259
Edigaryan, A.A., Safonov, V.A., Lubnin, E.N., Vykhodtseva, L.N., Chusova, G.E. and Polukarov, Y.M.
Properties and preparation of amorphous chromium carbide electroplates, 2775
Edström, K., see Andersson, A.M., 1885
Ee, A., see Drillet, J.-F., 1983
Eftekhari, A.
Electrochemical behavior of thin-film $LiMn_2O_4$ electrode in aqueous media, 495
Eftekhari, A.
Fractal study of $LiMn_2O_4$ film electrode surface for lithium batteries application, 4347
Ehlers, C., König, U., Staikov, G. and Schultze, J.W.
Role of surface states in electrodeposition of Pb on *n*-Ge(111), 379
Ehrenburg, M.R., see Semenikhin, O.A., 171
Eickes, C., see Lee, J., 2297
Eiswirth, M., see Lee, J., 2297
Eiswirth, M., see Lee, J., 501
El-Deab, M.S. and Ohsaka, T.
Hydrodynamic voltammetric studies of the oxygen reduction at gold nanoparticles-electrodeposited gold electrodes, 4255
Elidrissi Moubtassim, M.L., Corredor, J.I., Tirado, J.L. and Pérez Vicente, C.
$SnHPO_4$: a promising precursor for active material as negative electrode in Li-ion cells, 489
El-Moneim, A.A., Ismail, K.M. and Badawy, W.A.
Electrochemical and XPS studies of sputter-deposited ternary Mn–Ta–Cr alloys in chloride-free and chloride-containing sulphuric acid solutions, 2463
El Moustafid, T., Cachet, H., Tribollet[1], B. and Festy, D.
Modified transparent SnO_2 electrodes as efficient and stable cathodes for oxygen reduction, 1209
Emery, S.B., see Garland, J.E., 4113
Enjun, Z., see Huaxin, L., 1451
Ernst, H., Roß, B. and Knoll, M.
Characterisation and application of the electrochemical plate microreactor in analytical chemistry, 1795
Erre, R., see Bertagna, V., 129
Ertl, G., see Lee, J., 2297
Ertl, G., see Lee, J., 501
Estrany, F., see Brillas, E., 1623

Etcheberry, A., see Quennoy, A., 1615
Etcheberry, A., see Simon, N., 2625
Eyraud, M., see Bonou, L., 4139
Ezaki, K., see Sonoyama, N., 3847

F

Fabjan, C., Garche, J., Harrer, B., Jörissen, L., Kolbeck, C., Philippi, F., Tomazic, G. and Wagner, F.
The vanadium redox-battery: an efficient storage unit for photovoltaic systems, 825
Fabjan, C., see Kautek, W., 815
Fabricius, G., see Bojinov, M., 1697
Fabri Miranda, F.J., see Díaz, S.L., 4091
Fahidy, T.Z.
A sensitivity analysis of minimax strategies in decision theory applied to electrochemical processes, 4441
Fahidy, T.Z., see Grishko, V.I., 643
Fahys, B., see Herlem, M., 2597
Fan, L., Nan, C.-W. and Dang, Z.
Effect of modified montmorillonites on the ionic conductivity of $(PEO)_{16}LiClO_4$ electrolytes, 3541
Fang, B., Iwasa, S., Wei, Y., Arai, T. and Kumagai, M.
A study of the Ce(III)/Ce(IV) redox couple for redox flow battery application, 3971
Fanigliulo, A. and Bozzini, B.
An electrochemical and SERS study of benzyldimethylphenylammonium chloride at a polycrystalline gold electrode, 4511
Faure, R., see Soldo, Y., 3081
Favier, F., see Liu, H., 671
Fedkiw, P.S., see Li, Y., 3853
Fedrizzi, L., Bianchi, A., Deflorian, F., Rossi, S. and Bonora, P.L.
Effect of chemical cleaning on the corrosion behaviour of painted aluminium alloys, 2159
Fehér, K. and Inzelt, G.
Electrochemical quartz crystal microbalance study of formation and redox transformations of poly(diphenylamine), 3551
Felhősi, I., Telegdi, J., Pálinkás, G. and Kálmán, E.
Kinetics of self-assembled layer formation on iron, 2335
Feliu, J.M., see Maciá, M.D., 3653
Fellah, S., see Teyssot, A., 2565
Fenelon, A.M. and Breslin, C.B.
The electrochemical synthesis of polypyrrole at a copper electrode: corrosion protection properties, 4467
Ferber, J., see Kern, R., 4213
Fernandes, J.C.S., see Domingues, L., 2253
Fernández, J.L., Gennero de Chialvo, M.R. and Chialvo, A.C.
Kinetic study of the chlorine electrode reaction on Ti/RuO_2 through the polarisation resistance: Part I: experimental results and analysis of the pH effects, 1129
Fernández, J.L., Gennero de Chialvo, M.R. and Chialvo, A.C.
Kinetic study of the chlorine electrode reaction on Ti/RuO_2 through the polarisation resistance: Part III: proposal of a reaction mechanism, 1145
Fernández, J.L., Gennero de Chialvo, M.R. and Chialvo, A.C.
Kinetic study of the chlorine electrode reaction on Ti/RuO_2 through the polarisation resistance: Part II: mechanistic analysis, 1137
Ferrari, G.M., see Breur, H.J.A., 2289
Ferreira, M.G.S., see Domingues, L., 2253
Ferro, S. and De Battisti, A.
Electron transfer reactions at conductive diamond electrodes, 1641
Festy, D., see El Moustafid, T., 1209
Fiaud, C., see Giordana, S., 1683
Fidélis, A., see Teyssot, A., 2565
Fiechter, S., see Abd El Halim, A.M., 2615
Flores, J.R., see Urquidi-Macdonald, M., 833
Forster, D., see Hodgson, A.W.E., 1913
Fort, Y., see Dailly, A., 4207
Forti, J.C., Olivi, P. and de Andrade, A.R.
Characterisation of DSA®-type coatings with nominal composition $Ti/Ru_{0.3}Ti_{(0.7-x)}Sn_xO_2$ prepared via a polymeric precursor, 913
Fouletier, J., see Guillodo, M., 2809
Fouletier, J., see Sauvet, A.-L., 987
Frackowiak, E., see Alfarra, A., 1545
Frateur, I., see Barcia, O.E., 2109
Frichet, A., see Vermoyal, J.J., 2679
Friedemann, J., see Drillet, J.-F., 1983
Friedrich, K.A., Henglein, F., Stimming, U. and Unkauf, W.
In-situ vibrational spectroscopy on Pt electrocatalysts, 689
Friedrich, K.A., see Dickinson, A.J., 3733
Fritz, T., Mokwa, W. and Schnakenberg, U.
Material characterisation of electroplated nickel structures for microsystem technology, 55
Fugivara, C.S., see Silva, G.C., 1875
Fujii, H., see Sonoyama, N., 3847
Fujimoto, S., see Tsuchiya, H., 4357
Fujimoto, S., Tsujino, K. and Shibata, T.
Growth and properties of Cr-rich thick and porous oxide films on Type 304 stainless steel formed by

square wave potential pulse polarisation, 543
Fujinami, T., see Kurono, R., 483
Fujishima[1], A., see Yamamoto, T., 3327
Fujishima, A., see Yoshimura, M., 4387
Fujishima[1], A., see Honda, K., 4373
Fujita, Y., see Dokko, K., 933
Fujita, Y., see Umeda, M., 885
Fujiwara, N., Yasuda, K., Ioroi, T., Siroma, Z. and Miyazaki, Y.
Preparation of platinum–ruthenium onto solid polymer electrolyte membrane and the application to a DMFC anode, 4079
Fukuda, M., Imayoshi, K. and Matsumoto, Y.
Effect of polyoxyethylenelaurylether on electrodeposition of Pb-free Sn–Bi alloy, 459
Funahashi, A., see Kida, Y., 4157
Funahashi, A., see Kida, Y., 1691
Fushimi, K. and Seo, M.
An SECM observation of dissolution distribution of ferrous or ferric ion from a polycrystalline iron electrode, 121

G

Gabrielli, C., Grand, P.P., Lasia, A. and Perrot, H.
Study of the hydrogen/palladium system by fast quartz microbalance techniques, 2199
Gabrielli, C., Hemery, P., Letellier, P., Masure, M., Perrot, H., Rahmi, M.-I. and Turmine, M.
Investigation of ionic surfactant-selective electrodes by EIS, 2117
Gabrielli, C., Huet, F. and Nogueira, R.P.
Electrochemical impedance of H_2-evolving Pt electrode under bubble-induced and forced convections in alkaline solutions, 2043
Gabrielli, C., see Benzaïd, A., 4333
Gabrielli, C., see Benzaïd, A., 4325
Gabrielli, C., see Benzaïd, A., 4315
Gabrielov, A.E., see Tsirlina, G.A., 3749
Galland, J., see Benzaïd, A., 4333
Galland, J., see Benzaïd, A., 4325
Galland, J., see Benzaïd, A., 4315
Galván, J.C., see Jiménez-Morales, A., 2281
Gamolsky, K., see Aurbach, D., 1423
Gancedo, J.R., see Ríos, E., 559
Ganne, F., see Cachet, C., 3409
Ganne, F., see Cachet, C., 509
Gao, L., Macdonald, D.D., Urquidi-Macdonald, M., Olmeijer, D.L. and Allcock, H.R.
Charge cycling and impedance characterization of a polyphosphazene solid polymer electrolyte–manganese(IV) oxide intercalation cathode, 3863
Garay, F.J., see Barrado, E., 1959
Garche, J., see Fabjan, C., 825
Garcia-Belmonte, G. and Bisquert, J.
Impedance analysis of galvanostatically synthesized polypyrrole films. Correlation of ionic diffusion and capacitance parameters with the electrode morphology, 4263
Garland, J.E., Assiongbon, K.A., Pettit, C.M., Emery, S.B. and Roy, D.
Kinetic analysis of electrosorption using fast Fourier transform electrochemical impedance spectroscopy: underpotential deposition of Bi^{3+} in the presence of coadsorbing ClO_4^- on gold, 4113
Garrido, J.A., see Moreira, A.H., 2823
Gattrell, M., see Cheng, S.C., 3245
Gautier, J.L., see Ríos, E., 559
Gazivoda, A., see Stupnišek-Lisac, E., 4189
Gazotti, W.A., see Girotto, E.M., 1351
Gennero de Chialvo, M.R., see Fernández, J.L., 1145
Gennero de Chialvo, M.R., see Fernández, J.L., 1137
Gennero de Chialvo, M.R., see Fernández, J.L., 1129
Geoffroy, S., see Perdicakis, M., 211
Georén, P. and Lindbergh, G.
Characterisation and modelling of the transport properties in lithium battery polymer electrolytes, 577
George, J.M., see Valizadeh, S., 865
Georgieva, J., see Tachev, D., 359
Gerard, I., see Simon, N., 2625
Gervasi, C.A. and Vallejo, A.E.
Sodium ion transport through gramicidin-doped bilayers. Influences of temperature and ionic concentration, 2259
Geschke, B., see Pagels, M., 1837
Giordana, S. and Fiaud, C.
Corrosion behaviour of low-Si alloyed steels in neutral reducing conditions at 90 °C, 1683
Giorgetti, M., Berrettoni, M., Passerini, S. and Smyrl, W.H.
Absorption of polarized X-rays by V_2O_5-based cathodes for lithium batteries: an application, 3163
Giorgetti, M., see Scavetta, E., 2451
Girault, P., see Memet, J.B., 1043
Girish Kumar, G. and Munichandraiah, N.
Poly(methylmethacrylate)—magnesium triflate gel polymer electrolyte for solid state magnesium battery application, 1013
Girotto, E.M., Gazotti, W.A., Tormena, C.F. and De Paoli, M.-A.
Photoelectronic and transport properties of polypyrrole doped with a dianionic dye, 1351
Gloaguen, F., see Maillard, F., 3431

Gobal, F., see Heli, H., 2209
Gobron, T., see Rosso, M., 1267
Godinho, M.I., Catarino, M.A., da Silva Pereira, M.I., Mendonça, M.H. and Costa, F.M.
Effect of the partial replacement of Fe by Ni and/or Mn on the electrocatalytic activity for oxygen evolution of the $CoFe_2O_4$ spinel oxide electrode, 4307
Goeminne, G., Terryn, H., Hubin, A. and Vereecken, J.
Feasibility study to probe the growth of chromate based conversion on Al by means of rotating ring disc electrode (RRDE) measurements, 1925
Gofer, Y., see Aurbach, D., 1423
Gojković, S.Lj. and Vidaković, T.R.
Methanol oxidation on an ink type electrode using Pt supported on high area carbons, 633
Golodnitsky, D., Rosenberg, Y. and Ulus, A.
The role of anion additives in the electrodeposition of nickel–cobalt alloys from sulfamate electrolyte, 2707
Gomes Correia, S.M., de Zea Bermudez, V., Silva, M.M., Barros, S., Sá Ferreira, R.A., Carlos, L.D. and Smith, M.J.
Short chain U(600) di-urea cross-linked poly(oxyethylene)/siloxane ormolytes doped with lanthanum triflate salt, 2551
Gomes Correia, S.M., de Zea Bermudez, V., Silva, M.M., Barros, S., Sá Ferreira, R.A., Carlos, L.D., Passos de Almeida, A.P. and Smith, M.J.
Morphological and conductivity studies of di-ureasil xerogels containing lithium triflate, 2421
Gómez, M.M., Vara, J.M., Hernández, J.C., Salvarezza, R.C. and Arvia, A.J.
A model for molecular adsorption on the surface of a columnar structure including steric effects and adsorbate–adsorbate repulsive interactions, 405
González, I., see Cabrera-Sierra, R., 2149
Gonzalez, E.R., see Lizcano-Valbuena, W.H., 3715
González, I., see Nava, J.L., 1513
González[1], I., see Sosa, E., 1197
González, B., see Schnabel, C., 719
Goodman, D.W., see Santra, A.K., 3595
Gopalan, A., see Chen, W.-C., 4195
Gopalan, A., see Chen, W.-C., 1305
Gopalan, A., see Chung, C.-Y., 423
Gorochov, O., see Safi, M., 2573
Gorte, R.J., see McIntosh, S., 3815
Gorton, L., see Santos, A.S., 3351
Goto, T., see Tsujimura, H., 2725
Gottesfeld [2], S., see Thomas, S.C., 3741
Gracia, M., see Ríos, E., 559
Graham, M.J., see Djenizian, T., 2733
Grand, P.P., see Gabrielli, C., 2199
Graydon, J.W., see Abouatallah, R.M., 2483
Graydon, J.W., see Abouatallah, R.M., 613
Grgur, B.N., see Tripković, A.V., 3707
Griffiths, J., see Krause, S., 2143
Grishko, V.I., Duley, W.W., Gu, Z.H. and Fahidy, T.Z.
Laser-assisted electrochemical deposition on certain cathodes, 643
Grosselin, N., see Perdicakis, M., 211
Groult, H., see Lantelme, F., 3927
Grubač, Z., see Metikoš-Huković, M., 2387
Grujicic, D. and Pesic, B.
Electrodeposition of copper: the nucleation mechanisms, 2901
Grushko, B., see Highfield, J.G., 465
Gu, Y., see Zhao, C., 1801
Gu, Z.H., see Grishko, V.I., 643
Gu, Z., see Sun, B., 3545
Gu, Z., see Wang, J., 651
Gu, Z., see Wei, M., 2673
Gudić, S., Radošević, J. and Kliškić, M.
Study of passivation of Al and Al–Sn alloys in borate buffer solutions using electrochemical impedance spectroscopy, 3009
Guena, T., see Cheng, S.C., 3245
Guillodo, M., Fouletier, J., Dessemond, L. and Del Gallo, P.
Redox stability of BIMEVOX.10 materials (ME = Co, Cu), 2809
Gupta, V.K., Chandra, S. and Mangla, R.
Dicyclohexano-18-crown-6 as active material in PVC matrix membrane for the fabrication of cadmium selective potentiometric sensor, 1579
Gurau, B., see Lei, H.-W., 2913
Gushikem, Y., see Rosatto, S.S., 4451
Gushikem, Y., see Zaitseva, G., 1469
Guth, U., Oelßner, W. and Vonau, W.
Investigation of corrosion phenomena on chemical microsensors, 201
Gutiérrez, A., see López, M.F., 1359
Gutiérrez, C., see Ureta-Zañartu, M.S., 2399
Gutiérrez, M.T., see Chaparro, A.M., 977
Guyomard, D., see Legagneur, V., 1153

H

Haas, O., Holzer, F., Müller, S., McBreen, J.M., Yang, X.Q., Sun, X. and Balasubramanian, M.
X-ray absorption and diffraction studies of $La_{0.6}Ca_{0.4}CoO_3$ perovskite, a catalyst for bifunctional oxygen electrodes, 3211
Haas, O., see Deiss, E., 3995

Habazaki, H., Hayashi, Y. and Konno, H.
Characterization of electrodeposited WO_3 films and its application to electrochemical wastewater treatment, 4181
Habazaki, H., see Lu, Q., 2761
Habazaki, H., see Shimizu, K., 1225
Habazaki, H., Uozumi, M., Konno, H., Shimizu, K., Nagata, S., Asami, K., Skeldon, P. and Thompson, G.E.
Influence of molybdenum species on growth of anodic titania, 3837
Hagen, G., see Børresen, B., 1819
Hagihara, T., see Yae, S., 345
Hahn, F., see Kokoh, K.B., 3965
Haisch, T., Mittemeijer, E. and Schultze, J.W.
Electrochemical machining of the steel 100Cr6 in aqueous NaCl and $NaNO_3$ solutions: microstructure of surface films formed by carbides, 235
Halada, G.P., see Vasquez, M.J., 3105
Hamelmann, T. and Lohrengel, M.M.
Electrochemical investigations of single microparticles, 117
Hamelmann, T., see Park, C.J., 3395
Hamelmann, T., see Pilaski, M., 2127
Hammou, A., see Vermoyal, J.J., 2679
Hampp, N., see Kim, H.-C., 799
Han, K.S. and Han, O.H.
Influence of metal cleaning on the particle size and surface morphology of platinum black studied by NMR, TEM and CV techniques, 519
Han, O.H., see Han, K.S., 519
Hanawa, T., see Hiromoto, S., 1343
Hanji, T., see Sugimura, H., 103
Härdtl, K.H., see Ivers-Tiffée, E., 807
Harraz, F.A., Sakka, T. and Ogata, Y.H.
Effect of chloride ions on immersion plating of copper onto porous silicon from a methanol solution, 1249
Harrer, B., see Fabjan, C., 825
Hayashi, M., see Arai, H., 2697
Hayashi, S., see Komura, T., 3315
Hayashi, Y., see Habazaki, H., 4181
Haydon, P.G., see Smith, P.J.S., 283
Hazard, R., see Manh, G.T., 2833
Hazemann, J.L., see Ibarra-Palos, A., 3171
Hazemann, J.L., see Soldo, Y., 3081
He, J., see Mills, R., 3909
Hebert, K.R., see Wu, H., 1373
Heerman, L., Matthijs, E. and Langerock, S.
The concept of planar diffusion zones. Theory of the potentiostatic transient for multiple nucleation on active sites with diffusion-controlled growth, 905
Heider, U., see Aurbach, D., 1423
Heiduschka, P., Romann, I., Ecken, H., Schöning, M., Schuhmann, W. and Thanos, S.
Defined adhesion and growth of neurones on artificial structured substrates, 299
Heinze, J., see Pagels, M., 1837
Heli, H., Mahjani, M.G., Jafarian, M., Gobal, F., Mousavi, M.F. and Shamsipur, M.
Investigation of the pyridinium ion transfer across the water/nitrobenzene interface by means of cyclic voltammetry and ac-impedance techniques, 2209
Hemery, P., see Gabrielli, C., 2117
Hemmingsen, T., Hovdan, H., Sanni, P. and Aagotnes, N.O.
The influence of electrolyte reduction potential on weld corrosion, 3949
Henglein, F., see Friedrich, K.A., 689
Hengstenberg, A., see Smith, P.J.S., 283
Henri, T., see Tran-Van, F., 2927
Hepel, M. and Luo, J.
Photoelectrochemical mineralization of textile diazo dye pollutants using nanocrystalline WO_3 electrodes, 729
Herlem, G., see Herlem, M., 2597
Herlem, M., Fahys, B., Herlem, G., Lakard, B., Reybier, K., Trokourey, A., Diaco, T., Zairi, S. and Jaffrezic-Renault, N.
Surface modification of p-Si by a polyethylenimine coating: influence of the surface pre-treatment. Application to a potentiometric transducer as pH sensor, 2597
Hernández, J.C., see Gómez, M.M., 405
Herranen, M., see Leopold, S., 4393
Herrero, E., see Maciá, M.D., 3653
Herrero, J., see Chaparro, A.M., 977
Herstedt, M., see Andersson, A.M., 1885
Heusler, K.E., see Kutzmutz, S., 955
Highfield, J.G., Oguro, K. and Grushko, B.
Raney multi-metallic electrodes from regular crystalline and quasi-crystalline precursors: I. Cu-stabilized Ni/Mo cathodes for hydrogen evolution in acid, 465
Hillebrandt, H., see Purrucker, O., 791
Hiromoto, S. and Hanawa, T.
Re-passivation current of amorphous $Zr_{65}Al_{7.5}Ni_{10}$-$Cu_{17.5}$ alloy in a Hanks' balanced solution, 1343
Hjelm, A.-K. and Lindbergh, G.
Experimental and theoretical analysis of $LiMn_2O_4$ cathodes for use in rechargeable lithium batteries by electrochemical impedance spectroscopy (EIS), 1747
Hodgson, A.W.E., Mueller, Y., Forster, D. and Virtanen, S.
Electrochemical characterisation of passive films on Ti alloys under simulated biological conditions, 1913

Hody, V., see Stein, N., 1811
Holze, R., see Wu, Y.P., 3491
Holzer, F., see Deiss, E., 3995
Holzer, F., see Haas, O., 3211
Homma, T., Komatsu, I., Tamaki, A., Nakai, H. and Osaka, T.
Molecular orbital study on the reaction mechanisms of electroless deposition processes, 47
Honda, K., see Yoshimura, M., 4387
Honda, K., Yoshimura, M., Uchikado, R., Kondo, T., Rao, T.N., Tryk, D.A., Fujishima[1], A., Watanabe, M., Yasui, K. and Masuda, H.
Electrochemical characteristics for redox systems at nano-honeycomb diamond, 4373
Honma, H.
Plating technology for electronics packaging, 75
Honma, H., see Kobayashi, T., 85
Hoogvliet, J.C. and van Bennekom, W.P.
Gold thin-film electrodes: an EQCM study of the influence of chromium and titanium adhesion layers on the response, 599
Hoorn, G., see Peeters, P., 161
Horcajada, R., see Batanero, B., 1761
Horrocks, B.R.
, 2563
Horrocks, B.R., see de Smet, L.C.P.M., 2653
Horsewell, A., see Rasmussen, A.A., 67
Houlton, A., see de Smet, L.C.P.M., 2653
Hovdan, H., see Hemmingsen, T., 3949
Hovestad, A., see Campestrini, P., 1097
Hsing, I.-M., see Wang, X., 2981
Hsiu, S.-I., Huang, J.-F., Sun, I.-W., Yuan, C.-H. and Shiea, J.
Lewis acidity dependency of the electrochemical window of zinc chloride–1-ethyl-3-methylimidazolium chloride ionic liquids, 4367
Hu, C.-C. and Lin, J.-Y.
Effects of the loading and polymerization temperature on the capacitive performance of polyaniline in $NaNO_3$, 4055
Hu, C.-C. and Tsou, T.-W.
Capacitive and textural characteristics of hydrous manganese oxide prepared by anodic deposition, 3523
Hu, C.-C., Chen, E. and Lin, J.-Y.
Capacitive and textural characteristics of polyaniline-platinum composite films, 2741
Hu, C.-C., see Bai, A., 3447
Hu, C.-C., see Chen, W.-C., 1305
Hu, N., see Liu, H., 2515
Huang, C.-M., see Chen, L.-J., 3515
Huang, C.-M., see Chen, L.-J., 1475
Huang, H.G., see Sun, J.J., 95
Huang, H.-H.
Electrochemical impedance spectroscopy study of strained titanium in fluoride media, 2311
Huang, H., Korzeniewski, C. and Vijayaraghavan, G.
Quantification of CO_2 from electrochemical oxidation reactions with a strategy based on transmission infrared spectroscopy, 3675
Huang, J.-F., see Hsiu, S.-I., 4367
Huaxin, L., Li, Z., Changqing, H., Lianying, K., Enjun, Z. and Baolian, Y.
A study on the dependence of the micro-pore configurations on the volatilization and the burn processes of the organic compounds in the matrix of molten carbonate fuel cells, 1451
Hubin, A., see Goeminne, G., 1925
Hubin, A., see Pauwels, L., 2135
Hubin, A., see Simons, W., 2169
Huet, F., see Benzaïd, A., 4333
Huet, F., see Benzaïd, A., 4325
Huet, F., see Benzaïd, A., 4315
Huet, F., see Gabrielli, C., 2043
Huguenin, F., Ticianelli, E.A. and Torresi, R.M.
XANES study of polyaniline–V_2O_5 and sulfonated polyaniline–V_2O_5 nanocomposites, 3179
Hultman, L., see Valizadeh, S., 865
Hummel, H.E., see Schroth, P., 293
Hurwitz, H.D. and Dibiani, R.
Investigation of electrical properties of bipolar membranes at steady state and with transient methods, 759

I

Ibarra-Palos, A., Strobel, P., Proux, O., Hazemann, J.L., Anne, M. and Morcrette, M.
In situ X-ray absorption spectroscopy study of lithium insertion in a new disordered manganese oxi-iodide, 3171
Ikezawa, Y. and Kosugi, T.
In situ FTIR study of 2-chloropyridine adsorbed on Au(111) and Au(110) electrodes, 2921
Ikezawa, Y. and Terashima, H.
Influence of halide anions on the behavior of pyridine adsorbed on Au(111) electrode, 4407
Ileperuma, O.A., Dissanayake, M.A.K.L. and Somasundaram, S.
Dye-sensitised photoelectrochemical solar cells with polyacrylonitrile based solid polymer electrolytes, 2801
Imayoshi, K., see Fukuda, M., 459

Inaba, M., see Jeong, S.-K., 1975
Indermühle, P.-F., see Ammann, E., 327
Inoue, H., Brankovic, S.R., Wang, J.X. and Adžić, R.R.
Oxygen reduction on bare and Pt monolayer-modified Ru(0001), Ru(10$\bar{1}$0) and Ru nanostructured surfaces, 3777
Inoue, T., see Kurono, R., 483
Inoue, Y., see Matsubara, H., 4011
Inzelt, G., see Fehér, K., 3551
Ioffe, N.T., see Kulakovskaya, S.I., 4245
Ioroi, T., see Fujiwara, N., 4079
Iriyama, Y., see Jeong, S.-K., 1975
Iroh, J.O., see Rajagopalan, R., 1847
Irvine, J.T.S., see Behm, M., 1727
Irvine, J.T.S., see Connor, P.A., 2885
Isaacs, H.S., see Virtanen, S., 3117
Isaacs, H.S., Virtanen[1], S., Ryan, M.P., Schmuki[1], P. and Oblonsky, L.J.
Incorporation of Cr in the passive film on Fe from chromate solutions, 3127
Ishikawa, M., see Morita, M., 2787
Ishikawa, M., see Qiao, J.-L., 3441
Ishino, Y., see Matsubara, H., 4011
Ismail, K.M., Khalifa, Z.M., Azzem, M.A. and Badawy, W.A.
Electrochemical preparation and characterization of poly(1-amino-9,10-anthraquinone) films, 1867
Ismail, K.M., see El-Moneim, A.A., 2463
Ito, Y., see Konishi, H., 3533
Ito, Y., see Qiao, H., 4543
Ito, Y., see Tsuda, T., 2817
Ito, Y., see Tsujimura, H., 2725
Itoh, T., see Mohamedi, M., 3483
Ivanovskaya, A., see Brändli, C., 553
Ivaska, A., see Sundfors, F., 2245
Ivers-Tiffée, E., Härdtl, K.H., Menesklou, W. and Riegel, J.
Principles of solid state oxygen sensors for lean combustion gas control, 807
Iwasa, S., see Fang, B., 3971
Iwasaki, H., see Yoshinobu, T., 259
Iwasita, T.
Electrocatalysis of methanol oxidation, 3663

J

Jackson, C.L., see Shukla, A.K., 3401
Jacobsen, T. and Bay, L.
Thermal memory effects at the Pt | YSZ interface, 2177
Jafarian, M., see Heli, H., 2209
Jaffrezic-Renault, N., see Herlem, M., 2597
Jaipal Reddy, M. and Chu, P.P.
Optical microscopy and conductivity of poly(ethylene oxide) complexed with KI salt, 1189
Jänes, A. and Lust, E.
Adsorption of *D*-ribose on bismuth single crystal plane electrodes, 967
Jannasch, P., see Karlsson, L.E., 3269
Janssen, L.J.J., see Koene, L., 695
Jaraba, M., see Alcántara, R., 1829
Jaramillo, T.F., see Brändli, C., 553
Jaskula, M., see Bech-Nielsen, G., 4279
Jasulaitienė, V., see Juškėnas, R., 4239
Jayathilaka, P.A.R.D., Dissanayake, M.A.K.L., Albinsson, I. and Mellander, B.-E.
Effect of nano-porous Al_2O_3 on thermal, dielectric and transport properties of the $(PEO)_9LiTFSI$ polymer electrolyte system, 3257
Jensen, J.A.D., see Rasmussen, A.A., 67
Jensen, J.O., see Valøen, L.O., 2871
Jensen, M.D., see Korshin, G.V., 747
Jeong, S.-K., Inaba, M., Iriyama, Y., Abe, T. and Ogumi, Z.
Surface film formation on a graphite negative electrode in lithium-ion batteries: AFM study on the effects of co-solvents in ethylene carbonate-based solutions, 1975
Jerkiewicz, G., see Zolfaghari, A., 1173
Jérôme, M., see Benzaïd, A., 4333
Jérôme, M., see Benzaïd, A., 4325
Jérôme, M., see Benzaïd, A., 4315
Jiang, J. and Kucernak, A.
Electrochemical supercapacitor material based on manganese oxide: preparation and characterization, 2381
Jiang, J. and Kucernak, A.
Novel electrocatalyst for the oxygen reduction reaction in acidic media using electrochemically activated iron 2,6-bis(imino)-pyridyl complexes, 1967
Jiang, Z., see Zhao, C., 1801
Jiménez, J.A., see López, M.F., 1359
Jiménez-Morales, A., Galván, J.C. and Aranda, P.
A new silver-ion selective sensor based on a polythiacrown-ether entrapped by sol–gel, 2281
Jin, B., see Wang, X., 1537
Johann, L., see Stein, N., 1811
Johnson, C.S. and Kropf, A.J.
In situ XAFS analysis of the $Li_xNi_{0.8}Co_{0.2}O_2$ cathode during cycling in lithium batteries, 3187
Joiret, S., see Cachet, C., 3409
Jonishi, S., see Kikuchi, T., 225
Jörissen, L., see Fabjan, C., 825

Jousseaume, B., see Cachet, C., 1385
Jović, B.M., see Jović, V.D., 1777
Jović, V.D. and Jović, B.M.
Underpotential deposition of cadmium onto (111) face of silver from chloride containing solution, 1777
Jung, B.-I., see Kim, K.-W., 2525
Jung, S.-K., see Smith, P.J.S., 283
Jurkiewicz-Herbich, M., Slojkowska, R., Zawada, K. and Bukowska, J.
Electrochemical and surface-enhanced Raman spectroscopy studies of 4-phenylpyridine adsorption at the gold/solution interface, 2429
Juškėnas, R., Valsiūnas, I., Jasulaitienė, V. and Pakštas, V.
XRD studies of nickel hydride formation in alkaline solutions containing a promotor, 4239
Jusys, Z., Kaiser, J. and Behm, R.J.
Composition and activity of high surface area PtRu catalysts towards adsorbed CO and methanol electrooxidation—: A DEMS study, 3693
Jusys, Z., see Stadler, R., 4485
Jüttner, K., see Weidlich, C., 741
Jyoko, Y. and Schwarzacher, W.
Characterization of electrodeposited magnetic Co/Pt multilayered nanostructures, 371

K

Kabeya, Z., see Tajiri, K., 143
Kaiser, J., see Jusys, Z., 3693
Kalaji, M., see Viana, A.S., 1587
Kálmán, E., see Felhősi, I., 2335
Kamada, K., Mukai, M. and Matsumoto, Y.
Electrodeposition of titanium(IV) oxide film from sacrificial titanium anode in I_2-added acetone bath, 3309
Kamiya, N., see Mitsushima, S., 3823
Kanamura, K., Umegaki, T., Ohashi, M., Toriyama, S., Shiraishi, S. and Takehara, Z.-i.
Oxidation of propylene carbonate containing $LiBF_4$ or $LiPF_6$ on $LiCoO_2$ thin film electrode for lithium batteries, 433
Kaneko, M., see Abe, T., 3901
Kaneko, M., see Yagi, M., 2019
Kanner, G.S., see Lillard, R.S., 2473
Kanzaki, T., see Matsuda, A., 939
Karden, E., Buller, S. and De Doncker, R.W.
A frequency-domain approach to dynamical modeling of electrochemical power sources, 2347
Karlsson, L.E., Wesslén, B. and Jannasch, P.
Water absorption and proton conductivity of sulfonated acrylamide copolymers, 3269
Kashiwagi, Y., Nishimura, T. and Anzai, J.-i.
Voltammetric behavior of β-phosphonylated nitroxide and its application to electrocatalytic oxidation of alcohol, 1317
Kataoka, Y., see Komaba, S., 1229
Kato, T., see Tajiri, K., 143
Kautek, W., Conradi, A., Fabjan, C. and Bauer, G.
In situ FTIR spectroscopy of the Zn–Br battery bromine storage complex at glassy carbon electrodes, 815
Kautek, W., see Solomun, T., 679
Kawasaki, J., see Kobayashi, T., 85
Keddam, M.
Introduction into the theory of impedance measurements: Karel Micka, Paperback booklet, A4 format, 92 pages. Offset reproduction of a good quality word processor edition. Published by The Faculty of Chemistry Technology, Prague, 2001, 1503
Kern, P. and Landolt, D.
Adsorption of organic corrosion inhibitors on iron in the active and passive state. A replacement reaction between inhibitor and water studied with the rotating quartz crystal microbalance, 589
Kern, R., Sastrawan, R., Ferber, J., Stangl, R. and Luther, J.
Modeling and interpretation of electrical impedance spectra of dye solar cells operated under open-circuit conditions, 4213
Kerner, Z. and Pajkossy, T.
Measurement of adsorption rates of anions on Au(111) electrodes by impedance spectroscopy, 2055
Kertesz, V., Dunn, N.M. and Van Berkel, G.J.
Electrochemistry–electrospray-mass spectrometry study of cesium uptake in nickel hexacyanoferrate films, 1035
Khalifa, Z.M., see Ismail, K.M., 1867
Khan, S.A., see Li, Y., 3853
Kharton, V.V., see Tikhonovich, V.N., 3957
Kibler, L.A., see Waibel, H.-F., 1461
Kibler, L.A., see Zhou, W.P., 4501
Kida, Y., Kinoshita, A., Yanagida, K., Funahashi, A., Nohma, T. and Yonezu, I.
A study on the cycle performance of lithium secondary batteries using lithium nickel–cobalt composite oxide and graphite/coke hybrid carbon, 1691
Kida, Y., Kinoshita, A., Yanagida, K., Funahashi, A., Nohma, T. and Yonezu, I.
Study on capacity fade factors of lithium secondary batteries using $LiNi_{0.7}Co_{0.3}O_2$ and graphite–coke hybrid carbon, 4157

Kikuchi, T., Chu, S.Z., Jonishi, S., Sakairi, M. and Takahashi, H.
Local surface modification of aluminum by laser irradiation, 225
Kim, H.-C., Mickel, M., Bartling, S. and Hampp, N.
Electrochemically mediated bleaching of pulp fibers, 799
Kim, H.-J., see Aurbach, D., 1899
Kim, H.-J., see Aurbach, D., 4291
Kim, H., see Aricò, A.S., 3723
Kim, J.H., see Cao, X., 4085
Kim, J.S., Cho, E.A. and Kwon, H.S.
Photo-electrochemical analysis of passive film formed on Cr in pH 8.5 buffer solution, 415
Kim, J.-S., see Kim, K.-W., 2525
Kim, K.-B., see Nam, K.-W., 3201
Kim, K.-W., Lee, E.-H., Kim, J.-S., Shin, K.-H. and Jung, B.-I.
A study on performance improvement of Ir oxide-coated titanium electrode for organic destruction, 2525
Kim, S.-W. and Pyun, S.-I.
Lithium transport through a sol–gel derived $LiMn_2O_4$ film electrode: analyses of potentiostatic current transient and linear sweep voltammogram by Monte Carlo simulation, 2843
Kim, Y.-S., see Lee, S.-I., 1055
Kinnunen, P., see Betova, I., 2093
Kinnunen, P., see Betova, I., 3335
Kinnunen, P., see Bojinov, M., 1697
Kinoshita, A., see Kida, Y., 4157
Kinoshita, A., see Kida, Y., 1691
Kirk, D.W., see Abouatallah, R.M., 2483
Kirk, D.W., see Abouatallah, R.M., 613
Kiros, Y., see Bursell, M., 1651
Kitagaki, M., see Yae, S., 345
Kitova, S., see Rashkova, V., 1555
Klápště, B., Vondrák, J. and Velická, J.
MnO_x/C composites as electrode materials II. Reduction of oxygen on bifunctional catalysts based on manganese oxides, 2365
Kleinert, M., see Waibel, H.-F., 1461
Kliškić, M., see Gudić, S., 3009
Knoll, M., see Ernst, H., 1795
Kobayakawa, K., see Kudo, K., 353
Kobayashi, T., Kawasaki, J., Mihara, K. and Honma, H.
Via-filling using electroplating for build-up PCBs, 85
Kochubey, D.I., see Alonso-Vante, N., 3807
Koene, L. and Janssen, L.J.J.
Removal of nickel from industrial process liquids, 695
Koka, S., see Kumar, B., 4125
Kokoh, K.B., Hahn, F., Métayer, A. and Lamy[1], C.
FTIR spectroelectrochemical investigation of the electrocatalytic oxidation of ascorbic acid at platinum electrodes in acid medium, 3965
Kolb, D.M., see Waibel, H.-F., 1461
Kolb, D.M., see Zhou, W.P., 4501
Kolbeck, C., see Fabjan, C., 825
Komaba, S., Kumagai, N. and Kataoka, Y.
Influence of manganese(II), cobalt(II), and nickel(II) additives in electrolyte on performance of graphite anode for lithium-ion batteries, 1229
Komaba, S., see Myung, S.-T., 2543
Komaba, S., see Myung, S.-T., 3287
Komatsu, I., see Homma, T., 47
Komiyama, M., see Naoi, K., 1091
Komura, T., see Yamaguchi, T., 1713
Komura, T., Yamaguchi, T., Noda, K. and Hayashi, S.
Inclusion complexation of (11-ferrocenylundecyl)trimethylammonium bromide by β-cyclodextrin and its effects on electrochemical behavior of the surfactant, 3315
Kondo, T., see Honda, K., 4373
Kondo, T., see Yoshimura, M., 4387
Kondo, T., Tamura, K., Takahasi, M., Mizuki, J.-i. and Uosaki, K.
A novel spectroelectrochemical cell for in situ surface X-ray scattering measurements of single crystal disk electrodes, 3075
Kong, J., see Zhao, J., 2013
König, U. and Davepon, B.
Microstructure of polycrystalline Ti and its microelectrochemical properties by means of electron-backscattering diffraction (EBSD), 149
König, U., see Ehlers, C., 379
König, U., see Semenikhin, O.A., 171
Konishi, H., Nohira, T. and Ito, Y.
Formation of Dy–Fe alloy films by molten salt electrochemical process, 3533
Konno, H., see Habazaki, H., 4181
Konno, H., see Habazaki, H., 3837
Konstantinov, I., see Rashkova, V., 1555
Koo, I.G., see Song, S.M., 2413
Koper, M.T.M., see Shubina, T.E., 3621
Korshin, G.V. and Jensen, M.D.
Electrochemical reduction of haloacetic acids and exploration of their removal by electrochemical treatment, 747
Korzeniewski, C., see Huang, H., 3675
Kosugi, T., see Ikezawa, Y., 2921
Kotkin, A.S., see Krivenko, A.G., 3891
Kötz, R., see Ammann, E., 327
Kötz, R., see Drillet, J.-F., 1983
Kovalevsky, A.V., see Tikhonovich, V.N., 3957

Kozłowska-Róg, A., see Róg, G., 4523
Krause, S., Talabani, H., Xu, M., Moritz, W. and Griffiths, J.
Scanning photo-induced impedance microscopy—an impedance based imaging technique, 2143
Kriksunov, L.B., see Macdonald, D.D., 775
Krishnamurthy, B., White, R.E. and Ploehn, H.J.
Electric field strength effects on time-dependent passivation of metal surfaces, 2505
Krishnamurthy, B., White, R.E. and Ploehn, H.J.
Simplified point defect model for growth of anodic passive films on iron, 3375
Krivenko, A.G., Kotkin, A.S. and Kurmaz, V.A.
Mechanism of electroreduction of intermediates with and without a proton donor, 3891
Krok, F., see Dygas, J.R., 2303
Królikowski, A. and Wiecko, A.
Impedance studies of hydrogen evolution on Ni–P alloys, 2065
Kropf, A.J., see Johnson, C.S., 3187
Kubota, J., see Abe, T., 3901
Kubota, L.T., see Rosatto, S.S., 4451
Kubota, L.T., see Santos, A.S., 3351
Kucernak, A., see Jiang, J., 2381
Kucernak, A., see Jiang, J., 1967
Kudo, K., Kobayakawa, K. and Sato, Y.
Preparation of multilayered Co/Pd nanostructure films by electroplating and their magnetic properties, 353
Kulakovskaya, S.I., Kulikov, A.V., Berdnikov, V.M., Ioffe, N.T. and Shestakov, A.F.
Electrochemical and ESR study of the C–H bond activation. Electrocatalytical oxidation with participation of radical cation of phenazine-di-N-oxide, 4245
Kulikov, A.V., see Kulakovskaya, S.I., 4245
Kumagai, M., see Fang, B., 3971
Kumagai, N., see Komaba, S., 1229
Kumagai, N., see Myung, S.-T., 2543
Kumagai, N., see Myung, S.-T., 3287
Kumar, B., Rodrigues, S.J. and Koka, S.
The crystalline to amorphous transition in PEO-based composite electrolytes: role of lithium salts, 4125
Kumar, B., Rodrigues, S.J. and Spry, R.J.
Dipoles and their possible effects on conductivity in polymer-ceramic composite electrolytes, 1275
Kurmaz, V.A., see Krivenko, A.G., 3891
Kurono, R., Mehta, M.A., Inoue, T. and Fujinami, T.
Preparation and characterization of lithium ion conducting borosiloxane polymer electrolytes, 483
Kurowski, A., see Peeters, P., 161
Kutner, W., Noworyta, K., Marczak, R. and D'Souza, F.
Electrochemical quartz crystal microbalance studies of thin-solid films of higher fullerenes: C_{76}, C_{78} and C_{84}, 2371
Kutzmutz, S., Láng, G. and Heusler, K.E.
The electrodeposition of CdSe from alkaline electrolytes, 955
Kwon, H.S., see Cho, E.A., 1661
Kwon, H.S., see Kim, J.S., 415
Kwon, H.S., see Park, C.J., 3395

L

Laitinen, T., see Betova, I., 2093
Laitinen, T., see Bojinov, M., 1697
Lakard, B., see Herlem, M., 2597
Lallemand, F., Ricq, L., Berçot, P. and Pagetti, J.
Effects of the structure of organic additives in the electrochemical preparation and characterization of CoFe film, 4149
Lambert, R.M., see Williams, F.J., 1259
Lamy[1], C., see Kokoh, K.B., 3965
Landheer, D., see Djenizian, T., 2733
Landolt, D., see Kern, P., 589
Láng, G., see Kutzmutz, S., 955
Langerock, S., see Heerman, L., 905
Langkau, T. and Baltruschat, H.
The point of zero charge of adsorbed monolayers: Pt(111) covered by Ag, 1595
Lantelme, F., Mantoux, A., Groult, H. and Lincot, D.
Analysis of a phase transition process controlled by diffusion, application to lithium insertion into V_2O_5, 3927
Larsen, J., see Bech-Nielsen, G., 4279
Lasia, A., see Gabrielli, C., 2199
Lasia, A., see Valøen, L.O., 2871
Lavela, P., see Alcántara, R., 1829
Lecuire, J.M., see Stein, N., 1811
Lee, E.-H., see Kim, K.-W., 2525
Lee, E.-J., see Lee, S.-B., 855
Lee, J., Eickes, C., Eiswirth, M. and Ertl, G.
Electrochemical oscillations in the methanol oxidation on Pt, 2297
Lee, J., Strasser, P., Eiswirth, M. and Ertl, G.
On the origin of oscillations in the electrocatalytic oxidation of HCOOH on a Pt electrode modified by Bi deposition, 501
Lee, S.-B., Pyun, S.-I. and Lee, E.-J.
Effect of the compactness of the lithium chloride layer formed on the carbon cathode on the electrochemical reduction of $SOCl_2$ electrolyte in Li–$SOCl_2$ batteries,

855
Lee, S.-I., Kim, Y.-S. and Chun, H.-S.
Modeling on lithium insertion of porous carbon electrodes, 1055
Lee, W.M., see Song, S.M., 2413
Lee, Y.S., see Park, K.S., 2937
Lee, Y.S., see Park, S.H., 1721
Legagneur, V., Le Gal La Salle, A., Verbaere, A., Piffard, Y. and Guyomard, D.
Lithium insertion/deinsertion properties of new layered vanadium oxides obtained by oxidation of the precursor $H_2V_3O_8$, 1153
Le Gal La Salle, A., see Legagneur, V., 1153
Léger, J.-M., see Maillard, F., 3431
Legin, A., see Mourzina, Y.G., 251
Lei, H.-W., Suh, S., Gurau, B., Workie, B., Liu, R. and Smotkin, E.S.
Deuterium isotope analysis of methanol oxidation on mixed metal anode catalysts, 2913
Lei, Y.-Q., see Zhang, Y., 1739
Leisner, P., see Valizadeh, S., 865
Lelek-Borkowska, U. and Banaś, J.
Anodic dissolution of silicon monocrystals in anhydrous organic solutions of chlorides, 1121
Lemaître-Auger, F. and Prud'homme, J.
Poly(ethylene oxide)–LiX rubbery electrolytes with $^{-}X–X^{-}$ disulfonamide anions having two or three ether groups in their structures, 4433
Lemordant, D., see Claude-Montigny, B., 533
Leopold, S., Schuchert, I.U., Lu, J., Toimil Molares, M.E., Herranen, M. and Carlsson, J.-O.
Electrochemical deposition of cylindrical Cu/Cu_2O microstructures, 4393
Leriche, J.-B., see Morcrette, M., 3137
Letellier, P., see Gabrielli, C., 2117
Leventis, N., see Collins, C.M., 567
Levi, E., see Aurbach, D., 1899
Levi, E., see Aurbach, D., 4291
Lévy, J.P., see Soldo, Y., 3081
Levy, D., see Bertagna, V., 129
Lewenstam, A., see Sundfors, F., 2245
Lewerenz, H.J. and Schulte, K.H.
Combined photoelectrochemical conditioning and surface analysis of InP photocathodes: II. Photoelectron spectroscopy, 2639
Lewerenz, H.J., see Schulte, K.H., 2633
Li, D.Y., see Wang, X.Y., 3939
Li, M., see Sun, B., 3545
Li, M., see Wang, J., 651
Li, M., see Wei, M., 2673
Li, N., see Wang, J., 651
Li, N., see Wei, M., 2673
Li, Y., Fedkiw, P.S. and Khan, S.A.
Lithium/V_6O_{13} cells using silica nanoparticle-based composite electrolyte, 3853
Li, Z., see Huaxin, L., 1451
Lianying, K., see Huaxin, L., 1451
Liaw, B.Y. and Yang, X.-G.
Limiting mechanism on rapid charging Ni–MH batteries, 875
Lie, L.H., see de Smet, L.C.P.M., 2653
Lillard, R.S., Kanner, G.S. and Daemen, L.L.
The influence of a mixed radiation environment on the properties of the passive film on tungsten, 2473
Lin, C.-J., see Chen, L.-J., 3515
Lin, C.-J., see Chen, L.-J., 1475
Lin, C.J., see Zhou, X.F., 2769
Lin, J.-Y., see Hu, C.-C., 4055
Lin, J.-Y., see Hu, C.-C., 2741
Lin, X., see Wang, X., 1537
Lincot, D., see Lantelme, F., 3927
Lindbergh, G., see Georén, P., 577
Lindbergh, G., see Hjelm, A.-K., 1747
Lira, L.M., see Schemid, A.L., 2005
Liu, B., see Zhao, J., 2013
Liu, G.Q., Zeng, C.L. and Yang, K.
Study on the synthesis and properties of LiV_3O_8 rechargeable lithium batteries cathode, 3239
Liu, H., Favier, F., Ng, K., Zach, M.P. and Penner, R.M.
Size-selective electrodeposition of meso-scale metal particles: a general method, 671
Liu, H., Wang, L. and Hu, N.
Direct electrochemistry of hemoglobin in biomembrane-like DHP–PDDA polyion-surfactant composite films, 2515
Liu, J., see Lu, W., 1601
Liu, R., see Lei, H.-W., 2913
Lizcano-Valbuena, W.H., Paganin, V.A. and Gonzalez, E.R.
Methanol electro-oxidation on gas diffusion electrodes prepared with Pt–Ru/C catalysts, 3715
Löffler, T., see Samjeské, G., 3681
Lohrengel, M.M., Moehring, A. and Pilaski, M.
Capillary-based droplet cells: limits and new aspects, 137
Lohrengel, M.M., see Hamelmann, T., 117
Lohrengel, M.M., see Muñoz, A.G., 2751
Lohrengel, M.M., see Park, C.J., 3395
Lohrengel, M.M., see Pilaski, M., 2127
Lojou, É. and Bianco, P.
Modified electrodes for probing the metal-reductase activity of metalloproteins: the reduction of iron(III) catalyzed by *Desulfovibrio vulgaris* Hildenborough cytochrome c_3, 4069

López, M.F., Gutiérrez, A. and Jiménez, J.A.
In vitro corrosion behaviour of titanium alloys without vanadium, 1359
Lourenco, A., see Artuso, F., 2231
Lteif, R., see Dammak, L., 451
Lu, C., see Waszczuk, P., 3637
Lu, G. and Zangari, G.
Corrosion resistance of ternary Ni–P based alloys in sulfuric acid solutions, 2969
Lu, G.-Q., see Waszczuk, P., 3637
Lu, J., see Leopold, S., 4393
Lu, Q., Mato, S., Skeldon, P., Thompson, G.E., Masheder, D., Habazaki, H. and Shimizu, K.
Anodic film growth on tantalum in dilute phosphoric acid solution at 20 and 85 °C, 2761
Lu, W., Donepudi, V.S., Prakash, J., Liu, J. and Amine, K.
Electrochemical and thermal behavior of copper coated type MAG-20 natural graphite, 1601
Lubnin, E.N., see Edigaryan, A.A., 2775
Lucas, C.A.
Surface relaxation at the metal/electrolyte interface, 3065
Ludwig, G., see Rahner, D., 1395
Ludwig, G., see Röhrs, J., 1405
Lufrano, F., see Staiti, P., 2795
Luo, H., see Sun, B., 3545
Luo, J.L., see Yu, J.G., 4019
Luo, J.L., see Yu, J.G., 1527
Luo, J., see Hepel, M., 729
Luo, J., see Sun, J.J., 95
Lust, E., see Jänes, A., 967
Lust, E., see Väärtnõu, M., 997
Lüth, H., see Mourzina, Y.G., 251
Lüth, H., see Poghossian, A., 243
Lüth, H., see Schroth, P., 293
Lüth, H., see Yoshinobu, T., 259
Luther, J., see Kern, R., 4213
Lytle, F., see Anson, F.C., 2671

M

Maboudian, R., see Carraro, C., 2583
Macdonald, D.D. and Kriksunov, L.B.
Probing the chemical and electrochemical properties of SCWO systems, 775
Macdonald, D.D., see Cho, E.A., 1661
Macdonald, D.D., see Gao, L., 3863
Macdonald, D.D., see Urquidi-Macdonald, M., 833
MacDougall, B., see Bock, C., 3361
MacDougall, B., see Cheng, S.C., 3245
Maciá, M.D., Herrero, E. and Feliu, J.M.
Formic acid self-poisoning on adatom-modified stepped electrodes, 3653
Macleod, N., see Williams, F.J., 1259
Macpherson, J.V., Simjee, N. and Unwin, P.R.
Hydrodynamic ultramicroelectrodes: kinetic and analytical applications, 29
Madžarac, M., see Stupnišek-Lisac, E., 4189
Magagnin, L., see Carraro, C., 2583
Magagnin, L., see Salvago, G., 1787
Magon, C.J., see Tambelli, C.C., 1677
Mahjani, M.G., see Heli, H., 2209
Maillard, F., Martin, M., Gloaguen, F. and Léger, J.-M.
Oxygen electroreduction on carbon-supported platinum catalysts. Particle-size effect on the tolerance to methanol competition, 3431
Mäkelä, K., see Bojinov, M., 1697
Makowska, E., see Vladikova, D., 2943
Maksimović, M.D., see Bajat, J.B., 4101
Malakhov, I.V., see Alonso-Vante, N., 3807
Mallmann, R., see Batanero, B., 1761
Mancier, V., Metrot, A. and Willmann, P.
A 'transverse' ac impedance method to follow the nickel oxo-hydroxide electrode charging process, 1633
Mangla, R., see Gupta, V.K., 1579
Mangold, K.-M., see Weidlich, C., 741
Manh, G.T., Hazard, R., Tallec, A., Pradere, J.P., Dubreuil, D., Thiam, M. and Toupet, L.
Electrochemical reduction of substituted pyridazines: a new access to activated pyrroles, 2833
Mankowski, G., see Qafsaoui, W., 4339
Mansfeld, F., see Nagiub, A., 2319
Mansour, A.N., Smith, P.H., Baker, W.M., Balasubramanian, M. and McBreen, J.
In situ XAS investigation of the oxidation state and local structure of vanadium in discharged and charged V_2O_5 aerogel cathodes, 3151
Mantoux, A., see Lantelme, F., 3927
Marco, J.F., see Ríos, E., 559
Marcos, M., see Aballe, A., 1415
Marczak, R., see Kutner, W., 2371
Marinova, T., see Valov, I., 4419
Markovic, N.M., see Paulus, U.A., 3787
Markovic, N.M., see Schmidt, T.J., 3765
Marković, N.M., see Tripković, A.V., 3707
Markovic, N.
Editorial, 3569
Markovsky, B., see Aurbach, D., 1899
Markovsky, B., see Aurbach, D., 4291
Markovsky, B., see Aurbach, D., 1423
Marrero-Cruz, M., see Wang, C., 1069

Marte, W., see Roessler, A., 1989
Martin, M., see Maillard, F., 3431
Martins, J.I., see Bazzaoui, M., 2953
Martins, L., see Bazzaoui, M., 2953
Marzo, F.F., Altube, A. and Pierna, A.R.
A comparative study, by EIS and Tafel experiments, of the electrochemical behavior of FINEMET alloys modified with chromium, 2265
Masel, R.I., see Waszczuk, P., 3637
Masetti, E., see Artuso, F., 2231
Masheder, D., see Lu, Q., 2761
Masquelier, C., see Morcrette, M., 3137
Massiani, Y., see Bonou, L., 4139
Massot, L., Chamelot, P., Bouyer, F. and Taxil[1], P.
Electrodeposition of carbon films from molten alkaline fluoride media, 1949
Massot, L., see Chamelot, P., 3423
Masuda, H., see Honda, K., 4373
Masuda, T., see Sugimura, H., 103
Masure, M., see Gabrielli, C., 2117
Mathieu, C., see Simon, N., 2625
Mato, S., see Lu, Q., 2761
Matsubara, H., Yonekawa, T., Ishino, Y., Nishiyama, H., Saito, N. and Inoue, Y.
Observation of initial deposition process of electroless nickel plating by quartz crystal microbalance method and microscopy, 4011
Matsuda, A., Kanzaki, T., Tadanaga, K., Tatsumisago, M. and Minami, T.
Medium temperature range characterization as a proton conductor for phosphosilicate dry gels containing large amounts of phosphorus, 939
Matsuda, H., see Yae, S., 345
Matsumoto, Y., see Fukuda, M., 459
Matsumoto, Y., see Kamada, K., 3309
Matsuzawa, K., see Mitsushima, S., 3823
Matthijs, E., see Heerman, L., 905
Mattos[1], O.R., see Díaz, S.L., 4091
Mattos, O.R., see Barcia, O.E., 2109
Mattos, O.R., see Calderón, J.A., 4531
Maurin, G., see Cachet, C., 3409
Maurin, G., see Cachet, C., 509
McBreen, J.
Editorial, 3035
McBreen, J.M., see Haas, O., 3211
McBreen, J., see Mansour, A.N., 3151
McEvoy, A.J., see Andreaus, B., 2223
McFarland, E.W., see Brändli, C., 553
McIntosh, S., Vohs, J.M. and Gorte, R.J.
An examination of lanthanide additives on the performance of Cu–YSZ cermet anodes, 3815
Md. Ismail, A.B., see Yoshinobu, T., 259
Medina, J., see Barrado, E., 1959
Mehta, M.A., see Kurono, R., 483
Mellander, B.-E., see Jayathilaka, P.A.R.D., 3257
Membrino, M.A., see Orazem, M.E., 2027
Memet, J.B., Girault, P., Sabot, R., Compère, C. and Deslouis, C.
Electrochemical impedance spectroscopy of a free-standing oxide film, 1043
Méndez, E., see Silva-Chong, J., 1441
Mendonça, M.H., see Godinho, M.I., 4307
Menesklou, W., see Ivers-Tiffée, E., 807
Métayer, A., see Kokoh, K.B., 3965
Metikoš-Huković, M., Radić, N., Grubač, Z. and Tonejcv, H.A.
The corrosion behavior of sputter-deposited aluminum–tungsten alloys, 2387
Metrot, A., see Mancier, V., 1633
Michaud, P.A., see Montilla, F., 3509
Michelsen-Mohammadein, U., see De Vogelaere, M., 109
Mickel, M., see Kim, H.-C., 799
Mihara, K., see Kobayashi, T., 85
Mills, R., Dayalan, E., Ray, P., Dhandapani, B. and He, J.
Highly stable novel inorganic hydrides from aqueous electrolysis and plasma electrolysis, 3909
Milocco, R.H., Castro, E.B. and Real, S.G.
Parameter identification and model validation of adsorption and electron transfer processes using impedance, 2035
Minami, T., see Matsuda, A., 939
Minutoli, M., see Staiti, P., 2795
Misawa, H., see Sugimura, H., 103
Mišković-Stanković, V.B., see Bajat, J.B., 4101
Mitsushima, S., Matsuzawa, K., Kamiya, N. and Ota, K.-i.
Improvement of MCFC cathode stability by additives, 3823
Mittemeijer, E., see Haisch, T., 235
Miyazaki, Y., see Fujiwara, N., 4079
Miyoshi, Y., see Yae, S., 345
Mizuki, J.-i., see Kondo, T., 3075
Mizutani, F., see Ue, M., 217
Modica, E., see Aricò, A.S., 3723
Moehring, A., see Lohrengel, M.M., 137
Moehring, A., see Muñoz, A.G., 2751
Moehring, A., see Pilaski, M., 2127
Mohamedi, M., see Dokko, K., 933
Mohamedi, M., see Umeda, M., 885
Mohamedi, M., Takahashi, D., Itoh, T. and Uchida, I.
Electrochemical stability of thin film $LiMn_2O_4$ cathode in organic electrolyte solutions with different

compositions at 55 °C, 3483
Moisa, S., see Djenizian, T., 2733
Mokwa, W., see Fritz, T., 55
Montemor, M.F., see Abreu, C.M., 2271
Montilla, F., Michaud, P.A., Morallón, E., Vázquez, J.L. and Comninellis, C.
Electrochemical oxidation of benzoic acid at boron-doped diamond electrodes, 3509
Montilla, F., Morallón, E. and Vázquez[1], J.L.
Electrochemical study of benzene on Pt of various surface structures in alkaline and acidic solutions, 4399
Mora, M.L., see Ureta-Zañartu, M.S., 2399
Morallón, E., see Montilla, F., 3509
Morallón, E., see Montilla, F., 4399
Morcrette, M., Chabre, Y., Vaughan, G., Amatucci, G., Leriche, J.-B., Patoux, S., Masquelier, C. and Tarascon, J.-M.
In situ X-ray diffraction techniques as a powerful tool to study battery electrode materials, 3137
Morcrette, M., see Ibarra-Palos, A., 3171
Moreira, A.H., Benedetti, A.V., Sumodjo, P.T.A., Garrido, J.A. and Cabot, P.L.
Electrochemical behaviour of heat-treated Al–Zn–Mg alloys in chloride solutions containing sulphate, 2823
Morita, M., see Qiao, J.-L., 3441
Morita, M., Shibata, T., Yoshimoto, N. and Ishikawa, M.
Anodic behavior of aluminum in organic solutions with different electrolytic salts for lithium ion batteries, 2787
Moritz, W., see Krause, S., 2143
Mortimer, R.J. and Beech, A.
AC impedance characteristics of solid-state planar electrochemical carbon monoxide sensors with Nafion® as solid polymer electrolyte, 3383
Mosiałek, M., see Tomczyk, P., 945
Motheo, A.J., see Venancio, E.C., 1495
Moumtzis, F., see Nikitas, P., 1765
Mourzina, Y.G., Schubert, J., Zander, W., Legin, A., Vlasov, Y.G., Lüth, H. and Schöning, M.J.
Development of multisensor systems based on chalcogenide thin film chemical sensors for the simultaneous multicomponent analysis of metal ions in complex solutions, 251
Mousavi, M.F., see Heli, H., 2209
Mueller, Y., see Hodgson, A.W.E., 1913
Mukai, M., see Kamada, K., 3309
Mukerjee, S. and Urian, R.C.
Bifunctionality in Pt alloy nanocluster electrocatalysts for enhanced methanol oxidation and CO tolerance in PEM fuel cells: electrochemical and in situ synchrotron spectroscopy, 3219
Müller, S., see Haas, O., 3211
Munichandraiah, N., see Girish Kumar, G., 1013
Muñoz, A.G., Moehring, A. and Lohrengel, M.M.
Anodic oxidation of chemically hydrogenated Si(100), 2751
Musiani, M., see Baruffaldi, C., 2989
Myung, N.V., see Park, D.-Y., 2893
Myung, S.-T., Komaba, S. and Kumagai, N.
Hydrothermal synthesis and electrochemical behavior of orthorhombic $LiMnO_2$, 3287
Myung, S.-T., Komaba, S., Kumagai, N., Yashiro, H., Chung, H.-T. and Cho, T.-H.
Nano-crystalline $LiNi_{0.5}Mn_{1.5}O_4$ synthesized by emulsion drying method, 2543

N

Nabavi-Amri, S.A., see Ashassi-Sorkhabi, H., 2239
Nagata, S., see Habazaki, H., 3837
Nagiub, A. and Mansfeld, F.
Evaluation of microbiologically influenced corrosion inhibition (MICI) with EIS and ENA, 2319
Nagy, Z. and You, H.
Applications of surface X-ray scattering to electrochemistry problems, 3037
Nahm, K.S., see Park, K.S., 2937
Nahm, K.S., see Park, S.H., 1721
Naito, F., see Tajiri, K., 143
Nakai, H., see Homma, T., 47
Nakamura, T., Aoki, K. and Chen, J.
Temperature-variation of capacitance of alkanethiol monolayer films, 2407
Nakamura, T., see Tajiri, K., 143
Nakato, Y., see Yae, S., 345
Nam, J.-D., see Noh, T.-G., 2341
Nam, K.-W., Yoon, W.-S. and Kim, K.-B.
X-ray absorption spectroscopy studies of nickel oxide thin film electrodes for supercapacitors, 3201
Nan, C.-W., see Fan, L., 3541
Naoi, K., Suematsu, S., Komiyama, M. and Ogihara, N.
An electrochemical study of poly(2,2′-dithiodianiline) in acidic aqueous media, 1091
Napporn, W.T., see Venancio, E.C., 1495
Natishan, P.M., Yu, S.Y., O'Grady, W.E. and Ramaker, D.E.
X-ray absorption near edge structure and X-ray photoelectron spectroscopy studies of chloride in passive oxide films, 3131
Naumovich, E.N., see Tikhonovich, V.N., 3957

Nava, J.L., Oropeza, M.T. and González, I.
Electrochemical characterisation of sulfur species formed during anodic dissolution of galena concentrate in perchlorate medium at pH 0, 1513
Nedelec, J.-Y., see Cachet-Vivier, C., 181
Neshev, N.M., see Anderson, A.B., 2999
Neumann, S., Dierkes, P.W. and Schlue, W.-R.
Potentiometric measurement of cell volume changes and intracellular ion concentrations in leech Retzius neurones, 309
Ng, K., see Liu, H., 671
Nikitas, P. and Moumtzis, F.
A Monte-Carlo test of the mean field approximation used for the modeling of the adsorption of organic compounds on electrodes. Evidences for existence of peculiar phase transitions, 1765
Nikitenko, S.G., see Alonso-Vante, N., 3807
Nikolelis, D.P., Petropoulou, S.-S.E. and Theoharis, G.
Electrochemical investigation of interactions of bilayer lipid membranes (BLMs) with incorporated resorcin[4]arene receptor with ephedrine for the development of a stabilized lipid film biosensor for ephedrine, 3457
Nishijima, Y., see Suzuki, J., 3881
Nishimura, T., see Kashiwagi, Y., 1317
Nishiwaki, T., see Ue, M., 217
Nishiyama, H., see Matsubara, H., 4011
Nobe, K., see Park, D.-Y., 2893
Noda, K., see Komura, T., 3315
Nogueira, R.P., see Gabrielli, C., 2043
Noh, T.-G., Tak, Y., Nam, J.-D. and Choi, H.
Electrochemical characterization of polymer actuator with large interfacial area, 2341
Nohira, T., see Konishi, H., 3533
Nohira, T., see Qiao, H., 4543
Nohira, T., see Tsuda, T., 2817
Nohma, T., see Kida, Y., 4157
Nohma, T., see Kida, Y., 1691
Norton, P.R., see Yu, J.G., 4019
Norton, P.R., see Yu, J.G., 1527
Novák, M., see Budavári, V., 4351
Nóvoa, X.R., see Abreu, C.M., 2271
Nóvoa, X.R., see Abreu, C.M., 2215
Noworyta, K., see Kutner, W., 2371
Núñez-Vergara, L.J., see Bontá, M., 4045
Nyokong, T., see Ozoemena, K., 4035

O

Obłąkowski, J., see Tomczyk, P., 945
Oblonsky, L.J., see Isaacs, H.S., 3127
Ocko, B.M., see DeVilbiss, J.E., 3057
Oelßner, W., see Guth, U., 201
Officer, D.L., see Chen, J., 2715
Ogata, Y.H., see Harraz, F.A., 1249
Ogihara, N., see Naoi, K., 1091
O'Grady, W.E., see Natishan, P.M., 3131
Ogumi, Z., see Jeong, S.-K., 1975
Oguro, K., see Highfield, J.G., 465
Oh, S.M., see Cao, X., 4085
Ohashi, M., see Kanamura, K., 433
Ohata, H., see Yamamoto, T., 3327
Ohsaka, T., see El-Deab, M.S., 4255
Ohsaka, T., see Okajima, T., 1561
Okajima, T. and Ohsaka, T.
Chemiluminescence of indole and its derivatives induced by electrogenerated superoxide ion in acetonitrile solutions, 1561
Oliveira, C., see Domingues, L., 2253
Oliver, R., see Brillas, E., 1623
Olivi, P., see Forti, J.C., 913
Olmeijer, D.L., see Gao, L., 3863
Orazem, M.E., Shukla, P. and Membrino, M.A.
Extension of the measurement model approach for deconvolution of underlying distributions for impedance measurements, 2027
Oropeza, M.T., see Cabrera-Sierra, R., 2149
Oropeza, M.T., see Nava, J.L., 1513
Oropeza, M.T., see Sosa, E., 1197
Osaka, T.
Introduction of electrochemical microsystem technologies (EMT) from ultra-high-density magnetic recording, 23
Osaka, T., see Homma, T., 47
Osuna, R.M., see Aballe, A., 1415
Ota, K.-i., see Mitsushima, S., 3823
Ozanam, F., see Teyssot, A., 2565
Ozoemena, K. and Nyokong, T.
Voltammetric characterization of the self-assembled monolayer (SAM) of octabutylthiophthalocyaninatoiron(II): a potential electrochemical sensor, 4035
Ozuka, H., see Uchida, H., 3629

P

Paasch, G.
Transmission line description for doped conjugated polymers with polarons, bipolarons and counterions as charged species, 2049
Paganin, V.A., see Lizcano-Valbuena, W.H., 3715
Pagels, M., Heinze, J., Geschke, B. and Rang, V.
Erratum to "A new approach to the mechanism of

polymerisation of oligovinylthiophene": [Electrochimica Acta 46/26–27 (2001) 3943–3954], 1837
Pagetti, J., see Lallemand, F., 4149
Pagitsas, M., Diamantopoulou, A. and Sazou[1], D.
General and pitting corrosion deduced from current oscillations in the passive–active transition state of the Fe | H_2SO_4 electrochemical system, 4163
Pagitsas, M., see Sazou, D., 1567
Pajkossy, T., see Kerner, Z., 2055
Pakštas, V., see Juškėnas, R., 4239
Palau, P., see Chamelot, P., 3423
Pálinkás, G., see Felhősi, I., 2335
Panizza, M., see Costamagna, P., 1079
Papisov, I.M., see Tsirlina, G.A., 3749
Park, C.J., Lohrengel, M.M., Hamelmann, T., Pilaski, M. and Kwon, H.S.
Grain-dependent passivation of surfaces of polycrystalline zinc, 3395
Park, D.-Y., Myung, N.V., Schwartz, M. and Nobe, K.
Nanostructured magnetic CoNiP electrodeposits: structure–property relationships, 2893
Park, K.S., Cho, M.H., Park, S.H., Nahm, K.S., Sun, Y.K., Lee, Y.S. and Yoshio, M.
The effects of Ni and Li doping on the performance of lithium manganese oxide material for lithium secondary batteries, 2937
Park, K.S., see Park, S.H., 1721
Park, S.H., see Park, K.S., 2937
Park, S.H., Sun, Y.-K., Park, K.S., Nahm, K.S., Lee, Y.S. and Yoshio, M.
Synthesis and electrochemical properties of lithium nickel oxysulfide ($LiNiS_yO_{2-y}$) material for lithium secondary batteries, 1721
Park, S., Wasileski, S.A. and Weaver, M.J.
Some interpretations of surface vibrational spectroscopy pertinent to fuel-cell electrocatalysis, 3611
Parkinson, B.A., see Yae, S., 345
Paseka, I.
Hydrogen evolution reaction on amorphous Ni–P and Ni–S electrodes and the internal stress in a layer of these electrodes, 921
Passerini, S., see Giorgetti, M., 3163
Passos de Almeida, A.P., see Gomes Correia, S.M., 2421
Pastor, E., see Silva-Chong, J., 1441
Pastor-Moreno, G. and Riley, D.J.
Electrochemical studies of moderately boron doped polycrystalline diamond in non-aqueous solvent, 2589
Patoux, S., see Morcrette, M., 3137
Paulus, U.A., Wokaun, A., Scherer, G.G., Schmidt, T.J., Stamenkovic, V., Markovic, N.M. and Ross, P.N.
Oxygen reduction on high surface area Pt-based alloy catalysts in comparison to well defined smooth bulk alloy electrodes, 3787
Pauwels, L., see Simons, W., 2169
Pauwels, L., Simons, W., Hubin, A., Schoukens, J. and Pintelon, R.
Key issues for reproducible impedance measurements and their well-founded error analysis in a silver electrodeposition system, 2135
Pébère, N., see Barcia, O.E., 2109
Pébère, N., see Qafsaoui, W., 4339
Peeters, P., Hoorn, G., Daenen, T., Kurowski, A. and Staikov, G.
Properties of electroless and electroplated Ni–P and its application in microgalvanics, 161
Pena, G., see Abreu, C.M., 2271
Pena, G., see Abreu, C.M., 2215
Penner, R.M., see Liu, H., 671
Pensado, O., see Urquidi-Macdonald, M., 833
Perdicakis, M., Geoffroy, S., Grosselin, N. and Bessière, J.
Application of the scanning reference electrode technique to evidence the corrosion of a natural conducting mineral: pyrite. Inhibiting role of thymol, 211
Pereira, E.C., see Tambelli, C.C., 1677
Pereira da Silva, J.E., see Calderón, J.A., 4531
Pérez, M.C., see Abreu, C.M., 2271
Pérez, M.C., see Abreu, C.M., 2215
Pérez Vicente, C., see Elidrissi Moubtassim, M.L., 489
Périé, J., see Bontá, M., 4045
Perrot, H., see Gabrielli, C., 2199
Perrot, H., see Gabrielli, C., 2117
Pesic, B., see Grujicic, D., 2901
Petitdidier, S., see Bertagna, V., 129
Petite, B., see Djenizian, T., 891
Petitjean, J., see Cachet, C., 3409
Petitjean, J., see Cachet, C., 509
Petrii, O.A., see Tsirlina, G.A., 3749
Petropoulou, S.-S.E., see Nikolelis, D.P., 3457
Pettit, C.M., see Garland, J.E., 4113
Peyerimhoff, S.D., see Stoyanova, A.E., 1365
Philippi, F., see Fabjan, C., 825
Pierna, A.R., see Marzo, F.F., 2265
Pietruczuk, K., see Dygas, J.R., 2303
Piffard, Y., see Legagneur, V., 1153
Pilaski, M., Hamelmann, T., Moehring, A. and Lohrengel, M.M.
Impedance spectroscopy in micro systems, 2127
Pilaski, M., see Lohrengel, M.M., 137
Pilaski, M., see Park, C.J., 3395
Pintelon, R., see Pauwels, L., 2135
Pirjamali, M., see Bursell, M., 1651

Ploehn, H.J., see Krishnamurthy, B., 3375
Ploehn, H.J., see Krishnamurthy, B., 2505
Poghossian, A., Lüth, H., Schultze, J.W. and Schöning, M.J.
(Bio-)chemical and physical microsensor arrays using an identical transducer principle, 243
Pohjanne, P., see Betova, I., 2093
Pohjanne, P., see Betova, I., 3335
Politi, M.J., see Anaissi, F.J., 441
Polukarov, Y.M., see Edigaryan, A.A., 2775
Popović, K.D., see Tripković, A.V., 3707
Pourcelly, G., see Dammak, L., 451
Pradere, J.P., see Manh, G.T., 2833
Prakash, J., see Cao, F., 1607
Prakash, J., see Lu, W., 1601
Pridatko, K.I., see Churikov, A.V., 2857
Prieto, F., see Barrado, E., 1959
Prinz, H. and Strehblow, H.-H.
The structure of Cu- and Cd-UPD-layers on a stepped Pt(533) single crystal surface studied by grazing incidence XAFS, XRD and XPS, 3093
Proux, O., see Ibarra-Palos, A., 3171
Prud'homme, J., see Lemaître-Auger, F., 4433
Purrucker, O., Hillebrandt, H., Adlkofer, K. and Tanaka, M.
Deposition of highly resistive lipid bilayer on silicon–silicon dioxide electrode and incorporation of gramicidin studied by ac impedance spectroscopy, 791
Pyun, S.-I., see Kim, S.-W., 2843
Pyun, S.-I., see Lee, S.-B., 855

Q

Qafsaoui, W., Blanc, C., Pébère, N., Takenouti, H., Srhiri, A. and Mankowski, G.
Quantitative characterization of protective films grown on copper in the presence of different triazole derivative inhibitors, 4339
Qiao, H., Nohira, T. and Ito, Y.
Electrochemical formation of Au_2Na alloy and the characteristics of (Au_2Na + Au) reference electrode in a LiF–NaF–KF eutectic melt, 4543
Qiao, J.-L., Yoshimoto, N., Ishikawa, M. and Morita, M.
Acetic acid-doped poly(ethylene oxide)-modified poly(methacrylate): a new proton conducting polymeric gel electrolyte, 3441
Quennoy, A., Etcheberry, A. and Debiemme-Chouvy, C.
Study of the reactions taking place at the 'GaAs electrode/$SiMo_{12}O_{40}^{4-}$ solution' interface, 1615
Quintanilla, M.G., see Batanero, B., 1761

R

Radić, N., see Metikoš-Huković, M., 2387
Radošević, J., see Gudić, S., 3009
Rahm, E., see Wu, Y.P., 3491
Rahman, M.A., Doe, H., Sakurada, N. and Arakawa, R.
Facilitated ion-transfer of alkaline-earth metal cations by naphtho-15-crown-5 across the water | 1,2-dichloroethane interface: voltammetric and electrospray ionization mass spectrometric studies, 623
Rahmi, M.-I., see Gabrielli, C., 2117
Rahner, D., Ludwig, G. and Röhrs, J.
Electrochemically induced reactions in soils—a new approach to the in-situ remediation of contaminated soils?: Part 1: The microconductor principle, 1395
Rahner, D., see Röhrs, J., 1405
Rajagopalan, R. and Iroh, J.O.
A one-step electrochemical synthesis of polyaniline–polypyrrole composite coatings on carbon fibers, 1847
Rajeshwar, K., see de Tacconi, N.R., 2603
Ramaker, D.E., see Natishan, P.M., 3131
Raman, R.K., see Shukla, A.K., 3401
Rang, V., see Pagels, M., 1837
Rao, T.N., see Honda, K., 4373
Rao, T.N., see Yoshimura, M., 4387
Rashkova, V., Kitova, S., Konstantinov, I. and Vitanov, T.
Vacuum evaporated thin films of mixed cobalt and nickel oxides as electrocatalyst for oxygen evolution and reduction, 1555
Rasmussen, A.A., Jensen, J.A.D., Horsewell, A. and Somers, M.A.J.
Microstructure in electrodeposited copper layers; the role of the substrate, 67
Ray, P., see Mills, R., 3909
Real, S.G., see Milocco, R.H., 2035
Ren, X., see Thomas, S.C., 3741
Reybier, K., see Herlem, M., 2597
Reynier, Y.F., see Yazami, R., 1217
Ribeiro, E.S., see Zaitseva, G., 1469
Rice, C., see Waszczuk, P., 3637
Ricq, L., see Lallemand, F., 4149
Riegel, J., see Ivers-Tiffée, E., 807
Riley, D.J., see Pastor-Moreno, G., 2589
Rincón, M.E., see Sosa, E., 1197
Rioteau, E., see Claude-Montigny, B., 533
Roß, B., see Ernst, H., 1795
Robinson, I.K., see DeVilbiss, J.E., 3057

Rodkin, A., see Aurbach, D., 1899
Rodkin, A., see Aurbach, D., 4291
Rodríguez, E., see Brillas, E., 1623
Rodríguez, J.L., see Silva-Chong, J., 1441
Rodrigues, M.A.S., Dalla Costa, R.F., Bernardes, A.M. and Zoppas Ferreira, J.
Influence of ligand exchange on the treatment of trivalent chromium solutions by electrodialysis, 753
Rodrigues, S.J., see Kumar, B., 4125
Rodrigues, S.J., see Kumar, B., 1275
Roessler, A., Crettenand, D., Dossenbach, O., Marte, W. and Rys, P.
Direct electrochemical reduction of indigo, 1989
Róg, G., Dudek, M., Kozłowska-Róg, A. and Bućko, M.
Calcium zirconate: preparation, properties and application to the solid oxide galvanic cells, 4523
Röhrs, J., Ludwig, G. and Rahner, D.
Electrochemically induced reactions in soils—a new approach to the in-situ remediation of contaminated soils?: Part 2: remediation experiments with a natural soil containing highly chlorinated hydrocarbons, 1405
Röhrs, J., see Rahner, D., 1395
Romann, I., see Heiduschka, P., 299
Rommelfangen, M., see Stein, N., 1811
Ríos, E., Chen, Y.-Y., Gracia, M., Marco, J.F., Gancedo, J.R. and Gautier, J.L.
Influence of the partial replacement of Fe by Mn on the electrocatalytic activity for oxygen evolution in the $Li_{(1-0.5x)}Fe_{(1.5x+1)}Mn_{(1-x)}O_4$ spinel system, 559
Rosário, A.V., see Tambelli, C.C., 1677
Rosatto, S.S., see Zaitseva, G., 1469
Rosatto, S.S., Sotomayor, P.T., Kubota, L.T. and Gushikem, Y.
SiO_2/Nb_2O_5 sol–gel as a support for HRP immobilization in biosensor preparation for phenol detection, 4451
Rosenberg, Y., see Golodnitsky, D., 2707
Ross, P.N., Jr., see Schmidt, T.J., 3765
Ross, P.N., see Paulus, U.A., 3787
Ross, P.N., see Tripković, A.V., 3707
Rossi, S., see Fedrizzi, L., 2159
Rosso, M., Chassaing, E., Chazalviel, J.-N. and Gobron, T.
Onset of current-driven concentration instabilities in thin cell electrodeposition with small inter-electrode distance, 1267
Rouelle, F., see Bertagna, V., 129
Roy, D., see Garland, J.E., 4113
Ryan, M.P., see Isaacs, H.S., 3127
Rys, P., see Roessler, A., 1989

S

Saario, T., see Betova, I., 2093
Saario, T., see Betova, I., 3335
Saario, T., see Bojinov, M., 1697
Sabot, R., see Memet, J.B., 1043
Sá Ferreira, R.A., see Gomes Correia, S.M., 2551
Sá Ferreira, R.A., see Gomes Correia, S.M., 2421
Safi, M., Chazalviel, J.-N., Cherkaoui, M., Belaïdi, A. and Gorochov, O.
Etching of n-type silicon in (HF+oxidant) solutions: in situ characterisation of surface chemistry, 2573
Safonov, V.A., see Edigaryan, A.A., 2775
Safonova, T.Y., see Tsirlina, G.A., 3749
Saito, K., see Arai, H., 2697
Saito, N., see Matsubara, H., 4011
Sakairi, M., see Kikuchi, T., 225
Sakata, T., see Sonoyama, N., 3847
Sakka, T., see Harraz, F.A., 1249
Sakurada, N., see Rahman, M.A., 623
Sakurai, Y., see Arai, H., 2697
Salgado, J.R.C., Andrade, M.H.S., Silva, J.C.P. and Tonholo, J.
A voltammetric study of α- and β-hydroxides over nickel alloys, 1997
Salvago, G., Magagnin, L. and Bestetti, M.
Unified approach to localized and general corrosion of stainless steels, 1787
Salvarezza, R.C., see Gómez, M.M., 405
Samjeské, G., Wang, H., Löffler, T. and Baltruschat, H.
CO and methanol oxidation at Pt-electrodes modified by Mo, 3681
Sanchez, J.-Y., see Chaix, N., 1327
Sanchez, J.-Y., see Saunier, J., 1321
Sanni, P., see Hemmingsen, T., 3949
Santinacci, L., see Djenizian, T., 2733
Santinacci, L., see Djenizian, T., 891
Santos, A.S., Gorton, L. and Kubota, L.T.
Nile blue adsorbed onto silica gel modified with niobium oxide for electrocatalytic oxidation of NADH, 3351
Santra, A.K. and Goodman, D.W.
Catalytic oxidation of CO by platinum group metals: from ultrahigh vacuum to elevated pressures, 3595
Sastrawan, R., see Kern, R., 4213
Sato, N., see Ue, M., 217
Sato, Y., see Kudo, K., 353
Saunier, J., Chaix, N., Alloin, F., Belières, J.-P. and Sanchez, J.-Y.
Electrochemical study of polymethacrylonitrile electrolytes: Conductivity study of polymer/salt com-

plexes and plasticized polymer electrolytes. Part I, 1321
Saunier, J., see Chaix, N., 1327
Sauvet, A.-L. and Fouletier, J.
Electrochemical properties of a new type of anode material $La_{1-x}Sr_xCr_{1-y}Ru_yO_{3-\delta}$ for SOFC under hydrogen and methane at intermediate temperatures, 987
Savall, A., see Chamelot, P., 3423
Savinell, B.
Ernest B. Yeager, 2363
Savinova, E.R., see Alonso-Vante, N., 3807
Sazou[1], D., see Pagitsas, M., 4163
Sazou, D. and Pagitsas, M.
Nitrate ion effect on the passive film breakdown and current oscillations at iron surfaces polarized in chloride-containing sulfuric acid solutions, 1567
Scavetta, E., Berrettoni, M., Giorgetti, M. and Tonelli, D.
Electrochemical characterisation of Ni/Al–X hydrotalcites and their electrocatalytic behaviour, 2451
Schemid, A.L., Lira, L.M. and Córdoba de Torresi, S.I.
On the electrochemical and spectroscopic properties of a soluble polyaniline parent copolymer, 2005
Scherer, G.G., see Andreaus, B., 2223
Scherer, G.G., see Paulus, U.A., 3787
Scherson, D.A., see Totir, D.A., 3195
Schilling, P., see Totir, D.A., 3195
Schlue, W.-R., see Neumann, S., 309
Schmidt, M., see Aurbach, D., 4291
Schmidt, M., see Aurbach, D., 1423
Schmidt, T.J., see Paulus, U.A., 3787
Schmidt, T.J., Stamenkovic, V., Arenz, M., Markovic, N.M. and Ross, P.N., Jr.
Oxygen electrocatalysis in alkaline electrolyte: Pt(*hkl*), Au(*hkl*) and the effect of Pd-modification, 3765
Schmidt, V.M., see Drillet, J.-F., 1983
Schmuki[1], P., see Isaacs, H.S., 3127
Schmuki, P., see Djenizian, T., 2733
Schmuki, P., see Djenizian, T., 891
Schmuki, P., see Virtanen, S., 3117
Schnabel, C., Wörner, M., González, B., del Olmo, I. and Braun, A.M.
Photoelectrochemical characterization of p- and n-doped single crystalline silicon carbide and photo-induced reductive dehalogenation of organic pollutants at p-doped silicon carbide, 719
Schnakenberg, U., see Fritz, T., 55
Schneider, R., see Dailly, A., 4207
Schnyder, B., see Drillet, J.-F., 1983
Schöning, M.J., see Mourzina, Y.G., 251
Schöning, M.J., see Poghossian, A., 243
Schöning, M.J., see Schroth, P., 293
Schöning, M.J., see Yoshinobu, T., 259
Schöning, M., see Heiduschka, P., 299
Schoukens, J., see Pauwels, L., 2135
Schroth, P., Lüth, H., Hummel, H.E., Schütz, S. and Schöning, M.J.
Characterising an insect antenna as a receptor for a biosensor by means of impedance spectroscopy, 293
Schubert, J., see Mourzina, Y.G., 251
Schuchert, I.U., see Leopold, S., 4393
Schuhmann, W., see Diab, N., 265
Schuhmann, W., see Heiduschka, P., 299
Schulte, K.H. and Lewerenz, H.J.
Combined photoelectrochemical conditioning and photoelectron spectroscopy analysis of InP photocathodes. I. The modification procedure, 2633
Schulte, K.H., see Lewerenz, H.J., 2639
Schultze, J.W. and Bressel, A.
Principles of electrochemical micro- and nano-system technologies, 3
Schultze, J.W. and Staikov, G.
, 1
Schultze, J.W., see Bloeß, H., 335
Schultze, J.W., see Ehlers, C., 379
Schultze, J.W., see Haisch, T., 235
Schultze, J.W., see Poghossian, A., 243
Schultze, J.W., see Semenikhin, O.A., 171
Schütz, S., see Schroth, P., 293
Schwartz, M., see Park, D.-Y., 2893
Schwarzacher, W., see Jyoko, Y., 371
Scott, K., see Shukla, A.K., 3401
Sekine, K., see Suzuki, J., 3881
Selman[1], J.R., see Dokko, K., 933
Selman, J.R., see Umeda, M., 885
Semenikhin, O.A., Stromberg, C., Ehrenburg, M.R., König, U. and Schultze, J.W.
Photoelectrochemical properties and microstructuring of polythiophenes, 171
Senthil Kumar, A., see Zen, J.-M., 899
Seo, M. and Chiba, M.
Nano-mechano-electrochemistry of passive metal surfaces, 319
Seo, M., see Fushimi, K., 121
Serafini, D., see Wang, C., 1069
Shamsipur, M., see Heli, H., 2209
Shao, Y., see Zhan, D., 4477
Shestakov, A.F., see Kulakovskaya, S.I., 4245
Shi, Z., see Sun, B., 3545
Shi, Z., see Wang, J., 651
Shibata, T., see Fujimoto, S., 543
Shibata, T., see Morita, M., 2787
Shibata, T., see Tsuchiya, H., 4357

Shiea, J., see Hsiu, S.-I., 4367
Shiller, P., see Anderson, A.B., 2999
Shimizu, K., Habazaki, H., Skeldon, P., Thompson, G.E. and Wood, G.C.
Role of metal ion impurities in generation of oxygen gas within anodic alumina, 1225
Shimizu, K., see Habazaki, H., 3837
Shimizu, K., see Lu, Q., 2761
Shin, K.-H., see Kim, K.-W., 2525
Shiraishi, S., see Kanamura, K., 433
Shoji, K., see Abe, T., 3901
Shubina, T.E. and Koper, M.T.M.
Quantum-chemical calculations of CO and OH interacting with bimetallic surfaces, 3621
Shukla, A.K., Jackson, C.L., Scott, K. and Raman, R.K.
An improved-performance liquid-feed solid-polymer-electrolyte direct methanol fuel cell operating at near-ambient conditions, 3401
Shukla, P., see Orazem, M.E., 2027
Sibert, E., see Soldo, Y., 3081
Sidik, R.A., see Anderson, A.B., 2999
Siegenthaler, H., see Ammann, E., 327
Silva, G.C., Fugivara, C.S., Tremiliosi Filho, G., Sumodjo, P.T.A. and Benedetti, A.V.
Electrochemical behavior of cobalt oxide coatings on cold-rolled steel in alkaline sodium sulfate, 1875
Silva, J.C.P., see Salgado, J.R.C., 1997
Silva, M.M., see Gomes Correia, S.M., 2551
Silva, M.M., see Gomes Correia, S.M., 2421
Silva-Chong, J., Méndez, E., Rodríguez, J.L., Arévalo, M.C. and Pastor, E.
Reactivity of acetaldehyde at platinum and rhodium in acidic media. A DEMS study, 1441
Simjee, N., see Macpherson, J.V., 29
Simon, N., Gerard, I., Mathieu, C. and Etcheberry, A.
Study of a thin anodic oxide on n-InP by photocurrent transient, capacitance measurements and surface analysis, 2625
Simons, W., Pauwels, L. and Hubin, A.
Impedance spectroscopy to characterise an anodised titanium substrate in contact with silver complexing agents: elements for an optimal parameter estimation, 2169
Simons, W., see Pauwels, L., 2135
Singh, J.P., see Singh, R.N., 3873
Singh, N.K., see Singh, R.N., 3873
Singh, R.N., Singh, N.K. and Singh, J.P.
Electrocatalytic properties of new active ternary ferrite film anodes for O_2 evolution in alkaline medium, 3873
Siroma, Z., see Fujiwara, N., 4079
Skeldon, P., see Habazaki, H., 3837
Skeldon, P., see Lu, Q., 2761
Skeldon, P., see Shimizu, K., 1225
Skelton, B.W., see Chen, J., 4227
Slojkowska, R., see Jurkiewicz-Herbich, M., 2429
Smith, M.J., see Gomes Correia, S.M., 2551
Smith, M.J., see Gomes Correia, S.M., 2421
Smith, P.H., see Mansour, A.N., 3151
Smith, P.J.S., Haydon, P.G., Hengstenberg, A. and Jung, S.-K.
Analysis of cellular boundary layers: application of electrochemical microsensors, 283
Smotkin, E.S., see Lei, H.-W., 2913
Smulko, J., Darowicki, K. and Zieliński, A.
Detection of random transients caused by pitting corrosion, 1297
Smyrl, W.H., see Giorgetti, M., 3163
Soldo, Y., Sibert, E., Tourillon, G., Hazemann, J.L., Lévy, J.P., Aberdam, D., Faure, R. and Durand, R.
In situ X-ray absorption spectroscopy study of copper under potential deposition on Pt(111): role of the anions on the Cu structural arrangement, 3081
Solomun, T. and Kautek, W.
Electrodeposition of bismuth and silver phases in nanometer-sized zero-dimensional STM-formed cavities on gold(111), 679
Somasundaram, S., see Ileperuma, O.A., 2801
Somers, M.A.J., see Rasmussen, A.A., 67
Somlai, C., see Budavári, V., 4351
Sommer, V., see De Vogelaere, M., 109
Song, S.M., Koo, I.G. and Lee, W.M.
The influence of oxygen additions to hydrogen in their electrode reactions at Pt/Nafion interface, 2413
Sonoyama, N., Ezaki, K., Fujii, H. and Sakata, T.
Electrochemical conversion of CFC-12 to tetrafluoroethylene: electrochemical formation of difluorocarbene, 3847
Soriaga, M.P., see Wang, C., 1069
Sosa, E., Cabrera-Sierra, R., Rincón, M.E., Oropeza, M.T. and González[1], I.
Evolution of non-stoichiometric iron sulfide film formed by electrochemical oxidation of carbon steel in alkaline sour environment, 1197
Sosa, E., see Cabrera-Sierra, R., 2149
Sotiriou-Leventis, C., see Collins, C.M., 567
Sotomayor, P.T., see Rosatto, S.S., 4451
Spina, L., see Alcántara, R., 1115
Spinks, G.M., see Cram, S.L., 1935
Springborn, H., see De Vogelaere, M., 109
Sproule, G.I., see Djenizian, T., 2733
Spry, R.J., see Kumar, B., 1275
Squella, J.A., see Bontá, M., 4045

Srhiri, A., see Qafsaoui, W., 4339
Srinivasan, S., see Costamagna, P., 1023
Srinivasan, S., see Wang, C., 1069
Stadler, R., Jusys, Z. and Baltruschat, H.
Hydrogen evolution during the oxidation of formaldehyde on Au: The influence of single crystal structure and Tl-upd, 4485
Staikov, G., see Bloeß, H., 335
Staikov, G., see Ehlers, C., 379
Staikov, G., see Peeters, P., 161
Staikov, G., see Schultze, J.W., 1
Staiti, P., Minutoli, M. and Lufrano, F.
All solid electric double layer capacitors based on Nafion ionomer, 2795
Stamenkovic, V., see Paulus, U.A., 3787
Stamenkovic, V., see Schmidt, T.J., 3765
Stangl, R., see Kern, R., 4213
Stein, N., Rommelfangen, M., Hody, V., Johann, L. and Lecuire, J.M.
In situ spectroscopic ellipsometric study of porous alumina film dissolution, 1811
Stimming, U.
, 665
Stimming, U., see Dickinson, A.J., 3733
Stimming, U., see Friedrich, K.A., 689
Stoyanova, A.E. and Peyerimhoff, S.D.
On the relationship between corrosion inhibiting effect and molecular structure, 1365
Stoychev, D., see Valov, I., 4419
Stoynov[1], Z., see Vladikova, D., 2943
Strasser, P., see Lee, J., 501
Strehblow, H.-H., see Prinz, H., 3093
Strelow, H.
"If feeling prompt not, if it doth not flow fresh from the spirits depths.", 667
Strobel, P., see Ibarra-Palos, A., 3171
Stromberg, C., see Semenikhin, O.A., 171
Stupnišek-Lisac, E., Gazivoda, A. and Madžarac, M.
Evaluation of non-toxic corrosion inhibitors for copper in sulphuric acid, 4189
Sudhölter, E.J.R., see de Smet, L.C.P.M., 2653
Suematsu, S., see Naoi, K., 1091
Sugimura, H., Hanji, T., Takai, O., Masuda, T. and Misawa, H.
Photolithography based on organosilane self-assembled monolayer resist, 103
Sugiyama, K., see Ue, M., 217
Suh, S., see Lei, H.-W., 2913
Sumodjo, P.T.A., see Moreira, A.H., 2823
Sumodjo, P.T.A., see Silva, G.C., 1875
Sun, B., Li, M., Luo, H., Shi, Z. and Gu, Z.
Electrochemical properties of metallofullerenes and their anions, 3545
Sun, I.-W., see Hsiu, S.-I., 4367
Sun, J.J., Huang, H.G., Tian, Z.Q., Xie, L., Luo, J., Ye, X.Y., Zhou, Z.Y., Xia, S.H. and Tian, Z.W.
Three-dimensional micromachining for microsystems by confined etchant layer technique, 95
Sun, X., see Haas, O., 3211
Sun, Y.K., see Park, K.S., 2937
Sun, Y.-K., see Park, S.H., 1721
Sundfors, F., Bobacka, J., Ivaska, A. and Lewenstam, A.
Kinetics of electron transfer between $Fe(CN)_6^{3-/4-}$ and poly(3,4-ethylenedioxythiophene) studied by electrochemical impedance spectroscopy, 2245
Sundholm, G., see Bojinov, M., 1697
Suter, T. and Böhni, H.
Microelectrodes for corrosion studies in microsystems, 191
Sutter, E.M.M., Contamin, O. and Debiemme-Chouvy, C.
Influence of Co(II) ions on the electrochemical behavior of n- and p-type GaAs electrodes in boric acid solution, 2533
Suzuki, J., Yoshida, M., Nishijima, Y., Sekine, K. and Takamura, T.
Effect of a vacuum-deposited metal film on the CV of the Li insertion/extraction reaction at a graphitized carbon fiber electrode, 3881
Swiegers, G.F., see Chen, J., 4227
Swiegers, G.F., see Chen, J., 2715
Sziráki, L. and Bóbics, L.
Impedance study of electrochromism in anodic Ir oxide films, 2189
Szűcs, Á., see Budavári, V., 4351

T

Tachev, D., Georgieva, J. and Armyanov, S.
Magnetothermal study of nanocrystalline particle formation in amorphous electroless Ni–P and Ni–Me–P alloys, 359
Tadanaga, K., see Matsuda, A., 939
Tajiri, A., see Abe, T., 3901
Tajiri, K., Nakamura, T., Kabeya, Z., Yamanaka, Y., Naito, F., Kato, T. and Takasaki, E.
Development of an electroformed copper lining for accelerator components, 143
Tak, Y., see Noh, T.-G., 2341
Takaha, H., see Ue, M., 217
Takahashi, D., see Mohamedi, M., 3483
Takahashi, H., see Kikuchi, T., 225

Takahashi, K., see Yamaguchi, T., 1713
Takahasi, M., see Kondo, T., 3075
Takai, O., see Sugimura, H., 103
Takamura, T., see Suzuki, J., 3881
Takasaki, E., see Tajiri, K., 143
Takehara, Z.-i., see Kanamura, K., 433
Takenouti, H., see Qafsaoui, W., 4339
Takeuchi, S., see Ue, M., 217
Talabani, H., see Krause, S., 2143
Tallec, A., see Manh, G.T., 2833
Tamaki, A., see Homma, T., 47
Tambelli, C.C., Bloise, A.C., Rosário, A.V., Pereira, E.C., Magon, C.J. and Donoso, J.P.
Characterisation of PEO–Al_2O_3 composite polymer electrolytes, 1677
Tamura, K., see DeVilbiss, J.E., 3057
Tamura, K., see Kondo, T., 3075
Tanaka, M., see Purrucker, O., 791
Tanaka, T., see Abe, T., 3901
Tang, P.T.
Pulse reversal plating of nickel and nickel alloys for microgalvanics, 61
Tarascon, J.-M., see Morcrette, M., 3137
Tatsumisago, M., see Matsuda, A., 939
Taxil[1], P., see Massot, L., 1949
Taxil, P., see Chamelot, P., 3423
Tejero, S., see Brillas, E., 1623
Telegdi, J., see Felhősi, I., 2335
Terashima, H., see Ikezawa, Y., 4407
Terryn, H., see Goeminne, G., 1925
Teyssot, A., Fidélis, A., Fellah, S., Ozanam, F. and Chazalviel, J.-N.
Anodic grafting of organic groups on the silicon surface, 2565
Thanos, S., see Heiduschka, P., 299
Theoharis, G., see Nikolelis, D.P., 3457
Thiam, M., see Manh, G.T., 2833
Thomas, P. and Billaud, D.
Electrochemical insertion of sodium into hard carbons, 3303
Thomas, S.C., Ren, X., Gottesfeld [2], S. and Zelenay, P.
Direct methanol fuel cells: progress in cell performance and cathode research, 3741
Thompson, G.E., see Habazaki, H., 3837
Thompson, G.E., see Lu, Q., 2761
Thompson, G.E., see Shimizu, K., 1225
Thorpe, S.J., see Abouatallah, R.M., 613
Tian, Y., see Wang, X., 1537
Tian, Z.Q., see Sun, J.J., 95
Tian, Z.W., see Sun, J.J., 95
Ticianelli, E.A., see Huguenin, F., 3179
Tikhonovich, V.N., Naumovich, E.N., Kharton, V.V., Yaremchenko, A.A., Kovalevsky, A.V. and Vecher, A.A.
Oxygen nonstoichiometry of $Bi_2V_{0.9}Cu_{0.1}O_{5.5-\delta}$ solid electrolyte by coulometric titration technique, 3957
Tikhov, M.S., see Williams, F.J., 1259
Tilak, B.V., see Conway, B.E., 3571
Tillard-Charbonnel, M., see Alcántara, R., 1115
Tirado, J.L., see Alcántara, R., 1829
Tirado, J.L., see Alcántara, R., 1115
Tirado, J.L., see Elidrissi Moubtassim, M.L., 489
Tittsworth, R., see Totir, D.A., 3195
Toimil Molares, M.E., see Leopold, S., 4393
Toma, H.E., see Anaissi, F.J., 441
Tomazic, G., see Fabjan, C., 825
Tomczyk, P., Mosiałek, M. and Obłąkowski, J.
Investigation of processes occurring at NiO and CoO monocrystalline electrodes in basic molten carbonates using electrochemical impedance spectroscopy, 945
Tonejcv, H.A., see Metikoš-Huković, M., 2387
Tonelli, D., see Scavetta, E., 2451
Tonholo, J., see Salgado, J.R.C., 1997
Too, C.O., see Chen, J., 4227
Too, C.O., see Chen, J., 2715
Topart, P., see Claude-Montigny, B., 533
Toriyama, S., see Kanamura, K., 433
Tormena, C.F., see Girotto, E.M., 1351
Torresi, R.M., see Huguenin, F., 3179
Totir, D.A., Antonio, M.R., Schilling, P., Tittsworth, R. and Scherson, D.A.
In situ sulfur K-edge X-ray absorption near edge structure of an embedded pyrite particle electrode in a non-aqueous Li^+-based electrolyte solution, 3195
Toupance, T., see Cachet, C., 1385
Toupet, L., see Manh, G.T., 2833
Tourillon, G., see Soldo, Y., 3081
Tran-Van, F., Henri, T. and Chevrot, C.
Synthesis and electrochemical properties of mixed ionic and electronic modified polycarbazole, 2927
Tremiliosi Filho, G., see Silva, G.C., 1875
Tribollet[1], B., see Baruffaldi, C., 2989
Tribollet, B., see Barcia, O.E., 2109
Tribollet[1], B., see El Moustafid, T., 1209
Tributsch, H., see Abd El Halim, A.M., 2615
Tripković, A.V., Popović, K.D., Grgur, B.N., Blizanac, B., Ross, P.N. and Marković, N.M.
Methanol electrooxidation on supported Pt and PtRu catalysts in acid and alkaline solutions, 3707
Trokourey, A., see Herlem, M., 2597
Tryk, D.A., see Honda, K., 4373
Tryk, D.A., see Yamamoto, T., 3327
Tryk, D.A., see Yoshimura, M., 4387

Tsirlina, G.A., Petrii, O.A., Safonova, T.Y., Papisov, I.M., Vassiliev, S.Y. and Gabrielov, A.E.
Quasitemplate synthesis of nanostructured palladium electroplates, 3749
Tsou, T.-W., see Hu, C.-C., 3523
Tsuchiya, H., Fujimoto, S., Chihara, O. and Shibata, T.
Semiconductive behavior of passive films formed on pure Cr and Fe–Cr alloys in sulfuric acid solution, 4357
Tsuda, M., see Arai, H., 2697
Tsuda, T., Nohira, T. and Ito, Y.
Nucleation and surface morphology of aluminum–lanthanum alloy electrodepsited in a $LaCl_3$-saturated $AlCl_3$–EtMeImCl room temperature molten salt, 2817
Tsujimura, H., Goto, T. and Ito, Y.
Electrochemical formation and control of chromium nitride films in molten LiCl–KCl–Li_3N systems, 2725
Tsujino, K., see Fujimoto, S., 543
Tunold, R., see Valøen, L.O., 2871
Tunold[1], R., see Børresen, B., 1819
Turmine, M., see Gabrielli, C., 2117

U

Uchida, H., Ozuka, H. and Watanabe, M.
Electrochemical quartz crystal microbalance analysis of CO-tolerance at Pt–Fe alloy electrodes, 3629
Uchida, I., see Mohamedi, M., 3483
Uchida[1], I., see Dokko, K., 933
Uchida, I., see Umeda, M., 885
Uchikado, R., see Honda, K., 4373
Ue, M., Mizutani, F., Takaha, H., Takeuchi, S., Sugiyama, K., Nishiwaki, T. and Sato, N.
Anodization of Al–Nd alloy films in nonaqueous electrolyte solutions for TFT-LCD application, 217
Ulus, A., see Golodnitsky, D., 2707
Umeda, M., Dokko, K., Fujita, Y., Mohamedi, M., Uchida, I. and Selman, J.R.
Electrochemical impedance study of Li-ion insertion into mesocarbon microbead single particle electrode: Part I. Graphitized carbon, 885
Umeda, M., see Dokko, K., 933
Umegaki, T., see Kanamura, K., 433
Unkauf, W., see Friedrich, K.A., 689
Unwin, P.R., see Macpherson, J.V., 29
Uosaki, K., see Kondo, T., 3075
Uozumi, M., see Habazaki, H., 3837
Ureta-Zañartu, M.S., Bustos, P., Berríos, C., Diez, M.C., Mora, M.L. and Gutiérrez, C.
Electrooxidation of 2,4-dichlorophenol and other polychlorinated phenols at a glassy carbon electrode, 2399
Urian, R.C., see Mukerjee, S., 3219
Uribe, F.A. and Zawodzinski, T.A., Jr.
A study of polymer electrolyte fuel cell performance at high voltages. Dependence on cathode catalyst layer composition and on voltage conditioning, 3799
Urquidi-Macdonald, M., Castaneda, H. and Cannon, A.M.
Lithium fuel cells: I. Lithium/poly(organophosphazene) membrane anodes in KOH and seawater, 2495
Urquidi-Macdonald, M., Macdonald, D.D., Pensado, O. and Flores, J.R.
The electrochemical behavior of lithium in alkaline aqueous electrolytes, 833
Urquidi-Macdonald, M., see Gao, L., 3863

V

Väärtnõu, M. and Lust, E.
Adsorption of iodide ions on bismuth single crystal planes from solutions in ethanol, 997
Valizadeh, S., George, J.M., Leisner, P. and Hultman, L.
Electrochemical deposition of Co nanowire arrays; quantitative consideration of concentration profiles, 865
Vallejo, A.E., see Gervasi, C.A., 2259
Valøen, L.O., Lasia, A., Jensen, J.O. and Tunold, R.
The electrochemical impedance of metal hydride electrodes, 2871
Valov, I., Stoychev, D. and Marinova, T.
Study of the kinetics of processes during electrochemical deposition of zirconia from nonaqueous electrolytes, 4419
Valsiūnas, I., see Juškėnas, R., 4239
van Bennekom, W.P., see Hoogvliet, J.C., 599
Van Berkel, G.J., see Kertesz, V., 1035
van Turnhout, J., see Breur, H.J.A., 2289
van Westing, E.P.M., see Campestrini, P., 1097
Vara, J.M., see Gómez, M.M., 405
Vartanyants, I.A., see DeVilbiss, J.E., 3057
Vasquez, M.J., Halada, G.P. and Clayton, C.R.
The application of synchrotron-based spectroscopic techniques to the study of chromate conversion coatings, 3105
Vassiliev, S.Y., see Tsirlina, G.A., 3749
Vaughan, G., see Morcrette, M., 3137

Vázquez, J.L., see Montilla, F., 3509
Vázquez, M., see Busalmen, J.P., 1857
Vázquez[1], J.L., see Montilla, F., 4399
Vecher, A.A., see Tikhonovich, V.N., 3957
Vega, M., see Barrado, E., 1959
Velická, J., see Klápště, B., 2365
Venancio, E.C., Napporn, W.T. and Motheo, A.J.
Electro-oxidation of glycerol on platinum dispersed in polyaniline matrices, 1495
Verbaere, A., see Legagneur, V., 1153
Vercelli, B., see Baruffaldi, C., 2989
Vereecken, J., see Goeminne, G., 1925
Vermoyal, J.J., Hammou, A., Dessemond, L. and Frichet, A.
Electrical characterization of waterside corrosion films formed on ZrNb(1%)O(0.13%), 2679
Vervaet, A.A.K. and Baert, D.H.J.
The lead acid battery: semiconducting properties and Peukert's law, 3297
Viana, A.S., Kalaji, M. and Abrantes, L.M.
Self-assembled monolayers of Vitamin B_{12} disulphide derivatives on gold, 1587
Vidaković, T.R., see Gojković, S.Lj., 633
Vieil, E., see Abrantes, L.M., 1481
Vijayaraghavan, G., see Huang, H., 3675
Vikhrenko, V.S., see Bisquert, J., 3977
Virtanen[1], S., see Isaacs, H.S., 3127
Virtanen, S., Schmuki, P. and Isaacs, H.S.
In situ X-ray absorption near edge structure studies of mechanisms of passivity, 3117
Virtanen, S., see Hodgson, A.W.E., 1913
Vitanov, T., see Rashkova, V., 1555
Vivier, V., see Cachet, C., 3409
Vivier, V., see Cachet, C., 1385
Vivier, V., see Cachet, C., 509
Vivier, V., see Cachet-Vivier, C., 181
Vladikova, D., Zoltowski[1], P., Makowska, E. and Stoynov[1], Z.
Selectivity study of the differential impedance analysis—comparison with the complex non-linear least-squares method, 2943
Vlasov, Y.G., see Mourzina, Y.G., 251
Vohs, J.M., see McIntosh, S., 3815
Volgin, M.A., see Churikov, A.V., 2857
Vonau, W., see Guth, U., 201
Vondrák, J., see Klápště, B., 2365
Vorotyntsev, M.A.
Impedance of thin films with two mobile charge carriers. Interfacial exchange of both species with adjacent media. Effect of the double layer charges, 2071
Vykhodtseva, L.N., see Edigaryan, A.A., 2775

W

Wagner, F., see Fabjan, C., 825
Waibel, H.-F., Kleinert, M., Kibler, L.A. and Kolb, D.M.
Initial stages of Pt deposition on Au(111) and Au(100), 1461
Wallace, G.G., see Chen, J., 4227
Wallace, G.G., see Chen, J., 2715
Wallace, G.G., see Cram, S.L., 1935
Wang, C., Marrero-Cruz, M., Soriaga, M.P., Serafini, D. and Srinivasan, S.
Improvement in the cycle life of LaB_5 metal hydride electrodes by addition of ZnO to alkaline electrolyte, 1069
Wang, H., see Samjeské, G., 3681
Wang, J., Li, M., Shi, Z., Li, N. and Gu, Z.
Electrocatalytic oxidation of 3,4-dihydroxyphenylacetic acid at a glassy carbon electrode modified with single-wall carbon nanotubes, 651
Wang, J.X., see DeVilbiss, J.E., 3057
Wang, J.X., see Inoue, H., 3777
Wang, L., see Liu, H., 2515
Wang, Q.-D., see Zhang, Y., 1739
Wang, X. and Hsing, I.-M.
Surfactant stabilized Pt and Pt alloy electrocatalyst for polymer electrolyte fuel cells, 2981
Wang, X., Deng, Z., Jin, B., Tian, Y. and Lin, X.
Electrochemical and in situ FTIR studies of biferrocene platinum(II) complex, 1537
Wang, X.Y. and Li, D.Y.
Mechanical and electrochemical behavior of nanocrystalline surface of 304 stainless steel, 3939
Wasileski, S.A., see Park, S., 3611
Waszczuk, P., Lu, G.-Q., Wieckowski, A., Lu, C., Rice, C. and Masel, R.I.
UHV and electrochemical studies of CO and methanol adsorbed at platinum/ruthenium surfaces, and reference to fuel cell catalysis, 3637
Watanabe, M., see Honda, K., 4373
Watanabe, M., see Uchida, H., 3629
Weaver, M.J., see Park, S., 3611
Wei, M., Li, M., Li, N., Gu, Z. and Duan, X.
Electrocatalytic oxidation of norepinephrine at a reduced C_{60}-[dimethyl-(β-cyclodextrin)]$_2$ and Nafion chemically modified electrode, 2673
Wei, Y., see Fang, B., 3971
Weidlich, C., Mangold, K.-M. and Jüttner, K.
Conducting polymers as ion-exchangers for water purification, 741
Wen, T.-C., see Chen, W.-C., 4195

Wen, T.-C., see Chen, W.-C., 1305
Wen, T.-C., see Chung, C.-Y., 423
Wenger, F., see Benzaïd, A., 4333
Wenger, F., see Benzaïd, A., 4325
Wenger, F., see Benzaïd, A., 4315
Wesslén, B., see Karlsson, L.E., 3269
White, A.H., see Chen, J., 4227
White, R.E., see Krishnamurthy, B., 3375
White, R.E., see Krishnamurthy, B., 2505
Wiart, R., see Cachet, C., 3409
Wiart, R., see Cachet, C., 509
Wiecko, A., see Królikowski, A., 2065
Wieckowski, A., see Waszczuk, P., 3637
Wilhelm, T. and Wittstock, G.
Patterns of functional proteins formed by local electrochemical desorption of self-assembled monolayers, 275
Williams, F.J., Macleod, N., Tikhov, M.S. and Lambert, R.M.
Electrochemical promotion of bimetallic Rh–Ag/YSZ catalysts for the reduction of NO under lean burn conditions, 1259
Willmann, P., see Dailly, A., 4207
Willmann, P., see Mancier, V., 1633
Wittstock, G., see de Smet, L.C.P.M., 2653
Wittstock, G., see Wilhelm, T., 275
Wokaun, A., see Paulus, U.A., 3787
Wood, G.C., see Shimizu, K., 1225
Workie, B., see Lei, H.-W., 2913
Wörner, M., see Schnabel, C., 719
Wu, B., see Zhan, D., 4477
Wu, H. and Hebert, K.R.
Electrochemical transients during the initial moments of anodic oxidation of aluminum, 1373
Wu, X., see Djenizian, T., 2733
Wu, Y.P., Rahm, E. and Holze, R.
Effects of heteroatoms on electrochemical performance of electrode materials for lithium ion batteries, 3491
Wyatt, P.B.
Organic Electrochemistry (*4th Edition*),: Edited by H. Lund and O. Hammerich, Marcel Decker, 2001, 1393 pp. ISBN 0-8247-0430-4, 1163

X

Xia, S.H., see Sun, J.J., 95
Xiao, Y., see Zhan, D., 4477
Xie, L., see Sun, J.J., 95
Xu, C., see Zhao, J., 2013
Xu, M., see Krause, S., 2143

Y

Yae, S., Kitagaki, M., Hagihara, T., Miyoshi, Y., Matsuda, H., Parkinson, B.A. and Nakato, Y.
Electrochemical deposition of fine Pt particles on n-Si electrodes for efficient photoelectrochemical solar cells, 345
Yagi, M., Yamase, K. and Kaneko, M.
Mechanistic comparison between oxidative and reductive charge transport by $[(bpy)_2(H_2O)Ru-O-Ru(H_2O)(bpy)_2]^{4+}$ confined in a Nafion membrane as studied by potential-step chronocoulospectrometry, 2019
Yamaguchi, T., see Komura, T., 3315
Yamaguchi, T., Yokono, Y., Takahashi, K. and Komura, T.
Electrostatic incorporation of alizarin red S into poly[1-methyl-3-(pyrrol-1-ylmethyl)pyridinium] films, 1713
Yamamoto, T., Tryk, D.A., Fujishima[1], A. and Ohata, H.
Production of syngas plus oxygen from CO_2 in a gas-diffusion electrode-based electrolytic cell, 3327
Yamanaka, Y., see Tajiri, K., 143
Yamase, K., see Yagi, M., 2019
Yanagida, K., see Kida, Y., 4157
Yanagida, K., see Kida, Y., 1691
Yang, C.-C., see Zen, J.-M., 899
Yang, C., see Costamagna, P., 1023
Yang, K., see Liu, G.Q., 3239
Yang, X.-G., see Liaw, B.Y., 875
Yang, X.Q., see Haas, O., 3211
Yaremchenko, A.A., see Tikhonovich, V.N., 3957
Yashiro, H., see Myung, S.-T., 2543
Yasuda, K., see Fujiwara, N., 4079
Yasui, K., see Honda, K., 4373
Yazami, R. and Reynier, Y.F.
Mechanism of self-discharge in graphite–lithium anode, 1217
Ye, X.Y., see Sun, J.J., 95
Yliniemi, K., see Bojinov, M., 1697
Yokono, Y., see Yamaguchi, T., 1713
Yonekawa, T., see Matsubara, H., 4011
Yonezu, I., see Kida, Y., 4157
Yonezu, I., see Kida, Y., 1691
Yoon, W.-S., see Nam, K.-W., 3201

Yoshida, M., see Suzuki, J., 3881
Yoshimoto, N., see Morita, M., 2787
Yoshimoto, N., see Qiao, J.-L., 3441
Yoshimura, M., Honda, K., Kondo, T., Rao, T.N., Tryk, D.A. and Fujishima, A.
Electrochemical examination of the ascorbic acid radical anion in non-aqueous electrolytes, 4387
Yoshimura, M., see Honda, K., 4373
Yoshinobu, T., Ecken, H., Md. Ismail, A.B., Iwasaki, H., Lüth, H. and Schöning, M.J.
Chemical imaging sensor and its application to biological systems, 259
Yoshio, M., see Park, K.S., 2937
Yoshio, M., see Park, S.H., 1721
You, H., see Nagy, Z., 3037
Yu, J.G., Luo, J.L. and Norton, P.R.
Electrochemical investigation of the effects of hydrogen on the stability of the passive film on iron, 1527
Yu, J.G., Luo, J.L. and Norton, P.R.
Investigation of hydrogen induced pitting active sites, 4019
Yu, L.T., see Cachet-Vivier, C., 181
Yu, S.Y., see Natishan, P.M., 3131
Yuan, C.-H., see Hsiu, S.-I., 4367
Yuan, Y., see Zhan, D., 4477

Z

Zach, M.P., see Liu, H., 671
Zagal[2], J.H., see Caro, C.A., 1489
Zairi, S., see Herlem, M., 2597
Zaitseva, G., Gushikem, Y., Ribeiro, E.S. and Rosatto, S.S.
Electrochemical property of methylene blue redox dye immobilized on porous silica–zirconia–antimonia mixed oxide, 1469
Zander, W., see Mourzina, Y.G., 251
Zangari, G., see Lu, G., 2969
Zawada, K., see Jurkiewicz-Herbich, M., 2429
Zawodzinski, T.A., Jr., see Uribe, F.A., 3799
Zec, S., see Bajat, J.B., 4101
Zelenay, P., see Thomas, S.C., 3741
Zen, J.-M., Yang, C.-C. and Senthil Kumar, A.
Potential scan rate dependence of underpotential and bulk depositions of lead on screen-printed silver electrodes, 899
Zeng, C.L., see Liu, G.Q., 3239
Zhan, D., Yuan, Y., Xiao, Y., Wu, B. and Shao, Y.
Alkali metal ions transfer across a water/1,2-dichloroethane interface facilitated by a novel monoaza-B15C5 derivative, 4477
Zhang, Y., Chen, L.-X., Lei, Y.-Q. and Wang, Q.-D.
The effect of partial substitution of Ti with Zr, Cr or V in the $Mg_{35}Ti_{10}Ni_{55}$ electrode alloy on its electrochemical performance, 1739
Zhao, C., Gu, Y., Chen, H. and Jiang, Z.
Thermal effects on the measurement of photocurrent at anodic films on nickel electrodes, 1801
Zhao, J., Liu, B., Zou, Y., Xu, C. and Kong, J.
Photoelectric conversion of photosynthetic reaction center in multilayered films fabricated by layer-by-layer assembly, 2013
Zhou, W.P., Kibler, L.A. and Kolb, D.M.
Evidence for a change in valence state for tellurium adsorbed on a Pt(111) electrode, 4501
Zhou, X.F., Chu, D.B. and Lin, C.J.
Anodic dissolution of spongy titanium in ethanol solution for preparation of nano-sized TiO_2 powder, 2769
Zhou, Z.Y., see Sun, J.J., 95
Zieliński, A., see Smulko, J., 1297
Zolfaghari, A., Conway, B.E. and Jerkiewicz, G.
Elucidation of the effects of competitive adsorption of Cl^- and Br^- ions on the initial stages of Pt surface oxidation by means of electrochemical nanogravimetry, 1173
Zoltowski[1], P., see Vladikova, D., 2943
Zoppas Ferreira, J., see Rodrigues, M.A.S., 753
Zou, Y., see Zhao, J., 2013
Zuilhof, H., see de Smet, L.C.P.M., 2653

ELSEVIER

Electrochimica Acta 47 (2002)

ELECTROCHIMICA Acta

www.elsevier.com/locate/electacta

Subject index of volume 47 (2002)

A

AA5083, 1415
AA2024-T3, 3105
AB_5, 2871
Absorbance–potential–wavelength profile, 423
Accelerator, 143
Acetaldehyde, 1441
Acetic acid, 3441
Acetonitrile, 4387
Acetophenone enolate, 1761
AC impedance, 3383
ac-Impedance, 2209
Ac impedance, 1043, 4373
Ac impedance method, 2413
Ac impedance spectroscopy, 1633
A.c. impedance spectroscopy, 1013
2-Acrylamido-2-methyl-1-propanesulfonic acid copolymer, 3269
Activated carbon, 1545
Activity, 1651
Adatoms, 3653
Additives, 4139
Additives in solution, 4291
Adhesion, 2583
Adhesion strength, 75
Adsorbed hydrogen, 4485
Adsorption, 729, 997, 2055, 2429, 2921, 3081, 4113, 4189, 4407, 4501, 4511
Adsorption at columnar surfaces, 405
Adsorption constants, 589
Adsorption modelling, 405
Adsorption of $[PtCl_4]^{2-}$, 1461
Adsorption on electrodes, 1765
AFM, 335, 1975
Ag(111), 1777
Ag–Cd alloying, 1777
Ag-electrode, 1595
Air electrode, 3995
Al, 2127
Al–base alloys, 2387
$AlCl_3$–EtMeImCl room temperature molten salt, 2817
Alcohol, 1317
Alcohols, 997
Al current collector, 2787
Aldehyde, 2963
Alizarin red S, 1713
Alkali metal ions, 4477
Alkaline, 4239
Alkaline batteries, 1633
Alkaline sour environment, 1197
Alkane-diphosphonates, 2335
Alkenes, 2653
Alkylated porous silicon, 2653
Al–La alloy, 2817
Alloy electrodeposition, 4091
Al–Nd alloy, 217
Al–Sn alloy, 3009
Alumina, 1225, 1811
Alumina template matrix, 2603
Aluminium, 1225, 1811, 3009
Aluminium alloy, 2253
Aluminium alloys, 2159
Aluminium surface, 1925
Aluminum, 225, 1373, 2787
Aluminum alloy, 2319
Aluminum–brass, 1857
Aluminum oxide, 1373
Al–W amorphous alloys, 2387
Al–Zn–Mg alloys, 2823
Aminoalkanethiol surface modifiers, 4351
1-Amino-9,10-anthraquinone, 1867
a-$MnO_x \cdot nH_2O$, 3523
Amorphous alloys, 921
Amorphous Zr–Al–Ni–Cu alloy, 1343
Amperiometric sensors, 807
Amperometric, 283
Amperometric biosensor, 1795, 4451
Anion binding, 3017
Anions, 3545

doi:10.1016/S0013-4686(03)00422-5

Anion substitution, 1721
Anisotropic conductive particles, 75
Anisotropy microellipsometry, 149
Annealing, 3523
Anode, 987
Anode catalyst, 3629
Anode kinetics, 2913
Anodic behavior, 2787
Anodic deposition, 3523
Anodic dissolution, 833
Anodic dissolution in ethanol solution, 2769
Anodic film, 1801, 2989
Anodic films, 1225, 2761, 3837
Anodic material, 4207
Anodic oxidation, 1373, 3509
Anodic oxidation mechanism, 3361
Anodic oxide, 2625, 2733
Anodic oxide film, 225
Anodic passivation, 2505, 3375
Anodic polymerization, 1867
Anodised titanium, 2169
Anodising, 3837
Anodization, 217, 553
Anodizing, 1225, 2761
Anolyte, 3971
Anomalous codeposition, 3447, 4091
Anti-corrosion properties, 4149
Antimony, 3653, 4207
Aprotic media, 4045
Aqueous media, 495
Aqueous medium, 2953
Arsenic, 3653
Artificial neural network, 251
Ascorbic acid, 3965, 4387
Atomic force microscopy, 2901
Atomic structure, 3065
Au(100), 3075
Au(111), 3075
Au, 3065
Au(111), 4485
Au(*hkl*), 3765
Au_2Na alloy, 4543
Austenitic stainless steel, 2215
Autocatalysis, 2177
Automated synthesis, 553
Automobile exhaust, 3595
Avrami equation, 4279
Axon growth, 299

B

Bacteria, 2289, 2319
Batteries, 815
Battery, 2347
Battery electrode, 3137
Benzene, 4399
Bi, 459
Bicarbonate, 2081
BICUVOX.10, 3957
Biferrocene platinum(II) complex, 1537
Bifunctional catalysts, 2365
Bifunctional electrode, 1651
Bifunctional oxygen electrodes, 3211
Bilayer lipid membranes, 3457
Bimetallic catalyst, 3681
Bimetallic electrodes, 1259
Bimetallic surfaces, 3621, 3777
BIMEVOX, 2809
Bi_2O_3, 181
(Bio-)chemical and physical sensors, 243
Bioelectronic interface, 293
BioFET, 293
Biological applications, 3
Biomaterial, 1343
Biomaterials, 1359
Bioprotection, 2289
Biosensor, 293, 791, 2715, 4227
Biosensors, 3457
Bipolar membrane, 759
Bi/Pt electrode, 501
Bismuth, 679, 997, 3653, 4113
Bismuth single crystals, 967
Bismuth vanadate, 3957
Borosiloxane polymer, 483
Brass, 2319
Breakdown potential, 1787
Brewster angle microscopy, 2371
Bubble evolution, 2043
Bubble-induced convection, 2043
Build-up PCB, 85
Buried interface, 815
Burn mechanism, 1451

C

Cadmium, 1777
Calcium phosphate, 1913
Calcium zirconate, 4523
Cancel bifunctionality, 3219
Capacitance, 2055, 2407, 3361
Capacitance measurement, 2625
Capacitance measurements, 4357
Capacity, 3395
Capacity charge, 395

Capacity fade, 4157
Capacity fading, 4291
Capacity fading mechanism, 1899
Carbanion, 2963
Carbide films, 235
Carbides, 235
Carbon, 1055, 1385
Carbonate-based electrolytes, 4459
Carbonate/bicarbonate, 4531
Carbonate ions, 1949
Carbon black, 181
Carbon electrodeposition, 1949
Carbon electrodes, 2795
Carbon fiber, 3881
Carbon fibers, 1847
Carbon monoxide, 3383, 3611, 3621, 3637
Carbon paste electrode, 1513, 1959
Carbon steel, 2149, 3949
Carbon–steel, 4315
Carbon steel, 1043, 1197, 1683
Carbon-supported platinum nanoparticles, 3431
β-Carotene, 567
Cast iron, 2109
Catalase, 1857
Catalysis, 1259, 2999
Catalysts, 3595
Catalytic activity, 913
Catalytic activity of metal surfaces, 47
Catalytic oxide electrode, 2525
Cathode, 2543, 3163, 3239
Cathode catalyst, 3799
Cathode dissolution, 3823
Cathode performance, 3741
Cathodic doping, 171
Cathodic processes, 643
Cathodic reduction, 747
Cation detection, 1481
Cavity microelectrode, 181
C_{76}, C_{78}, C_{84} thin-solid films, 2371
C_{60}-[dimethyl-(β-cyclodextrin)]$_2$, 2673
CdSe, 955
Cd-UPD, 3093
Ce-implantation, 2215
Cell-impedance-controlled lithium transport, 2843
Cell volume, 309
Cerium, 1415, 3971
Cermet anodes, 3815
Cermet electrodes, 1079
Cesium, 1035
Ce–V battery, 3971
CFD, 91
C–H activation, 2913
Chalcogen, 3807
Characterisation, 577, 1283, 1513
Characterisation of systems, 3
Charge carriers, 1275
Charge control, 875
Charge-transfer resistance, 4213
Charge transfer resistance, 2071
Charge transport, 2019
Charging capacity, 4263
C–H bond activation, 4245
Chemical bath deposition, 977
Chemical cleaning, 2159
Chemical imaging sensor, 259
Chemically modified electrodes, 2451
Chemical reduction, 4207
Chemical sensor, 251, 259, 1579
Chemiluminescence, 1561
Chloride, 1385
Chloride adsorption, 1173, 1777
Chloride ions, 2463
Chloride plus sulphate solutions, 2823
Chloride threshold, 3469
Chlorinated hydrocarbons, 1405
Chlorine electrode reaction, 1129, 1137, 1145
Chloroacetic and bromoacetic acids, 747
Chlorofluorocarbon, 3847
Chlorophenols oxidation, 2399
2-Chloropyridine, 2921
Chromate, 1097
Chromate adsorption, 3127
Chromate conversion coatings, 3105
Chromate inhibitor, 3127
Chromate layers, 1925
Chromium, 415, 2265
Chromium adhesion layer, 599
Chromium carbide compounds, 2775
Chromium electrodeposition, 2775
Chromium nitride, 2725
Chromium species, 3127
Chronoamperometry, 905, 1343, 1623
Chronopotentiometry, 759, 1949
Clean technologies, 753
CMOS, 129
^{13}C NMR, 519
CO, 3065
CO_2, 3675
CO adsorption, 689
CO_{ad}-stripping, 3693
Coatings characterization, 1875
Cobalt, 2809, 4307, 4531
Cobalt and nickel oxides, 1555
Cobalt dissolution, 4291

Cobalt ions, 2533
Cobalt–nickel–iron, 61
Cobalt oxide coatings, 1875
Cobalt–palladium, 353
CoFe film, 4149
Co-intercalation, 1975
Cold-rolled steel protection, 1875
Colloids, 689
Combinatorial methods, 553
Combined X-ray study, 2885
Complex impedance spectroscopy, 2551
Complex non-linear least-squares, 2943
Composite, 1677
Composite electrodes, 2183
Composite electrolytes, 1275
Composite gel electrolyte, 3853
Composition, 3447
Concentration instabilities, 1267
Concrete, 2271
Conducting fullerene films, 2371
Conducting polymer, 2245
Conducting polymers, 171, 741, 2715, 4227, 4263
Conductivity, 1189, 1275, 1623, 3257
Confined etchant layer technique (CELT), 95
CoNiP, 2893
Conjugated polymers, 2049
π-Conjugated system, 1091
Constant-phase elements, 2027
Contact material, 109
Convective instability, 3277
Conversion coating, 1097
CO oxidation, 3595, 3759
Copolymerization, 2005
Copper, 747, 2109, 2809, 4189, 4339, 4467
Copper complexes, 3245
Copper deposition, 1249
Copper electrochemistry, 2901
Copper lining, 143
Copper metallization, 2583
Copper nucleation, 2901
Copper oxide and nitrate, 3245
Copper passivation, 3037
Copper plating, 67
Copper sulfate, 1267
Co/Pt nanostructures, 371
CO_2 reduction, 3327
Corrosion, 3, 201, 509, 775, 1359, 1415, 1875, 2149, 2253, 2633, 2775, 2953, 3117, 3409, 3469, 3939, 4101, 4357, 4467
Corrosion current, 1739
Corrosion inhibition, 1365, 2319, 4189
Corrosion inhibitors, 589
Corrosion measurements by titration (CMT), 4279
Corrosion potential, 1787
Corrosion protection, 1097, 2289
Corrosion resistance, 2969
CO tolerance, 3219
CO-tolerance, 3629
Cottrell equation, 2901
Coulometric titration, 3957
Coulometry, 4339
Counterions, 741
Covalently and non-covalently bonded quinones, 4351
CrN_x, 2127
Cross-section analysis, 55
Crown ether, 1579
Crystalline, 4125
Crystallization, 359
Cu/Cu_2O composite, 4393
Cu electrodeposition, 4139
Cupplater, 91
Current density, 2769
Current efficiency, 235
Current oscillations, 1567
Current–time transients, 1847
Current transient, 2843
Cu-UPD, 3093
Cu–YSZ, 3815
Cyanide oxidation, 3245
Cyclic polarization, 2239
Cyclic voltammetry, 519, 1013, 1461, 1481, 1561, 1587, 1607, 1623, 1949, 2189, 2215, 2371, 3447, 3509, 3545, 4035, 4055, 4245, 4373, 4399
Cyclic voltammetry (CV), 651
Cyclic voltammogram, 3395
Cycling, 3137
Cycling stability, 1739
β-Cyclodextrin, 3315
L-cysteine, 4035
Cytochrome c_3, 4069

D

Data analysis, 2135
d.c. conductivity, 2005
Decagonal quasicrystals, 465
Decision theory, 4441
Deformation, 3515
Degradation of pollutants, 729
Dehalogenation, 719
Dehalogenative polycondensation, 2927

Delignification, 799
Delithiation with acid, 2697
Delocalization, 1537
DEMS, 3693
Density functional theory (DFT), 3611
Deposition rate, 4011
Deuterium isotope effect, 2913
Diacrylate polymers, 533
Diamond, 2589
Diamond electrode, 4387
2,4-Diarylthiophenes, 1761
Dielectric dispersion, 2679
Dielectric relaxation, 3257
Differential, 1601
Differential capacitance, 4511
Differential capacity, 395, 2429
Differential electrochemical mass spectrometry, 1441, 3681, 4485
Differential impedance analysis, 2943
Differential pulse voltammetry, 3545
Differential scanning calorimetry, 359, 1885, 2421
Diffusion, 2055, 3927
Diffusion coefficient, 495
Diffusion coefficients, 4027
Diffusion coefficients in membranes, 451
Diffusion-controlled growth, 905
Diffusion equation, 3057
Difluorocarbene, 3847
Digital simulation, 3927
Diglyme, 533
Dihexadecylphosphate, 2515
Dimensionally stable anodes, 1283
Dimethylamine borane, 47
Diphenylamine, 3551
Dipole orientation, 1275
Direct electrochemistry, 2515
Direct methanol fuel cell, 1983, 2913, 3401, 3733, 4079
Direct oxidation, 3815
Discharge curve, 3297
Discretization, 1787
Disordered carbon, 933
Disorder to order phase transition, 2843
Dispersion degree of Pt particles, 2741
Dissolution, 509, 1811, 3409, 3515, 4531
Dissolution distribution, 121
Distinguishability, 2035
Disulfide bonds, 1091
2,2′-Dithiodianiline (DTDA), 1091
Di-ureasils, 2421, 2551
DMFC, 3715
Double layer, 2055
Double layer capacitance, 1595
Double-layered films, 2733
D-Ribose adsorption, 967
Droplet cell, 137
DSA, 2525
DSC, 1189, 2551
Dye sensitised, 2801
Dye solar cell, 4213
$DyFe_2$, 3533
Dy–Fe alloy, 3533
Dynamic measurements, 2199
Dynamic spectrovoltammetry, 423

E

Effluent treatment, 695
EIS, 1197, 1385, 2043, 2109, 2149, 2215, 2231, 2239, 2259, 2289, 2311, 2463, 4101, 4511
Electrical properties, 2733
Electric double layer capacitor, 2795
Electroactive polymers, 2071
Electroactive surfactant, 3315
Electrocarboxylation, 2963
Electrocatalysis, 651, 1283, 1819, 2451, 2515, 2673, 3219, 3351, 3663, 3715, 3807, 3873, 3901, 4245, 4307
Electrocatalyst, 2981
Electrocatalysts, 689, 1555, 1967
Electrocatalytic effect, 1713
Electrocatalytic formaldehyde oxidation, 4485
Electrocatalytic oxidation, 501, 1317, 3965
Electrochemical, 799, 4367
Electrochemical behavior, 2265
Electrochemical dehalogenation, 747
Electrochemical deposition, 2381
Electrochemical dissolution, 1121
Electrochemical doping, 2049
Electrochemical formation, 3533, 4543
Electrochemical impedance, 509, 945, 2035, 2065, 2117, 2435, 2573, 3409, 3977, 4263
Electrochemical impedance spectroscopy, 1209, 1697, 1747, 2081, 2135, 2189, 2245, 2271, 2347, 2473, 2823, 2943, 3009, 3335, 3483, 4459
Electrochemical impedance spectroscopy (EIS), 1305, 2093, 2319, 2341, 4085, 4195
Electrochemical inductor, 1305
Electrochemical insertion, 3303
Electrochemical investigation, 1527
Electrochemical kinetics, 955
Electrochemical machining, 235
Electrochemical measurements, 1721

Electrochemical metal deposition, 679
Electrochemical methods, 2049, 3081
Electrochemical micromachining, 95
Electrochemical microsystem technologies, 23
Electrochemical nanobalance, 1173
Electrochemical noise, 1297, 1415, 4019, 4315, 4325, 4333
Electrochemical noise analysis (ENA), 2319
Electrochemical oxidation, 433, 3675
Electrochemical performance, 3491
Electrochemical polymerisation, 299
Electrochemical process, 2725
Electrochemical processes, 695
Electrochemical promotion, 1259
Electrochemical properties, 3239
Electrochemical quartz crystal microbalance, 1481, 2371, 3551, 3629, 4339
Electrochemical quartz crystal microbalance (EQCM), 599
Electrochemical reduction, 1989, 2809, 2833, 3891
Electrochemical sensors, 2281
Electrochemical stability, 495
Electrochemical studies, 1899
Electrochemical supercapacitors, 2741
Electrochemical synthesis, 1847
Electrochemical techniques, 1359
Electrochemical wastewater treatment, 4181
Electrochemistry, 567, 775, 1615, 2005, 3457
Electrochemistry of powder materials, 181
Electrochromic Ir(+III)/Ir(+IV) transition, 2189
Electrochromism, 423, 2435, 2927, 3977
Electrocrystallization, 955
Electrode, 1217, 2565
Electrode kinetics, 825, 2857
Electrode material, 489
Electrode materials, 3491
Electrodepositing metals, 2615
Electrodeposition, 67, 345, 371, 379, 643, 671, 891, 1035, 1229, 2707, 2893, 3309, 3423, 3749, 4101, 4149, 4181, 4419
Electrodeposition mechanism, 4263
Electrodialysis, 753, 759
Electrodissolution, 1513
Electroforming, 109, 143
Electrogenerated base, 1761
Electroless, 977
Electroless deposition, 47, 161, 2969
Electroless plating, 103, 1601, 4011
Electrolysis, 3509, 3847, 3909, 4125
Electrolyte absorption, 451
Electrolyte resistance fluctuations, 4315, 4325
Electromembrane, 759
Electron-backscattering diffraction, 149
Electron-beam induced deposition, 891
Electronic properties, 1661
Electronic structure, 543, 1365
Electron lifetime, 4213
Electron transfer, 1537, 1641, 2245
Electron transition, 1661
Electro-optical, 283
Electro-oxidation, 2297
Electrooxidation, 3663
Electro-oxidation, 1495
Electroplating, 85, 161, 353, 459
Electropolishing, 143
Electropolymerisation, 1935
Electropolymerization, 265, 1623, 2927, 3551
Electroremediation, 1395, 1405
Electrosorption, 1545
Electrospray ionization mass spectrometry, 623
Electrospray-mass spectrometry, 1035
Electrosynthesis, 1761
Elemental sulfur, 1513
Elevated temperature, 1683
Elevated temperatures, 3483, 4291
Ellipsometry, 1587
Embedded particle electrode, 3195
EMST-definition, 3
Emulsion drying method, 2543
Energy conversion, 345
Ephedrine, 3457
Epoxy coating, 4101
EQCM, 589
Equivalent circuit, 2245, 2303, 2311
Equivalent circuit model, 2347
Equivalent circuit models, 4263
Equivalent ionic conductivity, 2341
ESR, 799, 4245
Etching, 1121
Ethanol, 997
Ethylene carbonate, 1423, 3303
Euler angles, 149
EXAFS, 3105, 3807
Exchanger, 1545
Exfoliation, 1601

F

Facilitated ion transfer, 4477
Facilitated ion-transfer, 623
Faradaic current, 2407

Fast kinetics, 4477
F-doped SnO_2, 1385
Fe–Cr, 3117
Ferric ion, 121
Ferri/ferro–cyanide, 1641
Ferrites, 559
Ferrocene, 2715, 4227
(11-Ferrocenylundecyl)trimethylammonium, 3315
Ferrous ion, 121
FeS_2, 2615
Field-effect structures, 2143
Filiform corrosion, 2159
Filling, 85
FINEMET alloys, 2265
Flow battery, 825
Flow diagrams, 3
Fluoride, 2311
Forced convection, 2043
Formaldehyde, 47
Formation ratio, 2989
Formic acid, 501, 3653
Fourier transform IR spectroscopy, 815
Fractal dimension, 4347
Fractal study, 4347
Free volume, 483
Frequency–temperature equivalence, 2679
Freshly etched copper, 4279
FTIR, 4407
FT-IR, 4181
FTIR, 3663
FT-IR, 3441
FTIR, 433
FTIR spectroscopy, 4399
Fuel cell, 2981, 3629, 3663, 3681, 3741, 3799, 3823
Fuel-cell, 4441
Fuel cell catalyst, 633
Fuel cell catalysts, 3733
Fuel-cell electrocatalysis, 3611
Fuel cells, 1023, 1079, 3715, 3723, 3815
Full cell, 3327
Fundamentals, 3

G

GaAs, 95, 1615
Galena, 1513
Gallium arsenide, 2533
Gallium oxide, 2533
Galvanic corrosion, 2271
Galvanic displacement, 2583
Galvanic industry, 695
Galvanostatic oscillations, 501
Galvanostatic potential oscillations, 2297
Gas diffusion electrode, 3327
Gas-diffusion electrode, 1651
Gel electrolytes, 533
Gel polymer electrolyte, 1013
General corrosion, 4163
Germanium, 379, 1115
Glass electrode, 201
Glassy carbon, 2451
Glassy carbon electrode, 2399
Glycerol, 1495
Glycolic acid, 2937
Gold, 91, 2055, 2429
Gold electrode, 2921, 4113, 4407
Gold oxidation, 599
Gold single crystals, 1461
Grain orientation, 149
Gramicidin channels, 2259
Graphite, 1601, 1885, 1975, 2857, 4207
Graphite anode, 1229
Graphite/coke hybrid carbon, 1691
Graphite–lithium, 1217
Graphitized carbon, 885
Graphitized MCMB, 4085
Grazing incidence X-ray absorption fine structure, 3093
Grazing incidence X-ray diffraction, 3093
Group I hydrogen catalysts, 3909
Growth, 1267

H

Half-life, 799
Halide, 4407
Halide-induced oscillations, 4163
Hard disk drive(HDD), 23
Hard magnetic films, 2893
Heavy metal detection, 251
Hemoglobin, 2515
HER, 2035
HER mechanism, 1997
Heteroatoms, 3491
Heterogeneities—influence on film formation, 235
Heteropolyanion, 1615
H_2 evolution reaction, 3571
Hexacyanoferrates, 1035
H^+ exchange, 327
Hf, 2127
HF solutions, 2573

Hidden negative differential resistance, 2297
Hidden negative impedance, 501
High binding energies, 3909
High energy protons, 2473
Higher fullerenes, 2371
Highly boron-doped diamond electrodes, 1641
H_2/O_2 fuel cell, 2413
Horseradish peroxidase, 275
H_2 oxidation, 3571
HRP enzyme, 4451
H_2SO_4, 2463
H-terminated surface, 2751
Hydride, 4239
Hydrodynamic modulation voltammetry, 29
Hydrodynamic ultramicroelectrodes, 29
Hydrogen, 1527, 2199, 4019
Hydrogen absorption, 921
Hydrogen diffusion, 875
Hydrogen embrittlement, 4333
Hydrogen evolution, 613, 921, 1819, 1997, 2065, 2483, 4315, 4325, 4333
Hydrogen permeation, 2483
Hydrogen purification, 2413
Hydroperoxyl radical, 1561
Hydroperoxyl radicals, 567
Hydrophobic interaction, 1713
Hydrotalcite-like clays, 2451
Hydrothermal synthesis: cathode, 3287
Hydrous anodic Ir oxide, 2189
Hydroxide ions, 3245
Hydroxyl, 2999, 3621
Hydroxyl radical, 3509
Hypophosphite, 47

I

Identical transducer principle, 243
Identifiability, 2035
Imaging, 2143
Imidazoles, 4189
Immersion plating, 1249
Impedance, 129, 967, 987, 1097, 1217, 1267, 1677, 2071, 2281, 2871, 2989
Impedance data analysis, 2169
Impedance spectrometry, 759
Impedance spectroscopy, 293, 719, 791, 2159, 2183, 2223, 2303, 2679, 4113, 4213
Impregnation–reduction method, 4079
Inclusion compound, 3315
Indigo, 1989
Indigo radical, 1989
Indium–phosphide, 2625
Indole, 1561
Inductive behavior, 4195
Infrared, 2565
Infrared reflectance spectroscopy, 3965
Inhibition, 1415, 4339
Initial deposition, 4011
Ink electrode, 633
InP, 2633, 2639, 2733
Insect antenna, 293
Insertion, 3927
In situ analysis, 815, 1925
In situ FTIR spectroscopy, 1537
In-situ infrared spectroscopy, 2573
In-situ measurements, 3171
In situ nanoindentation, 319
In-situ Raman, 1475
In situ spectroelectrochemistry, 3195
In situ spectrophotometry, 705
In situ spectroscopic ellipsometry, 1811
In-situ STM, 1461
In situ surface X-ray scattering, 3075
In situ XAS, 3219
In-situ X-ray absorption, 3211
In situ X-ray absorption spectroscopy, 3081
Intercalation, 2435, 3977, 4459
Intercalation cathode, 3863
Interfacial barriers, 2615
Interfacial charge, 2071
Interfacial film, 2639
Interfacial pH, 4091
Inter-linked production line, 109
Intermediates, 3891
Internal stress, 921
Interval analysis, 2035
Invertebrate nerve cells, 309
Ion channel, 791
Ion dynamics, 2371
Ion exchange, 2071
Ion exchange assisted electrodialysis, 695
Ion-exchange membrane, 451
Ion-exchangers, 741
Ionic and electronic conductivity, 4523
Ionic conduction, 1373
Ionic conductivity, 483, 1013, 2421, 3541
Ionic diffusion, 2435, 3977
Ionic liquid, 4367
Ionic polymer metal composite (IPMC), 2341
Ionic radius, 395
Ionisation potential, 1365

Ion pairs, 533
Ions, 997
Ion selective electrode, 2117
Ion-selective electrodes, 1579
Ion-selective microelectrodes, 309
Iontophoresis, 2027
Ion-track membranes, 4393
Ion transport, 2371
Ion trapping, 2435, 3977
IRAS, 2921, 4407
Iridium oxide, 327
IrO_2, 2525
Iron, 1527, 3375, 4019
Iron (100) and (110) surfaces, 319
Iron chelate, 1967
Iron dissolution, 235
Iron electrode, 2953
Iron electrodissolution, 1567
Iron(III)/iron(II), 1641
Iron passive–active transition state, 4163
Iron passivity, 3127
Iron sulfide films, 2149
Iron thiophthalocyanine, 4035
ISFET, 201
Isobutyronitrile and electrochemical stability, 1327
Isolation, 1217
ITIES, 623, 2209

J

Jet plating, 109

K

Keggin-type heteropolyanion, 1481
Kinetic mechanism, 1145
Kinetic mechanisms, 1137
Kinetic model, 1697, 2093, 3335
Kinetics, 567, 2189, 2245, 2335, 3297, 4419

L

La^{3+}, 2551
LaB_5 metal hydride electrodes, 1069
$La_{0.6}Ca_{0.4}CoO_3$ perovskite, 3211
Lambda sensor, 807
Laminin, 299
Langmuir films, 2371
$LaNi_{3.35}Co_{0.75}Mn_{0.4}Al_{0.3}$ alloys, 1069
Lanthanide additives, 3815
Laser irradiation, 225, 643
Laser photoemission, 3891
Layer-by-layer, 2013
Layered structure, 2937
Layer formation, 2335
Layers, 4419
Lead, 899
Lead acid batteries, 3297
Least-squares fit, 2303
LEED, 4501
Length scale, 4347
Leuco-indigo, 1989
Lewis acidity, 4367
Li^+, 2421
$LiBF_4$, 433
LiCl–KCl, 3533
$LiCoO_2$ cathode, 433
$LiCoO_2$ electrodes, 4291
Li–Fe–Mn oxides, 559
LiF–NaF–KF, 4543
Ligand exchange, 753
Light-addressable potentiometric sensor, 259
Light scattering, 441
Li intercalation, 3881
Li-ion batteries, 1423, 1899, 2857, 2885
Li-ion battery, 2543, 3287
Li-ion cells, 1601
Li/K carbonate, 1475
Limiting current, 3277
Limiting mechanism, 875
$LiMnO_2$, 3287
$LiMn_2O_4$, 495, 1229, 1607, 4347
$LiMn_2O_4$ cathode, 1747, 3483
$LiMn_2O_4$ film electrode, 2843
Linear sweep voltammogram, 2843
$LiNi_{0.5}Mn_{1.5}O_4$ Spinel, 2543
^7Li NMR, X-ray photoelectron spectroscopy, 1691
$LiPF_6$, 433
Lipid bilayers, 2259
Liquid-feed, 3401
Li–$SOCl_2$ battery, 855
Lithium, 577, 833, 1545, 4459
Lithium alloys, 1115
Lithium batteries, 495, 885, 933, 1321, 1727, 1829, 3171, 3187, 3863, 4027, 4347
Lithium battery, 1055, 3927
Lithium cell, 489, 3853
Lithium chloride, 855
Lithium dendrite, 3853

Lithium diffusion, 2231
Lithium hydride, 833
Lithium incorporation, 945
Lithium insertion, 3187
Lithium insertion electrode, 2697
Lithium intercalation, 441, 1153, 1229, 1607, 2857, 3151
Lithium ion batteries, 3491
Lithium-ion batteries, 1217
Lithium ion batteries, 1115
Lithium-ion battery, 4207
Lithium ion battery, 1721
Lithium-ion battery, 1975, 2937
Lithium ion battery, 1229
Lithium nickelate, 2697
Lithium nickel cobalt composite oxide, 4157
Lithium–nickel–cobalt oxide, 3187
Lithium salt, 1885, 2787
Lithium salts, 3483, 4125
Lithium secondary battery, 1691, 4157
Lithium (tin) cobalt oxide, 2885
Lithium triflate, 533
Lithium vanadate, 3239
Lithium/water battery, 833
Lithium/water interface, 2495
Li^+ transference number, 483
Loaded ionomer, 1713
Localisation of processes, 3
Localised impedance, 2143
Localized corrosion, 191
Local modification, 171
Local structure, 3151
Local surface modification, 225
Long-term stability, 4213
Low-dimensional metal systems, 679
Low humidity, 939

M

Macrocyclic complex, 1967
Magnetic coercivity, 371
Magnetic properties, 359, 865
Magnetic recording, 23
Manganese, 4307
Manganese dioxide, 3863
Manganese oxide, 2381, 3171
Manganese oxide electrodes, 4027
Manganese porphyrin, 265
Manganese spinel oxides, 1829
Manganese sulfide inclusions, 191
Marine corrosion, 1043
Mass transfer, 2135
Mass transport, 1795
Materials properties, 3
Mathematical modelling, 1747, 1795
Matrix of molten carbonate fuel cells performance, 1451
MCFC, 1475
Measurement model, 2027
Mechanical properties, 319, 3939
Mechanical stretching, 1275
Mechanism, 955
Mechanism of conduction, 2451
Mediator, 1317
Medium temperature range, 939
Membrane, 2117
Membrane conductivity, 451
Membrane–electrode assembly, 4079
Membrane electrode assembly, 3733
Membranes, 4441
MEMS, 2893
Metabolism, 259, 283
Metal film, 3881
Metal hydride, 2871
Metal–hydrogen interactions, 4325, 4333
Metallic multilayers, 371
Metallofullerenes, 3545
Metal-reductase activity, 4069
Methane, 987
Methanol, 2297, 3637, 3663, 3741
Methanol electrooxidation, 3733
Methanol electro-oxidation, 3723
Methanol oxidation, 633, 3017, 3693, 3715
Methanol solution, 1249
Methanol tolerance, 3431
Methanol tolerant cathode, 1983
Methylene blue, 1469
1-Methylindole, 1561
Mg/GPE/MnO_2 cells, 1013
$Mg_{35}Ti_5M_5Ni_{55}$ (M = Cr, Zr, V, Ti) alloys, 1739
Micro- and nano-liquid/liquid interfaces, 4477
Micro- and nano-technologies, 3
Microbalance, 2199
Microbiologically influenced corrosion, 1857
Micro-bump, 75
Microcell, 117, 137, 2127
Microcells, 3
Microcell technique, 191
Microconductors, 1395, 1405
Microcrystals, 3551
Micro-droplet cell, 3395
Microelectrochemical techniques, 191
Microelectrode, 885, 933, 1651
Microelectrodes, 3
Micro-electromechanical systems, 2583

Microelectromechanical systems (MEMS), 95
Microgalvanics, 61, 161
Microhardness, 359
Micro impedance, 2127
Microjet electrodes, 29
Micro-pore configuration, 1451
Microscopy, 4011
Microsensor arrays, 243
Microstructure, 109
Microstructures, 67
Microstructuring, 171
Microsystem, 95
Micro-via, 85
Micro-wires, 4393
Mild steel, 2239, 2319
Miniaturised oxygen sensor, 201
Minimax strategies, 4441
Mixed conducting polycarbazole, 2927
Mixed conductivity, 2071
Mixed oxides, 559
Mn–Cr–Ta, 2463
Mn dissolution, 1229
MnO_x/C composites, 2365
Modeling, 1055, 2871, 3995
Modelling, 577, 1079, 2043
Modified carbon paste electrode, 1469
Modified electrode, 651, 1035, 3351
Modified electrodes, 4069
Modified paste carbon electrode, 4451
Molecular catalysis, 3901
Molecular geometry, 1365
Molecular orbital study, 47
Molten carbonate, 3823
Molten carbonates, 945, 3515
Molten fluorides, 1949, 3423
Molten salt, 2725, 3533, 4543
Molybdena, 3815
Molybdenum, 3681
Monoaza-B15C5 derivative, 4477
Monophosphonates, 2335
Monte-Carlo method, 1765
Monte Carlo simulation, 405, 2843
Montmorillonite, 3541
Morphology, 955, 3447, 4149
Morphology factor, 395
Morphology of electrodes, 1899
Mott-Schottky, 2589
Mott–Schottky, 2473
Mott–Schottky plot, 415
Multilayered film, 353
Multilayer slab system, 181
Multi-metallic alloys, 465
$M_yH_{1-y}V_3O_8$ (M = Li, Na, K, $y = 0.6$–0.9), 1153

N

NADH, 3351
NADH electrocatalytic oxidation, 1469
Nafion®, 3383
Nafion, 1023
Nafion®, 633
Nafion ionomer, 2795
Nafion membrane, 2019
Nano and micro particles, 671
Nanocomposite, 3541
Nanocomposites, 3179
Nanocrystalline, 2893
Nanocrystalline powder, 1385
Nano-crystallite product, 2543
Nanocrystallization, 3939
Nanodes, 865
Nano-honeycomb diamond, 4373
Nano-mechano-electrochemistry, 319
Nanooxidation, 335
Nanoparticles, 543, 3611, 4255
Nano-porous Al_2O_3, 3257
Nano-sized TiO_2 powder, 2769
Nanostructure, 353
Nanostructures, 865
Nanostructuring, 335, 679
Naphtho-15-crown-5, 623
Naphthol blue black, 729
Native oxide, 2751
Natural convection, 3277
Nb–Nb_2O_5 electrode, 1241
Negative electrode, 1691
Negative electrodes, 1727
Negative resist, 891
Neutral inhibitors, 2239
Ni-based alloys, 1697, 2969
Nickel, 695, 1829, 1959, 4239, 4307
Nickel alloys, 1997
Nickel-based alloys, 2093
Nickel–cobalt, 61
Nickel–cobalt alloys, 2707
Nickel deactivation, 613, 2483
Nickel dioxide, 2697
Nickel electrode, 1801
Nickel electroplating, 55
Nickel ferrites, 1959
Nickel hydride, 1997, 2483
Nickel hydroxide, 117
Nickel hydroxide electrode, 1633

Nickel (II) hydroxide, 1997
Nickel layered oxide, 1721
Nickel oxide, 3201, 3823
Nickel–phosphorus, 161
Nickel phosphorus electrodes, 921
Nickel sulfur electrodes, 921
Nickel–sulphamate electrolyte, 55
Ni–Co deposits, 3447
Ni doping, 2937
Nile blue, 3351
Ni-metal hydride batteries, 1069
Ni-metal hydride electrodes, 1069
Ni–MH battery, 875
Ni/Mo synergy, 465
NiO and CoO monocrystals, 945
Niobium oxide, 2989, 3351
NiO cathode, 1475
Ni–P, 2969
Ni–P alloys, 2065
Ni–P, Ni–Cu–P and Ni–Sn–P alloys, 359
Nitrate ion effect, 1567
Nitric oxid, 265
Nitride ion, 2725
Nitrogen extrusion, 2833
Nitroimidazole derivatives, 4045
Nitro radical, 4045
NMR, 1677
NO, 265
Non-aqueous, 2589
Nonaqueous electrolyte, 217
Nonaqueous electrolytes, 4419
Non-aqueous media, 1867
Non-stationary diffusion, 2857
Non-stoichiometry, 3201
Norepinephrine, 2673
Novel hydride compounds, 3909
Nucleation, 345, 379, 905, 2817
Nucleation models, 2901
Nucleophilic, 2963

O

OH(ads) formation, 3759
Oil refinery, 2149
Optical micrographs, 1189
Optical micrography, 2239
Optimisation, 91, 1283
Ordered structure, 1777
O_2 reduction, 3759
Organic additives, 4149, 4511
Organic cation transport, 309
Organic electrolyte, 2787
Organic halides, 719
Organic/inorganic composites, 1023
Organic monolayer, 2565
Organic oxidation, 2525
Organopolysiloxanes, 2281
Organosilane self-assembled monolayer, 103
Orientation, 2817
ORR, 3799
Orthogonal collocation method, 1055
Orthorhombic, 3287
Overpotential-deposited H, 3571
Oxalate, 4467
Oxidant species, 2573
Oxidation, 2679, 4399
Oxidation/lithiation, 3515
Oxidation of organics, 3361
Oxidation products, 3409
Oxidation state, 3151
Oxidative degradation, 1451
Oxidative treatment, 4085
Oxide, 129
Oxide content, 3423
Oxide electrode, 543
Oxide film, 217, 1043, 1697, 3009, 3131
Oxide films, 395, 1373
Oxide growth, 2751, 3395
Oxide ion, 1241
Oxide ion conductor, 2303
Oxide layers, 4339
Oxide species, 1475
Oxisulfide, 1721
Oxygen electrode, 945, 2177
Oxygen electroreduction, 3431
Oxygen evolution, 335, 559, 1555, 3873
Oxygen evolution reaction, 4307
Oxygen gas, 1225
Oxygen ion conductor, 4523
Oxygen nonstoichiometry, 3957
Oxygen reduction, 1209, 1555, 1857, 1967, 2413, 2533, 3777, 3787, 3901, 4255
Oxygen reduction reaction (ORR), 1983, 3765
Oxygen sensors, 1079

P

Palladium, 2199, 3749
PAN-based fibres, 3303
Parameter estimation, 2169
Parameter identification, 2035
Particle-size effect, 3431

Particle surface morphology, 519
Passivation, 465, 2081, 2127, 3009, 3017
Passivation film, 1739
Passivation of carbon, 855
Passive, 4467
Passive–active transition state, 1567
Passive film, 319, 415, 543, 1527, 1661, 1913, 2505, 3375, 3939
Passive films, 2387, 3117
Passive layer, 1683
Passivity, 3117, 3131
Patterned neuronal adhesion, 299
Patterned self-assembled monolayers, 275
Patterning, 891
Pb-free, 459
Pechini method, 913
PEG + Cl^-, 4139
Penetration depth, 4373
Penicillin FET, 243
PEO-Al_2O_3, 1677
$(PEO)_9$LiTFSI, 3257
Perchlorate, 1513
Periodic density-functional theory, 3621
Perovskite, 1651
Perpendicular magnetic anisotropy, 371
Petroleum, 2239
Peukert's law, 3297
Phase transition, 2407, 3057, 3927
pH effect, 1129
1,10-Phenantroline adsorption on gold, 405
Phenol compounds, 4451
4-Phenylpyridine, 2429
pH ISFET, 243
Phosphating, 2289
β-Phosphonylated nitroxide, 1317
Phosphoric acid, 939
Phosphosilicate gel, 939
Photocatalyst, 3309
Photocurrent, 415, 1661, 1801, 2013, 2143, 4357
Photoelectrocatalysis, 729
Photoelectrochemical behavior, 2603
Photoelectrochemical cells (PEC), 1351
Photoelectrochemical response, 4357
Photoelectrochemical solar cells, 2801
Photoelectrochemistry, 171, 719, 729, 2625, 2633, 2639
Photoelectron spectroscopy, 2639
Photolithography, 103
Photoluminescence, 891
Photooxidation, 2533
Photoresist electrodes, 149
Photosynthetic reaction center, 2013
Photo-thermal electrochemical method, 1801
Photovoltaics, 977
Photovoltaic systems, 825
pH sensor, 259, 2597
Piezoelectric microgravimetry, 2371
PITT, 2231, 4027
Pitting, 191, 4019
Pitting corrosion, 1567, 2387, 2823, 3131, 4163
Pitting potential, 3469
Plasma etching, 103
Plasma polymerisation, 2253
Plasticizer, 1321
Plate cell, 1795
Plating technology, 75
Platinum, 1173, 1441, 1983, 2999, 3637, 3777
Platinum alloy, 3787
Platinum black, 519
Platinum deposition, 1461
Platinum electrode, 4399
Platinum microparticles, 1495
Platinum–nickel alloy, 1983
Platinum oxidation, 3037
Platinum oxide growth, 1173
Platinum particle size, 519
Platinum, ruthenium, polymer electrolyte membranes, 3733
Platinum-supported catalyst, 633
Point defect, 2505, 3375
Point defect model, 4163
Point of zero charge, 1595
Polarisation curves, 3949
Polarisation resistance, 1129, 1137, 1145
Polarization curves, 235, 2775
Polarization resistance, 1739
Polyacrylonitrile, 2801
Polyaniline, 181, 327, 1495, 2005, 4055
Polyaniline (PANI), 1305, 4195
Polyaniline–platinum composite film, 2741
Polyaniline–V_2O_5, 3179
Polycrystalline iron, 121
Polycrystalline Ti, 149
Poly(diallyldimethylammonium), 2515
Poly(diphenylamine), 423
Polyelectrolyte, 3269
Poly(3,4-ethylenedioxythiophene), 2245
Poly(ethylene oxide), 3541
Poly(ethylene oxide)–LiX electrolytes, 4433
Polyethylenimine, 2597
Poly(glycidyl acrylate), 1935
Polymer-coated electrode, 2019
Polymer electrolyte, 483, 577, 1189, 1321, 1327, 2795, 3257
Polymer electrolyte fuel cells, 2223

Polymer electrolytes, 533, 2801, 3541
Polymer film, 1867
Polymeric electrolytes, 1677
Polymeric gels, 3441
Polymerisation mechanism, 1935
Polymethacrylonitrile, 1321, 1327
Poly(methyl methacrylate), 1935
Poly-[1-methyl-3-(pyrrol-1-ylmethyl)pyridinium]chloride film, 1713
Poly(*N*-methylaniline) (PNMA), 4195
Polyoxyethylenelaurylether, 459
Polyparaphenylene, 4459
Polypyrrole, 265, 741, 1351, 1481, 2953, 4467
Polythiacrown-ethers, 2281
Polythiophene and derivatives, 171
Polyvanadic acid, 441
Polyvanadic acid aging, 441
Pore parameters, 2109
Pores, 4393
Porous alumina, 553
Porous anodic film, 1811
Porous electrode, 1055, 2109
Porous electrodes, 705, 2347, 2871, 3995
Porous nickel, 3515
Porous silicon, 1249, 2653
Positive electrode, 4157
Positive electrode material for lithium battery, 1153
Potential drop, 1795
Potential fluctuations, 4325, 4333
Potentials of metal–oxide couples, 4279
Potential step chronoamperometry, 4027
Potentiodynamic polarisation, 2065
Potentiometric, 283
Potentiometric sensors, 807
Potentiometric titration, 1241
Potentiometric transducer, 2597
Potentiostatic polarisation, 2065
Potentiostatic transient, 905
Pourbaix diagram, 1091
Power spectral density, 4315
Precipitation, 3873
Primary batteries, 2495
Printed circuit boards, 109
Product-specific plating tools, 109
Prolonged cycling, 1899
Properties, 775
Propylene carbonate, 433
Protective effect, 1365
Protein arrays, 275
Protonation, 3891
Proton conducting membranes, 1023
Proton conducting polymer electrolyte, 3269
Proton conduction, 939, 3441
Pseudocapacitance, 2381, 2741, 3201, 3523, 4055
Pseudomonas putida, 2289
Pseudomorphic Pd layer, 3075
p-Si electrode, 2597
Pt(533), 3093
Pt, 2981, 3065
Pt(111), 4501
Pt alloy, 3629
Pt-electrode, 1595
Pt(*hkl*), 3765
PtO_2, 181
Pt–Ru alloy, 3707
Pt–Ru catalysts, 3723
PtRu catalysts, 3693
Pt–Ru/C catalysts, 3715
PtRu electrocatalyst, 4079
PtRu–polymer electrolyte composite, 4079
Pt, Sn and Ru 'dopants', 3361
Pt stepped surfaces, 3653
Pulse amperometry, 265
Pulse deposition, 345
Pulsed laser deposition, 251
Pulsed YAG laser, 225
Pulse measurements, 3
Pulse plating, 55, 61
Pyridazine derivatives, 2833
Pyridine, 2209, 4407
Pyrite, 3195
Pyrite corrosion, 211
Pyrolyzed cellulose, 3303
Pyrrole, 2833
Pyrroles, 4227

Q

Quantum-chemical calculations, 3621
Quartz crystal microbalance, 4011
Quinone attachment, 4351

R

Radial flow micro-ring electrodes, 29
Radiation, 2473
Radical, 799, 4387
Radical cation of phenazine-di-N-oxide, 4245
Raman, 2005, 4181
Raman spectroscopy, 4531
Random mixing approximation, 1765
Raney electrocatalysts, 465
Rapid charging, 875

Rate enhancement, 3881
Reaction mechanisms, 3965
Reaction model, 509
Reactions, 3
Rechargeable battery, 3239
Rectangular potential technique, 4085
Redox-cell, 825
Redox couple, 2043
Redox couples, 1641
Redox flow battery, 3971
Redox reactions, 1091, 2071
Redox species, 4373
Redox stability, 2809
Redox-switchable supramolecular system, 3315
Reducing environment, 1683
Reduction, 2963, 4387
Reduction of oxygen, 2365
Reductive desorption, 1587, 4255
Reference electrode, 4543
Regression, 2027
Regression procedure, 2109
Reinforcement, 2271
Reinforcements, 3469
Relaxation functions, 4263
Remanent perpendicular magnetization, 353
Renewing electrode, 3017
Re-passivation, 1343
Replication method, 2341
Resistive oxygen sensor, 807
Resorcin[4]arene receptor, 3457
Rest potential, 1249
RF cavity, 143
Rhodium, 1441
Rhodium oxide, 1283
Ring contraction, 2833
Role of the anions (SO_4^{2-}, Cl^-), 3081
Rotating disk electrode, 4255
Rotating disk electrode (RDE), 3707
Rotating disk-ring electrode, 3777
Rotating quartz crystal microbalance, 589
Rotating ring disc electrode, 1925
Rotating ring-disc electrode (RRDE), 2093
Rotating ring-disc voltammetry, 3335
Rotating ring-disk-electrode, 3787
Rotating ring-disk electrode, 613
Rotating ring-disk electrode (RRDE), 3765
Roughness, 1787
Ru-clusters, 3807
RuO_2, 2525
Ruthenium, 987, 3637, 3777
Ruthenium complex, 2019
Ruthenium dioxide, 913
Ruthenium dioxide electrode, 3037
Rutherford backscattering spectroscopy, 2761, 3837

S

Saccharose-coke, 3303
Sacrificial anode, 3309
SAM, 4255
Sandblasting, 3939
Scaling down, 3
Scanning electrochemical microscopy, 2653
Scanning electrochemical microscopy (SECM), 121
Scanning reference electrode technique, 4019
Scanning tunnelling microscopy, 679
SCF calculations, 1365
Screen-printed electrode, 899
Seawater, 2319
SECM, 275
SEI, 1217, 3881
Selective coating, 109
Selective corrosion, 3949
Selective extraction, 3545
Selectivity, 2943
Selenium, 3653
Self assembled monolayer, 4035
Self-assembled monolayer, 2013, 2407
Self-assembly, 1587
Self-discharge, 1217
Self-poisoning, 3653
Self-referencing, 283
SEM, 651
Semiconducting properties, 3297
Semiconductor, 415, 1121, 2565
Semiconductor electrode, 345, 791
Semiconductor nanostructures, 2603
Semiconductor properties, 2081
Semiconductor properties of TiO_2, 149
Semiconductors, 379, 2589
Sensitization, 1351
Sensor, 1579, 3383
SERS, 2429, 4511
Si, 2751
SiC, 719
Silica nanoparticle, 3853
Silica–zirconia–antimonia, 1469
Silicon, 129, 335, 1115, 2565
Silicon electrochemistry, 2573
Silicon microstructures, 299
Silicon oxide formation, 335
Silicon steel, 1683
Silicon technology, 251

Silver, 679, 899, 2135
Silver-ion selective electrodes, 2281
Silver ligands, 2169
$SiMo_{12}O_{40}^{4-}$, 1615
Simplex method, 2303
Simulated bleaching solution, 3335
Simulated body fluid, 1913
Simulation, 91
Simulations, 567
Single crystal, 997, 2921
Single crystal electrode, 1595, 3037
Single particle, 117, 885, 933
SiO_2/Nb_2O_5 sol–gel, 4451
SIRMS, 3105
Slow-growth method, 671
Sn, 459
$SOCl_2$ reduction, 855
Sodium, 3303, 4459
Sodium ion transport, 2259
Sodium tartrate, 2953
SOFC, 987, 2177
Soil, 1395, 1405
Solar cell, 2633
Solar energy, 2639
Sol–gel, 2551
Sol-gel chemistry, 1721
Sol–gel films, 2281
Sol–gel method, 2937
Sol–gel processing, 1469
Solid electrolyte, 3957
Solid electrolyte interphase, 885, 933
Solid oxide fuel cells, 1079, 2183
Solid oxide galvanic cells, 4523
Solid-phase diffusion coefficient, 1747
Solid polymer electrolyte, 2413
Solid-polymer electrolyte, 3401
Solid polymer electrolytes, 3863
Solid solution of calcia in calcium zirconate, 4523
Solid-state diffusion, 1607
Solubility, 3823
Sour media, 2149
Specific capacity, 1153
Spectroelectrochemical cell, 3075
Spectroelectrochemistry, 423, 2019
Spectroscopic techniques, 3
Spectroscopy, 3909
Spherical diffusion, 865
Spinel, 559
Spinel oxide, 543
Spinel oxides, 4307
Spongy titanium, 2769
Spontaneous potential oscillations, 4393
Sputter-deposited alloys, 2387
SRET, 211
ssDNA, 3457
Stability, 1651
Stabilized after storage in air lipid films, 3457
Stabilizer, 2981
Stainless steel, 1787, 1935, 2271, 3335, 4357
Stainless steels, 191, 1661
State of charge, 1633
State of the water, 3269
Steel, 235, 2081
STFT transformation, 1297
STM, 327
Storage, 4291
Strain, 2311
Strontium titanate, 807
Structural evolution, 3137
Structural modification on heating, 2697
Structure, 939
Structure sensitivity, 4485
Substrate properties, 3
Sulfamate electrolyte, 2707
Sulfide iron films characterization, 1197
Sulfonamide anions, 4433
Sulfonated polyaniline–V_2O_5, 3179
Sulfur, 1197
Sulfur K-edge, 3195
Sulphuric acid, 4189
Supercapacitor, 2347, 3201
Supercapacitor electrode, 2381
Supercritical water, 775
Superoxide, 567
Superoxide ion, 1561
Supported membranes, 791
Surface, 129
Surface analysis, 137, 2733
Surface chemistry, 1899
Surface complexes, 4163
Surface conditioning, 2633
Surface enhanced Raman spectroscopy, 2473
Surface film, 1975
Surface films, 1857
Surface groups, 1545
Surface modification, 275, 543, 1601
Surface morphology, 2817
Surface nitriding, 2725
Surface ordering, 3057
Surface performance, 4085
Surface relaxation, 3065
Surface roughness, 599
Surfaces, 1359
Surface states, 379, 2589

Surfactant, 2117, 2981
SWNT, 651
Synergetic effect, 4139
Synthesis, 3239
System identification, 2943

T

Tafel line, 3949
Tafel parameters, 613
Tafel slope, 3401
Tantalum, 2761, 3423
Tartrate, 2989
Te, 4501
Tellurium, 3653
TEM, 4181
Temperature, 2769
Temperature control, 2407
Temperature dependent model, 2303
Temperature sensor, 243
Template, 3749
Ternary alloys, 2463
Ternary-oxide electrodes, 913
Ternary spinel-ferrite electrodes, 3873
Terthiophenes, 2715
Tetrafluoroethylene, 3847
α-Tetrathiophene, 1623
Textile diazo dyes, 729
Textural characteristics, 3523
Texture, 3395
Textures, 67
TFT-LCD, 217
Theory, 2999, 3759
Thermal ageing, 1217
Thermal current, 1801
Thermal stability, 1885
Thermal stability of oxides, 1875
Thin cell electrodeposition, 1267
Thin Cu_2O layers, 4279
Thin film, 251, 495
Thin film electrode, 1747, 3483
Thin-films, 1607
Thin layer, 327, 2189
Thin layer cell, 3057
Thiophenes, 2715
Thiourea, 1365
Three-phase boundary, 2177
Thymol, 211
Ti alloys, 1359
Time-dependent, 3375
Time dependent, 2505
Time response, 3057
Tin oxide, 913, 1209
Tin phosphate, 489, 1727
Ti/RuO_2 electrode, 1129, 1137, 1145
Titanium, 1913, 2311, 3837
Titanium adhesion layer, 599
Titanium alloys, 1913
Titanium(IV) oxide, 3309
Titanium trichloride, 47
Titration, 3423
Transfer function based measurement model, 2135
Transmission electron microscopy, 2761, 3837
Transmission electron microscopy (TEM), 3707
Transmission infrared spectroscopy, 3675
Transmission line, 1043
Transmission line model, 855
Transmission line modelling, 1633
Transparent electrode, 1209
Transpassive dissolution, 1697, 2093
Transpassivity, 3335
Transport properties, 577, 1351
Trimethylacetonitrile, 1327
Triple ions, 533
Trivalent chromium, 753
Tryptamine, 1561
Tungsten, 2473
Tungsten oxide films, 3361
Tungsten trioxide electrode, 729
Tunnelling of holes and electrons, 335

U

UHV-electrochemistry, 3637
Underpotential-deposited H, 3571
Underpotential deposition, 899, 1777, 3017, 4113, 4501
Under potential deposition of Cu on Pt(111), 3081
Underpotential deposition of thallium, 4485
UV–vis absorption spectroscopy and constant potential process, 1847

V

Valence states, 4501
Valve metal, 3309
Vanadium, 825, 3971
Vanadium oxide, 3853
Vanadium pentoxide aerogels, 3151
Vanadium species, 613, 2483
Vat dyes, 1989
5 V electrodes, 1829

Via-holes, 75
Vibrational spectroscopy, 3611
Vinylene carbonate, 1423
Vitamin A, 567
Vitamin B_{12}, 1587
Voltage pulsing, 3799
Voltammetry, 1959
V_2O_5 nanocomposites, 3163
V_2O_5 xerogels, 441

W

Wastewater treatment, 753, 1959, 3509
Water, 2999
Water absorption, 3269
Water activation, 2913
Water electrolysis, 1819
Water management, 2223
Water/nitrobenzene interface, 2209
Water purification, 705, 741
Water uptake, 2253
Weld corrosion, 3949
WO_3, 4181

X

XANES, 3105, 3195
XANES study, 3179
XAS, 3163
XPS, 1615, 2215, 2463, 3681, 4501
XPS analysis, 2775
X-ray absorption, 3171, 3187
X-ray absorption near edge structure, 3117, 3131
X-ray absorption spectroscopy, 3127, 3151, 3201
X-ray diffraction, 1189, 1351, 2421, 3211, 3723, 4239
X-ray diffraction (XRD), 3707
X-ray diffractometry, 55
X-ray photoelectron spectroscopy, 1885, 2625, 3093, 3131, 3723, 4055
X-ray photoelectron spectroscopy (XPS), 1305, 4195
X-ray scattering, 3037, 3065
XRD, 2551, 3441
$^{-}X-X^{-}$ disulfonamide anions, 4433

Z

Zarc, 2209
Zinc, 509, 1115, 3395
Zinc coating, 3409
Zinc electrode, 3995
Zintl phases, 1115
Zirconia-based sensor, 201
Zirconium alloys, 2679
Zirconium phosphate, 1023
Zn–air batteries, 3995
Zn/air cells, 3211
$ZnCl_2$, 4367
Zn–Co alloy, 4101
ZnFe alloys, 4091
Zn–Fe group alloys, 4091
ZnO, 977
ZnSe, 977
Zr, 4419
ZrO_2, 4419